



Electric Panels

Marine Wiring

LED Lighting

EVA Fender





About Genuine Marine

Since the establishment of GENUINE MARINE in 2007, we've specialized in the design, manufacture and marketing of quality components and integrated systems for marine. Our products range from foam fenders, tinned wiring, waterproof switches, LED lighting, various electric panels to numerous other types of custom OEM systems and components. Over the years we have grown from a small local supplier, known for quality OEM work, till today when we are serving customers in America, Europe, Asia, South America and Australia.

Fully owned by Genuine Marine and located in Zhuhai, our factory, Ocean River Technology, covers a total area of 20,000 square feet and is ISO9001 certified. We employ 20 full time highly trained craftsmen who oversee and operate our own cutting-edge CNC, Lasering, Thermal Bonding and Spraying equipment. While electric and indicator panels, along with EVA foam fenders, are our core products, annually, we continue to complete numerous custom projects, to a variety of global standards, for customers around the world.

At GENUINE MARINE, "We Help Build Better Boats", this is our mission and our commitment. We look forward to working, and growing, with you...

Contents

Marine Light						1~15
Switch Panel						16~25
Switch						26~29
Fuse Holder & Fuse						30~33
Socket						34~42
Tank Sensor & Gauge						43~49
Terminal Busbar						50~52
Pump						53~58
Blower						59~60
Speaker & Player						61~62
Communication Equipment						63
Wiring & Clamps						64~71
Anchor, Chain & Accessories						72~78
Deck Parts						79~95
Hatch						96~103
Chair & Leg						104~109
Steering Wheel						110~113
Swimming Ladder & Lifesaving						114~115
Kitchen & Toilet Parts						116~118
Locks						119~121
Cup Holder						122
Handrail						123~124
Outboard Accessories						125~126
Gas Spring						127~132
Fenders & Accessories						133~134
EVA Foam Fenders						135~137

Genuine Marine LED Light

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-L0015		Genuine Marine LED Starboard Light, 12v /24v, 65x56x79mm, 112.5°	
2	GM-EP-L0017		Genuine Marine LED Port Light, 12v /24v, 65x56x79mm, 112.5°	
3	GM-EP-L0015W		Genuine Marine LED Starboard Light, 12v /24v, 88x80.5x96mm, 112.5°	
4	GM-EP-L0017W		Genuine Marine LED Port Light, 12v /24v, 88x80.5x96mm, 112.5°	
5	GM-EP-L0010		Genuine Marine Starboard Light, 12v or 24v, 75x65x55mm, 112.5°	
6	GM-EP-L0012		Genuine Marine Port Light, 12v or 24v, 75x65x55mm, 112.5°	
7	GM-EP-L0011		Genuine Marine Bi-color Light, 12v or 24v, 75x65x55mm, 225°	
8	GM-EP-L0013		Genuine Marine Stern Light, 12v or 24v, 75x65x55mm, 135°	
9	GM-EP-L0014		Genuine Marine Fore-Mast Light, 12v or 24v, 75x65x55mm, 225°	
10	GM-EP-9368L/R		Genuine Marine Port and Starboard Light, red, 12v, 2w, 98x55x35mm, 112.5°, white shell	
11	GM-EP-9367 GM-EP-9366		Genuine Marine Port and Starboard Light, red, 12v, 2w, 98x55x35mm, 112.5°, black shell	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
12	GM-EP-LN0014LR		Genuine Marine Port and Starboard Light, 12-24V, 62x24mm, 20-35mA, plastic, black shell	white color option
13	GM-EP-LN0012LR		Genuine Marine Port and Starboard Light, 12-24V, 90x77x43.5mm, 20-35mA, plastic, black shell	white color option
14	GM-EP-928/1 GM-EP-928/2		Genuine Marine Starboard and Port Light, green, 12V/1.5W, 112.5°, 89x57x36mm, plastic, black shell	white color option
15	GM-EP-926		Genuine Marine Starboard Light, green, 12V/1.5W, 112.5°, 135x60x47mm, plastic, black shell	white color option
16	GM-EP-927		Genuine Marine Port Light, red, 12V/1.5W, 112.5°, 135x60x47mm, plastic, black shell	white color option
17	GM-EP-L1072LED		Genuine Marine Bi-color Navigation Light, stainless steel shell, 12V/8W, 101x98x45mm,	
18	GM-EP-L0020		Genuine Marine All Round Light, transparent, black plastic base, 70mm height	
19	GM-EP-L0021		Genuine Marine All Round Light, red, black plastic base, 70mm height	
20	GM-EP-L0022		Genuine Marine All Round Light, transparent, SS316 base, 70mm height	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
21	GM-EP-LN0100		Genuine Marine All Round Light, S.S. pole, 12V 10W, plastic base, T1+B1	
22	GM-EP-LN0101		Genuine Marine All Round Light, S.S. pole, 12V 10W, plastic base, T1+B2	
23	GM-EP-LN0102		Genuine Marine All Round Light, S.S. pole, 12V 10W, plastic base, T1+B3	
24	GM-EP-LN0103		Genuine Marine All Round Light, S.S. pole, 12V 10W, plastic base, T2+B1	
25	GM-EP-LN0104		Genuine Marine All Round Light, S.S. pole, 12V 10W, plastic base, T2+B2	
26	GM-EP-LN0105		Genuine Marine All Round Light, S.S. pole, 12V 10W, plastic base, T2+B3	
27	GM-EP-LN0106		Genuine Marine All Round Light, S.S. pole, 12V 10W, plastic base, T3+B1	
28	GM-EP-LN0107		Genuine Marine All Round Light, S.S. pole, 12V 10W, plastic base, T3+B2	
29	GM-EP-LN0108		Genuine Marine All Round Light, S.S. pole, 12V 10W, plastic base, T3+B3	
30	GM-EP-L0001		Genuine Marine Port Light, 12v or 24v, 2-1/2", 112.5°, 8W	
31	GM-EP-L0002		Genuine Marine Starboard Light, 12v or 24v, 2-1/2", 112.5°, 8W	
32	GM-EP-L0003		Genuine Marine Stern Light, 12v or 24v, 2-1/2", 135°, 8W, white light	
33	GM-EP-L0004		Genuine Marine Bi-color Light, 12v or 24v, 2-1/2", 135°	
34	GM-EP-L0005		Genuine Marine Bi-color Light, 12v or 24v, 2-1/2", 225°	
35	GM-EP-L0006		Genuine Marine Stern Light, 12v/5W, dia72mm*height 41mm, transparent, halogen bulb	
36	GM-EP-L0007		Genuine Marine Bi-color Light, 12v/5W, dia72mm*height 41mm, halogen bulb	
37	GM-EP-L0008		Genuine Marine Port Light, 12v/5W, dia72mm*height 41mm, halogen bulb	
38	GM-EP-L0009		Genuine Marine Starboard Light, 12v/5W, dia72mm*height 41mm, halogen bulb	
39	GM-EP-L0006X		Genuine Marine Stern Light, 12v/5W, dia57mm*height 39mm, transparent, halogen bulb	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
40	GM-EP-L0007X		Genuine Marine Bi-color Light, 12v/5W, dia57mm*height 39mm, transparent, halogen bulb	
41	GM-EP-L0008X		Genuine Marine Port Light, 12v/5W, dia57mm*height 39mm, transparent, halogen bulb	
42	GM-EP-L0009X		Genuine Marine Starboard Light, 12v/5W, dia57mm*height 39mm, transparent, halogen bulb	
43	GM-EP-L0180		Genuine Marine port light, red, 12V, stainless steel frame, 1NM	
44	GM-EP-L0181		Genuine Marine starboard light, red, 12V, stainless steel frame, 1NM	
45	GM-EP-LN0120T		Genuine Marine Stern Light, 12V-24V, IP67, 2W, 2NM, 78x87x50mm	
46	GM-EP-LN0120R		Genuine Marine Port Light, red, 12V-24V, IP67, 2W, 2NM, 78x87x50mm	
47	GM-EP-LN0120G		Genuine Marine Starboard Light, green, 12V-24V, IP67, 2W, 2NM, 78x87x50mm	
48	GM-EP-LN0120W		Genuine Marine Mast Light, 12V-24V, IP67, 2W, 3NM, 78x87x50mm	
49	GM-EP-LN0120D		Genuine Marine Bi-color Light, 12V-24V, IP67, 2W, 2NM, 78x87x50mm	
50	GM-EP-LN0110R		Genuine Marine All Round Light, RED, 12V-24V, IP67, 2W, 2NM	
51	GM-EP-LN0110W		Genuine Marine All Round Light, WHITE, 12V-24V, IP67, 2W, 2NM	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
52	GM-EP-LN0110R310		Genuine Marine All Round Light, RED, 12V-24V, IP67, 2W, 2NM, 310mm pole	
53	GM-EP-LN0110W310		Genuine Marine All Round Light, WHITE, 12V-24V, IP67, 2W, 2NM, 310mm pole	
54	GM-EP-LN0150		Genuine Marine Airway Course Light, wind and solar energy, wind resistance 12grade, 115x99.1mm, 1m cable, IP56,8-33V, with controller	
55	GM-EP-L0283		Genuine Marine Reading Light 10-30V, with switch, warm light	
56	GM-EP-L0283U		Genuine Marine Reading Light 10-30V, with switch, warm light, WITH USB charger	
57	GM-EP-L0330		Genuine Marine Reading Light 10-30V, hand touch dimming	
58	GM-EP-L0330U		Genuine Marine Reading Light 10-30V, hand touch dimming, WITH USB charger	
59	GM-EP-L0286		Genuine Marine Reading Light 10-30V, hand touch dimming	
60	GM-EP-L0286U		Genuine Marine Reading Light 10-30V, hand touch dimming ,WITH USB charger	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
61	GM-EP-L0269		Genuine Marine Reading Light, golden,10-30V L80*W65*H65	
62	GM-EP-L0268		Genuine Marine Reading Light 10-30V, with switch	
63	GM-EP-L0268U		Genuine Marine Reading Light 10-30V, with switch,WITH USB charger	
64	GM-EP-L0264		Genuine Marine Reading Light 9-30V/3W, with switch, SILVER color	
65	GM-EP-L0264U		Genuine Marine Reading Light 9-30V/3W, with switch, SILVER color,WITH USB charger	
66	GM-EP-L0261		Genuine Marine Reading Light 9-30V/3W, with switch,golden color	
67	GM-EP-L0261U		Genuine Marine Reading Light 9-30V/3W, with switch,golden color, WITH USB charger	
68	GM-EP-L0262		Genuine Marine Reading Light 9-30V/3W, with switch, silver color	
69	GM-EP-L0262U		Genuine Marine Reading Light 9-30V/3W, with switch, silver color, WITH USB charger	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
70	GM-EP-L0259		Genuine Marine Reading Light 9-30V/3W, with switch, SILVER color	
71	GM-EP-L0259U		Genuine Marine Reading Light 9-30V/3W, with switch, SILVER color, WITH USB charger	
72	GM-EP-L0311D		Genuine Marine Reading Light 12V/24V, with switch, warm light	
73	GM-EP-L0311U		Genuine Marine Reading Light 12V/24V, with switch, warm light, WITH USB charger	
74	GM-EP-L0330W		Genuine Marine Reading Light 10-30V, with switch, red and warm light color adjustable	
75	GM-EP-L0116T		Genuine Marine Ceiling Light, 10-30V, 81mm, cutout 65mm, IP67, warm light, stainless steel frame	
76	GM-EP-L0117		Genuine Marine ceiling light, stainless steel 316, 9-36V, warm light, IP65, diameter 84.5mm, cutout 70mm	
77	GM-EP-L0060		Genuine Marine ceiling light, stainless steel 316, 9-36V, warm light, IP65, diameter 106mm, cutout 92mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
78	GM-EP-L0130		Genuine Marine ceiling light, stainless steel 316, 9-36V, warm light, IP65, diameter 88mm, cutout 68mm	
79	GM-EP-L0131		Genuine Marine ceiling light, stainless steel 316, 9-36V, warm light, IP65, diameter 98mm, cutout 78mm	
80	GM-EP-L0132		Genuine Marine ceiling light, stainless steel 316, 9-36V, warm light, IP65, 76x76mm, cutout 65mm diameter	
81	GM-EP-L0133		Genuine Marine ceiling light, stainless steel 316, 9-36V, warm light, IP65, 105x105mm, cutout 90mm diameter	
82	GM-EP-L1050		Genuine Marine Ceiling Light 10-30V, 1.5W, diameter 50mm, warm light, WITHOUT touch switch	
83	GM-EP-L1051		Genuine Marine Ceiling Light 10-30V, 3W, diameter 70mm, warm light, WITH touch switch	cold white for option
84	GM-EP-L1052		Genuine Marine Ceiling Light 10-30V, 3W, diameter 106mm, warm light, WITH touch switch	cold white for option
85	GM-EP-L1040		Genuine Marine Ceiling Light, 10-30V, 75mm diameter, cold white	
86	GM-EP-L1040T		Genuine Marine Ceiling Light 10-30V, diameter 74mm, WITH touch switch, warm light	
87	GM-EP-L0150W		Genuine Marine Ceiling Light 24V, 75x75x27mm, warm light	
88	GM-EP-L0147		Genuine Marine Ceiling Light 12V, dia 74mm, cold white	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
89	GM-EP-L0142		Genuine Marine Ceiling Light,10-33V, 74mm, cold white 6000k	
90	GM-EP-LC0270		Genuine Marine Ceiling Light 12V/3W, 185x110x30mm, warm light,with switch	
91	GM-EP-LC0272		Genuine Marine Ceiling Light 12V/3.6W, 285x110x30mm, warm light,with switch	
92	GM-EP-LC0020		Genuine Marine Ceiling Light 12-24V, 10W, diameter 180mm,thickness 20mm, cold light , WITHOUT touch switch	
93	GM-EP-LC0020AD		Genuine Marine Ceiling Light 12-24V, 10W, diameter 180mm,thickness 20mm, cold light, WITH touch switch	
94	GM-EP-L0052		Genuine Marine Ceiling Light 12V/3.2W, diameter 152mm frame color options: white, black, S.S. polishing and S.S. satin	
95	GM-EP-L0144		Genuine Marine Ceiling Light 10-33V/5W, diameter 180mm, cold white	
96	GM-EP-LC0030		Genuine Marine Ceiling Light 12-24V/4W, 200x117x12.1mm, ABS	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
97	GM-EP-L0105		Genuine Marine Touch dimming dual color dome light, IP65, stainless steel 304 frame, red and white light, 10-30V/12W, 174mm diameter	
98	GM-EP-L0106		Genuine Marine dual color dome Light with switch, on-off-on, 10-30V DC/24W, stainless steel 304 frame, 174mm diameter, red and white light	
99	GM-EP-L0056-3		Genuine Marine Ceiling Light 10-30V/3W, dia 80mm, plastic, warm light	
100	GM-EP-L0050		Genuine Marine Ceiling Light 12-24V, WHITE frame, diameter 75mm, 12*LED	
101	GM-EP-L0050C		Genuine Marine Ceiling Light 12-24V, SILVER frame, diameter 75mm	
102	GM-EP-L0051T		Genuine Marine Ceiling Light 12-24V, white frame, diameter 143mm, WITH switch	
103	GM-EP-L0051WO		Genuine Marine Ceiling Light 12-24V, white frame, diameter 143mm, WITHOUT switch	
104	GM-EP-L1010		Genuine Marine Ceiling Light 9-16V/6W, 200x120mm, WITH touch switch, warm light	
105	GM-EP-L1000F		Genuine Marine Ceiling Light 10-30V/6W, 220x90mm, WITH dimming switch, warm light	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
106	GM-EP-L1000		Genuine Marine Ceiling Light 10-30V/6W, 200x90mm, WITH dimming switch, warm light	
107	GM-EP-L1001		Genuine Marine Ceiling Light 9-16V/3W, 85x100mm, WITH dimming switch, warm light	
108	GM-EP-L1003		Genuine Marine Ceiling Light 10-30V/6W, 195x195x10mm, WITH dimming switch, warm light	
109	GM-EP-L1030		Genuine Marine Ceiling Light 9-16V/6W, 100x100mm, WITH touch switch, warm light	
110	GM-EP-L1031		Genuine Marine Ceiling Light 9-16V/9W, 200x70mm, WITH touch switch, warm light	
111	GM-EP-LC0300		Genuine Marine sensor night light, 86*86*18mm, 6*LED, cold white OR warm white, sensor distance 3-6m/ 120degree, charging time 2hours	
112	GM-EP-LC0274		Genuine Marine touch dimming ceiling light, 10-30V/7W, warm light 4000-4500k, 290*126*31mm	
113	GM-EP-LC0045		Genuine Marine Wall Light 12-28V, 225x 35mm	
114	GM-EP-LC0047		Genuine Marine Wall Light 12-28V, 470x 35mm	
115	GM-EP-LC0566		Genuine Marine Awning Light 10-14V, 8.06"x 1.55" x 1.47", cool white light, black shell	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
116	GM-EP-LC0565		Genuine Marine Awning Light 10-14V, 8.06"x 1.55" x 1.47", cool white light, white shell	
117	GM-EP-LC0581		Genuine Marine Awning Light 10-30V, L303xW33xH35 (mm),6.5W, cool white light 7000k, silver color	
118	GM-EP-LC0581B		Genuine Marine Awning Light 10-30V, L303xW33xH35 (mm),6.5W, cool white light 7000k, black color	
119	GM-EP-LC0580B		Genuine Marine Awning Light 10-30V, L199xW29xH33 (mm),6.5W, cool white light , black color	
120	GM-EP-LC0530		Genuine Marine awning light, warm white light, 12V/10A,halogen, 125*80*55mm	
121	GM-EP-L0654		Genuine Marine Deck Light 10-30V, 36W, 160.4mm length, WHITE color, floodlight,IP67	
122	GM-EP-L0654F		Genuine Marine Deck Light 10-30V, 36W, 160.4mm length, BLACK color, floodlight,IP67	
123	GM-EP-L0655D		Genuine Marine dual color deck light, IP67, 10-30V, 20W, floodlight, blue and white color	
124	GM-EP-L0655		Genuine Marine Deck Light 10-30V, 48W, floodlight	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
125	GM-EP-LS0020W		Genuine Marine White Search Light, 220x190x220mm, 12V or 24V, 35W, halogen bulb, left and right 380°, up and down 137°, Max Lumen: 3200lm, with controller	black color option
126	GM-EP-LS0012H		Genuine Marine Search Light, with controller, 12V/100W, 180x180x210mm	
127	GM-EP-LS0011R		Genuine Marine Round Search Light, with controller, 10-30V/45W, IP67, 180x180x210mm, left and right 355°, up and down 70°	
128	GM-EP-LS0011S		Genuine Marine Square Search Light, with controller, 10-30V/60W, IP67, 180x180x210mm, left and right 355°, up and down 70°	
129	GM-EP-L0562		Genuine Marine Led strip light covered by silicone, Narrow, 14 v, with gum, 60 LEDs/m, 1ROLL=5M	
130	GM-EP-L0563		Genuine Marine Led strip light covered by silicone, Narrow, 28 v, with gum, 60 LEDs/m, 1ROLL=5M	
131	GM-EP-L0566		Genuine Marine Led strip light covered by silicone, Wide, 14 v, with gum, 120 LEDs/m, 1ROLL=5M	
132	GM-EP-L0567		Genuine Marine Led strip light covered by silicone, Wide, 28 v, with gum, 120 LEDs/m, 1ROLL=5M	
133	GM-EP-L0470		Genuine Marine Underwater Light, 12V*5W, IP68, red, green, blue, yellow, white, RGB colors for options	
134	GM-EP-L0471		Genuine Marine Underwater Light, 24V*5W, IP68, red, green, blue, yellow, white, RGB colors for options	
135	GM-EP-L0472		Genuine Marine Underwater Light, 36V*5W, IP68, red, green, blue, yellow, white, RGB colors for options	








NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
136	GM-EP-L0770		Genuine Marine underwater light, DC 8--36V, stainless steel 316 and tempered glass, IP68, 108mm diameter, cold white or warm white or blue light or RGBW	
137	GM-EP-L0771		Genuine Marine underwater light, DC 8--36V AC 110-250V, bronze, IP68, 108mm diameter, cold white or warm white or blue light or RGBW	
138	GM-EP-L0772		Genuine Marine underwater light, DC 8--36V AC 110-250V, stainless steel 316 and tempered glass, IP68, 118mm diameter, cold white or warm white or blue light or RGBW	
139	GM-EP-L0397		Genuine Marine Courtesy Light 12V or 24V, 75 x 32mm, polishing frame, light color options: warm light and blue	
140	GM-EP-L0354		Genuine Marine Courtesy Light 12V or 24V, diameter 45mm, S.S. frame, cold light	
141	GM-EP-L0350		Genuine Marine Courtesy Light 12V/24V, diameter 20mm, IP67, blue light	
142	GM-EP-L0366		Genuine Marine Courtesy Light 12V, 45.2x31.7x20.6mm, IP65, cold white	
143	GM-EP-L0911		Genuine Marine Courtesy Light, stainless steel cover, 10-30V, IP66, cold white or warm white or blue light or RGBW	
144	GM-EP-L0451		Genuine Marine Cabin Light, 9-36V DC, 90-250V AC, IP55, 250x126mm	








NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
145	GM-EP-AL001		Genuine Marine Warning Light, 12V/24V/220V, 73mm diameter, 45mm height	
146	GM-EP-LB001		Genuine Marine Warning Light	








Genuine Marine Switch Panel








NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	Genuine Marine Customized Electric Panel		According to your CAD drawing	Quotation based on your drawing
2	Genuine Marine Customized Alarm Panel		According to your CAD drawing	
3	GM-EP-S0018		Genuine Marine Switch Panel, 235x120mm, 8-gang, with Igniter socket & USB socket & 12c DC socket & voltmeter	
4	GM-EP-S0016		Genuine Marine Switch Panel, 183x120mm, 6-gang, with USB socket & 12c DC socket & voltmeter	
5	GM-EP-S0014		Genuine Marine Switch Panel, 131x120mm, 4-gang, with USB socket & 12c DC socket	
6	GM-EP-S0033		Genuine Marine Switch Panel with USB and power socket, IP66, aluminum, 3gangs, cutout 80x90mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
7	GM-EP-S0038		Genuine Marine Switch Panel, 180x110mm, 6-gang, with 12v DC socket & USB socket & voltmeter	
8	GM-EP-S0051		Genuine Marine Switch Panel, 5gangs, USB, power and voltmeter socket	
9	GM-EP-S0001		Marine Circuit Breaker Switch Panel, 4-gang, 130x120mm	
10	GM-EP-S0002		Marine Circuit Breaker Switch Panel, 6-gang, 183x120mm	
11	GM-EP-S0003		Marine Circuit Breaker Switch Panel, 8-gang, 236x120mm	
12	GM-EP-S0600		Genuine Marine Vertical Switch Panel with fuse, 1-gang, 57x114.50mm	
13	GM-EP-S0601		Genuine Marine Vertical Switch Panel with fuse, 3-gang, 96x114.50mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
14	GM-EP-S0602		Genuine Marine Vertical Switch Panel with fuse, 4-gang, 133.50x114.50mm	
15	GM-EP-S0603		Genuine Marine Vertical Switch Panel with fuse, with 12v DC socket, 5-gang, 190.50x114.50mm	
16	GM-EP-S0604		Genuine Marine Vertical Switch Panel with fuse, 6-gang, 190.50x114.50mm	
17	GM-EP-S0605		Genuine Marine Vertical Switch Panel with fuse, with 12v DC socket, 7-gang, 240.50x114.50mm	
18	GM-EP-S0606		Genuine Marine Vertical Switch Panel with fuse, 8-gang, 240.50x114.50mm	
19	GM-EP-S0650		Genuine Marine Vertical Switch Panel with circuit breaker, 1-gang, 57x114.50mm	
20	GM-EP-S0651		Genuine Marine Vertical Switch Panel with circuit breaker, 3-gang, 96x114.50mm	








NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
21	GM-EP-S0652		Genuine Marine Vertical Switch Panel with circuit breaker, 4-gang, 133.50x114.50mm	
22	GM-EP-S0653		Genuine Marine Vertical Switch Panel with circuit breaker, with 12c DC socket, 5-gang, 190.50x114.50mm	
23	GM-EP-S0654		Genuine Marine Vertical Switch Panel with circuit breaker, 6-gang, 190.50x114.50mm	
24	GM-EP-S0655		Genuine Marine Vertical Switch Panel with circuit breaker, with 12c DC socket, 7-gang, 240.50x114.50mm	
25	GM-EP-S0656		Genuine Marine Vertical Switch Panel with circuit breaker, 8-gang, 240.50x114.50mm	
26	GM-EP-S0700		Genuine Marine Horizontal Switch Panel with fuse, 1-gang, 114.50x57.00mm	
27	GM-EP-S0701		Genuine Marine Horizontal Switch Panel with fuse, 3-gang, 114.50x96.00mm	







NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
28	GM-EP-S0702		Genuine Marine Horizontal Switch Panel with fuse, 4-gang, 114.50x133.5mm	
29	GM-EP-S0703		Genuine Marine Horizontal Switch Panel with fuse, with 12v DC socket, 5-gang, 114.50x190.50mm	
30	GM-EP-S0704		Genuine Marine Horizontal Mounting Marine Fuse Switch Panel, 6-gang, 114.50x190.50mm	
31	GM-EP-S0705		Genuine Marine Horizontal Switch Panel with fuse, 5-gang, 114.50x240mm, power socket and voltmeter display	
32	GM-EP-S0706		Genuine Marine Horizontal Mounting Marine Fuse Switch Panel, with 12v DC power socket, 7-gang, 114.50x240mm	
33	GM-EP-S0707		Genuine Marine Horizontal Switch Panel with fuse, 8-gang, 114.50x240mm	
34	GM-EP-S0750W		Genuine Marine Horizontal Switch Panel with circuit breaker, 1-gang, 114.50x57.00mm, WHITE COLOR	BLACK color: GM-EP-S0750

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
35	GM-EP-S0751W		Genuine Marine Horizontal Switch Panel with circuit breaker, 3-gang, 114.50x96.00mm, WHITE COLOR	BLACK color: GM-EP-S0751
36	GM-EP-S0752W		Genuine Marine Horizontal Switch Panel with circuit breaker, 4-gang, 114.50x133.5mm, WHITE COLOR	BLACK color: GM-EP-S0752
37	GM-EP-S0753W		Genuine Marine Horizontal Switch Panel with circuit breaker, with 12v DC socket, 5-gang, 114.50x190.50mm, WHITE COLOR	BLACK color: GM-EP-S0753
38	GM-EP-S0754W		Genuine Marine Horizontal Switch Panel with circuit breaker, 6-gang, 114.50x190.50mm, WHITE COLOR	BLACK color: GM-EP-S0754
39	GM-EP-S0755W		Genuine Marine Horizontal Switch Panel with circuit breaker, 5-gang, 114.50x240mm, power socket and voltmeter display, WHITE COLOR	BLACK color: GM-EP-S0755
40	GM-EP-S0756W		Genuine Marine Horizontal Switch Panel with circuit breaker, with 12v DC power socket, 7-gang, 114.50x240mm, WHITE COLOR	BLACK color: GM-EP-S0756
41	GM-EP-S0757W		Genuine Marine Horizontal Switch Panel with circuit breaker, 8-gang, 114.50x240mm, WHITE COLOR	BLACK color: GM-EP-S0757



NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
42	GM-EP-S0403		Genuine Marine Switch Panel, 6gangs, 160x100 mm	3gangs, 4gangs and 8gangs for options
43	GM-EP-S0817		Genuine Marine Switch Panel, 6-way with breaker, 182.5x100mm, without indicator lights	4gangs option
44	GM-EP-S0818		Genuine Marine Switch Panel, 6-way with breaker, 182.5x100mm, WITH indicator lights	4gangs option
45	GM-EP-S0809		DC Power Socket Panel, 60 x100 mm	
46	GM-EP-S0810		USB Socket Panel, 60 x100 mm	
47	GM-EP-S0811		Cigarette Lighter Panel, 60 x100 mm	
48	GM-EP-S0812		Voltmeter Panel, 60 x100 mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
49	GM-EP-S0813		Genuine Marine Bilge Pump Switch Panel, 12v 24v, 60x100mm	
50	GM-EP-S0813B		Genuine Marine Bilge Pump Switch Panel, Auto-off-man, 12v/24v, 15A, 75x62x63mm	
51	GM-EP-S0814		Voltage Test Panel	
52	GM-EP-S0800		Genuine Marine Switch Panel, 4 gangs, 100x130mm	
53	GM-EP-S0801		Genuine Marine Switch Panel, 6 gangs, 100x182.5mm	
54	GM-EP-S0802		Genuine Marine Switch Panel, 4 gangs, 100x182.5mm, with two power socket	
55	GM-EP-S0803		Genuine Marine Switch Panel, 4 gangs, 100x182.5mm, with power and USB socket	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
56	GM-EP-S0804		Genuine Marine Switch Panel, 4 gangs, 100x182.5mm, with power and cigarette socket	
57	GM-EP-S0805		Genuine Marine Switch Panel, 4 gangs, 100x182.5mm, with power and voltmeter socket	
58	GM-EP-S0806		Genuine Marine Switch Panel, 4 gangs, 100x182.5mm, with USB and cigarette socket	
59	GM-EP-S0807		Genuine Marine Switch Panel, 4 gangs, 100x182.5mm, with USB and voltmeter socket	
60	GM-EP-S0808		Genuine Marine Switch Panel, 4 gangs, 100x182.5mm, with cigarette and voltmeter socket	
61	GM-EP-S0830		Genuine Marine Switch Panel, 4-way , 100x110mm, cutout size 86x86mm	
62	GM-EP-S0831		Genuine Marine Switch Panel, 3-way , 100x110mm, cutout size 86x86mm, with power socket	


NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
63	GM-EP-S0833		Genuine Marine Switch Panel, 3-way , 100x110mm, cutout size 86x86mm, with cigarette socket	
64	GM-EP-S0834		Genuine Marine Switch Panel, 3-way , 100x110mm, cutout size 86x86mm, with voltmeter socket	
65	GM-EP-S0836		Genuine Marine Switch Panel, 6-way , 100x110mm, cutout size 86x86mm	
66	GM-EP-S0837		Genuine Marine Switch Panel, 5-way , 100x110mm, cutout size 86x86mm, with power socket	
67	GM-EP-S0838		Genuine Marine Switch Panel, 5-way , 100x110mm, cutout size 86x86mm, with USB socket	
68	GM-EP-S0839		Genuine Marine Switch Panel, 5-way , 100x110mm, cutout size 86x86mm, with cigarette socket	
69	GM-EP-S0840		Genuine Marine Switch Panel, 5-way , 100x110mm, cutout size 86x86mm, with voltmeter socket	

Genuine Marine Switch

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-S0150		Carling waterproof switch, 12V, on-off-on(momentary), single light, single pole, suitable for bilge pump	* Option: 24V * Option: double pole * Option: different switch cover types
2	GM-EP-S0151		Carling waterproof switch, 12V, 12 v, off- slow - high speed, single light, single pole, suitable for wiper	
3	GM-EP-S0152		Carling waterproof switch, 12 v, off - on (Momentary), single light, single pole, suitable for horn and wiper spray	
4	GM-EP-S0153		Carling waterproof switch, 12 v, off - on, single light, single pole, suitable for navigation light, indoor light and so on.	
5	GM-EP-S0154		Carling waterproof switch, 12 v,on- off - on, double light, single pole, suitable for anchor navigation light	
6	GM-EP-S0155		Carling waterproof switch, 12 v, on (Momentary) - off - on (Momentary), double light, single pole, suitable for anchor motor	
7	GM-EP-S0156		Carling waterproof switch, 12 v, on (Momentary) - off - on (Momentary), No light, single pole, suitable for anchor motor	
8	GM-EP-S0350		Ring illuminated push-botton switch,red,12V,on-off	
9	GM-EP-S0351		Ring illuminated push-botton switch,red,12V,on(momentary)-off	
10	GM-EP-S0355		Ring illuminated push-botton switch,red,24V,on-off	
11	GM-EP-S0356		Ring illuminated push-botton switch,red,24V,on(momentary)-off	
12	GM-EP-S0400		Ring illuminated push-botton switch,blue,12V,on-off	
13	GM-EP-S0401		Ring illuminated push-botton switch,blue,12V,on(momentary)-off	
14	GM-EP-S0405		Ring illuminated push-botton switch,blue,24V,on-off	
15	GM-EP-S0406		Ring illuminated push-botton switch,blue,24V,on(momentary)-off	



NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
16	GM-EP-S0450		Dot illuminated push-botton switch,red,12V,on-off	
17	GM-EP-S0451		Dot illuminated push-botton switch,red,12V,on(momentary)-off	
18	GM-EP-S0460		Dot illuminated push-botton switch,red,24V,on-off	
19	GM-EP-S0461		Dot illuminated push-botton switch,red,24V,on(momentary)-off	
20	GM-EP-S0500		Dot illuminated push-botton switch,blue,12V,on-off	
21	GM-EP-S0501		Dot illuminated push-botton switch,blue,12V,on(momentary)-off	
22	GM-EP-S0505		Dot illuminated push-botton switch,blue,24V,on-off	
23	GM-EP-S0506		Dot illuminated push-botton switch,blue,24V,on(momentary)-off	
24	GM-EP-S0550		Genuine Marine buzzer, red ring light in the middle,12V	
25	GM-EP-S0560		Genuine Marine buzzer, red ring light in the middle,24V	
26	GM-EP-BS0001C		Genuine Marine Battery Switch, continual current rating 275A, 1 on-0 off, flush mount	
27	GM-EP-BS0002C		Genuine Marine Battery Switch, continual current rating 275A, 1 on-0 off, surface mount	
28	GM-EP-BS0004C		Genuine Marine Battery Switch, continual current rating 200A, 1-2-Both-off, surface mount	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
29	GM-EP-BS0005C		Genuine Marine Battery Switch, continual current rating 600A, on-off, surface mount	
30	GM-EP-BS0007C		Genuine Marine Battery Switch, continual current rating 350A, 1-2-Both-off, surface mount	
31	GM-EP-BS0028		Genuine Marine Battery Switch, continual current rating 300A, 32V, on-off, flush mount, control 2 circuits at the same time	
32	GM-EP-BI141AD		Genuine Marine battery parallel isolator, 12V/140A, parallel voltage 13.3V, cut off voltage 12.8v, for two batteries.	
33	GM-EP-MMBS150		Genuine Marine intelli magnetic multi battery separator, 8-16V/150A, monitor two batteries at the same time	
34	GM-EP-C5050		Genuine Marine Circuit Breaker, surface mount, IP67, 30A	Option: Add "S" in the end of the model number to choose RECESSED mount 
35	GM-EP-C5051		Genuine Marine Circuit Breaker, surface mount, IP67, 35A	
36	GM-EP-C5052		Genuine Marine Circuit Breaker, surface mount, IP67, 40A	
37	GM-EP-C5053		Genuine Marine Circuit Breaker, surface mount, IP67, 50A	
38	GM-EP-C5054		Genuine Marine Circuit Breaker, surface mount, IP67, 60A	
39	GM-EP-C5055		Genuine Marine Circuit Breaker, surface mount, IP67, 70A	
40	GM-EP-C5056		Genuine Marine Circuit Breaker, surface mount, IP67, 80A	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
41	GM-EP-C5057		Genuine Marine Circuit Breaker, surface mount, IP67, 90A	Option: Add "S" in the end of the model number to choose RECESSED mount <div data-bbox="1337 495 1528 763">  </div>
42	GM-EP-C5058		Genuine Marine Circuit Breaker, surface mount, IP67, 100A	
43	GM-EP-C5059		Genuine Marine Circuit Breaker, surface mount, IP67, 110A	
44	GM-EP-C5060		Genuine Marine Circuit Breaker, surface mount, IP67, 120A	
45	GM-EP-C5061		Genuine Marine Circuit Breaker, surface mount, IP67, 130A	
46	GM-EP-C5062		Genuine Marine Circuit Breaker, surface mount, IP67, 140A	
47	GM-EP-C5063		Genuine Marine Circuit Breaker, surface mount, IP67, 150A	
48	GM-EP-C5064		Genuine Marine Circuit Breaker, surface mount, IP67, 180A	
49	GM-EP-C5065		Genuine Marine Circuit Breaker, surface mount, IP67, 200A	

Genuine Marine Fuse & Fuse Holder

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-FH0206		Genuine Marine Fuse Box, 6gangs	
2	GM-EP-FH0212		Genuine Marine Fuse Box, 12gangs	
3	GM-EP-FH0306		Genuine Marine Fuse Holder, 6gangs, with indicator light	
4	GM-EP-FH0308		Genuine Marine Fuse Holder, 8gangs, with indicator light	
5	GM-EP-FH0310		Genuine Marine Fuse Holder, 10gangs, with indicator light	
6	GM-EP-FH0312		Genuine Marine Fuse Holder, 12gangs, with indicator light	
7	GM-EP-FH0057		ANL Fuse Holder, 35Amp to 300Amp, nylon66+glass fiber, 8mm studs	
8	GM-EP-FH0057C-8mm		ANL Fuse Holder, 35Amp to 500Amp, nylon66+glass fiber, 8mm studs	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
9	GM-EP-FH0001		ATS Fuse Holder, 6-Gang, each circuit 25A, MAX32V DC	
10	GM-EP-FH0002		ATS Fuse Holder, 8-Gang, each circuit 25A, MAX32V DC	
11	GM-EP-FH0003		ATS Fuse Holder, 10-Gang, each circuit 25A, MAX32V DC	
12	GM-EP-FH0004		ATS Fuse Holder, 12-Gang, each circuit 25A, MAX32V DC	
13	GM-EP-F0200		ANL Fuse, Bakelite material, 35A	
14	GM-EP-F0201		ANL Fuse, Bakelite material, 40A	
15	GM-EP-F0202		ANL Fuse, Bakelite material, 50A	
16	GM-EP-F0203		ANL Fuse, Bakelite material, 60A	
17	GM-EP-F0204		ANL Fuse, Bakelite material, 70A	
18	GM-EP-F0205		ANL Fuse, Bakelite material, 80A	
19	GM-EP-F0206		ANL Fuse, Bakelite material, 100A	
20	GM-EP-F0207		ANL Fuse, Bakelite material, 125A	
21	GM-EP-F0208		ANL Fuse, Bakelite material, 130A	
22	GM-EP-F0209		ANL Fuse, Bakelite material, 150A	
23	GM-EP-F0210		ANL Fuse, Bakelite material, 175A	
24	GM-EP-F0211		ANL Fuse, Bakelite material, 200A	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
25	GM-EP-F0212		ANL Fuse, Ceram material, 225A	
26	GM-EP-F0213		ANL Fuse, Ceram material, 250A	
27	GM-EP-F0214		ANL Fuse, Ceram material, 275A	
28	GM-EP-F0215		ANL Fuse, Ceram material, 300A	
29	GM-EP-F0216		ANL Fuse, Ceram material, 325A	
30	GM-EP-F0217		ANL Fuse, Ceram material, 350A	
31	GM-EP-F0218		ANL Fuse, Ceram material, 400A	
32	GM-EP-F0219		ANL Fuse, Ceram material, 425A	
33	GM-EP-F0220		ANL Fuse, Ceram material, 450A	
34	GM-EP-F0221		ANL Fuse, Ceram material, 500A	
35	GM-EP-FH0052		ATN Fuse Holder, 2Amp to 30Amp, wire:#12-#18(0.32mm-1.3mm)	
36	GM-EP-F0050		ATN Fuse, 2A~35A	
37	GM-EP-FH0054		ATM Fuse Holder, 20Amp to 80Amp, wire:#8,30cm PVC	
38	GM-EP-F0150		ATM Fuse, 20A~100A	
39	GM-EP-FH0053		ATS Fuse Holder, 1Amp to 30Amp, wire:#12-#16(0.32mm-1.3mm)	
40	GM-EP-FH0055		ATS&ATM Fuse Holder, 40Amp to 80Amp, wire:12#,PVC	
41	GM-EP-F0100		ATS Fuse, 1A~40A	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
42	GM-EP-F0160		ATS Fuse, 5A~30A, manual reset	
43	GM-EP-FH0056		Glass Tube Fuse Seat, 15A/250vac, 5.0x20mm	
44	GM-EP-FH0050		AGC Fuse Holder, the maximum to 20Amp, wire:#18-#22(0.32mm-0.82mm)	
45	GM-EP-FH0051		AGC Fuse Holder, the maximum to 20Amp, wire:#16-#22(0.32mm-1.3mm)	
46	GM-EP-F0001		AGC Glass Fuse, 0.25A~30A	

Genuine Marine Socket

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-ST0001		Genuine Marine power socket, with standard nut	
2	GM-EP-ST0002		Genuine Marine power socket, with quick nut	
3	GM-EP-ST0005		Genuine Marine power socket, with standard nut	
4	GM-EP-ST0006		Genuine Marine power socket, with quick nut	
5	GM-EP-ST0007		Genuine Marine power socket, surface mount	
6	GM-EP-ST0010		Genuine Marine USB socket, with standard nut	
7	GM-EP-ST0011		Genuine Marine USB socket, with quick nut	
8	GM-EP-ST0014		Genuine Marine USB socket, with standard nut	
9	GM-EP-ST0015		Genuine Marine USB socket, with quick nut	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
10	GM-EP-ST0016		Genuine Marine USB socket, with standard nut, surface mount	
11	GM-EP-ST0019		Genuine Marine cigarette socket	
12	GM-EP-ST0021		Genuine Marine cigarette socket	
13	GM-EP-ST0022		Genuine Marine cigarette socket, surface mount	
14	GM-EP-ST0023		Genuine Marine voltmeter socket	
15	GM-EP-ST0025		Genuine Marine voltmeter socket	
16	GM-EP-ST0026		Genuine Marine voltmeter socket, surface mount	
17	GM-EP-ST0034		Genuine Marine double power socket, standard nut	
18	GM-EP-ST0035		Genuine Marine power and USB socket, standard nut	
19	GM-EP-ST0036		Genuine Marine power and cigarette socket, standard nut	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
20	GM-EP-ST0037		Genuine Marine power and voltmeter socket, standard nut	
21	GM-EP-ST0038		Genuine Marine USB and cigarette socket, standard nut	
22	GM-EP-ST0039		Genuine Marine USB and voltmeter socket, standard nut	
23	GM-EP-ST0040		Genuine Marine cigarette and voltmeter socket	
24	GM-EP-ST0041		Genuine Marine double power socket, surface mount	
25	GM-EP-ST0042		Genuine Marine power and USB socket, surface mount	
26	GM-EP-ST0043		Genuine Marine power and cigarette socket, surface mount	
27	GM-EP-ST0044		Genuine Marine power and voltmeter socket, surface mount	
28	GM-EP-ST0045		Genuine Marine USB and cigarette socket, surface mount	
29	GM-EP-ST0046		Genuine Marine USB and voltmeter socket, surface mount	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
30	GM-EP-ST0047		Genuine Marine cigarette and voltmeter socket,,surface mount	
31	GM-EP-ST0001SB		Genuine Marine Waterproof USB Socket, 9-30v/4.2A, 30W, blue light	
32	GM-EP-ST0001SR		Genuine Marine Waterproof USB Socket, 9-30v/4.2A, red light, with wiring and terminals	
33	GM-EP-ST0001SG		Genuine Marine Waterproof USB Socket, 9-30v/4.2A, green light, with wiring and terminals	
34	GM-EP-ST0001SO		Genuine Marine Waterproof USB Socket, 9-30v/4.2A, white light, with wiring and terminals	
35	GM-EP-ST0004SVB		Genuine Marine USB Socket with voltmeter display, 12-24V, aluminum,quick charger	
36	GM-EP-ST0003SR		Genuine Marine USB Socket with input voltmeter and output amperage display, 12-24V, RED light, QC3.0	
37	GM-EP-ST0003SB		Genuine Marine USB Socket with input voltmeter and output amperage display, 12-24V, BLUE light, QC3.0	
38	GM-EP-ST0003SG		Genuine Marine USB Socket with input voltmeter and output amperage display, 12-24V, GREEN light, QC3.0	
39	GM-EP-ST0002SB		Genuine Marine USB Socket with voltmeter display and switch (on-off), 9-30V, BLUE light, QC3.0	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
40	GM-EP-ST0002SR		Genuine Marine USB Socket with voltmeter display and switch (on-off), 9-30V, RED light, QC3.0	
41	GM-EP-ST0002SG		Genuine Marine USB Socket with voltmeter display and switch (on-off), 9-30V, GREEN light, QC3.0	
42	GM-EP-ST0002SVR		Genuine Marine USB Socket with voltmeter display, 9-30V, RED light	
43	GM-EP-ST0002SVB		Genuine Marine USB Socket with voltmeter display, 9-30V, BLUE light	
44	GM-EP-ST0001SVB		Genuine Marine USB Socket with voltmeter display, 9-30V, BLUE light	
45	GM-EP-ST0001SVR		Genuine Marine USB Socket with RED light	
46	GM-EP-ST2000S		Genuine Marine dual USB socket, on-off switch, Input:12-24V,Output:QC3.0+QC3.0 Voltmeter:6-36V(LED:Blue/Red/Green) QC3.0:5V/3.6A 9V/2A 12V/1.5A	
47	GM-EP-ST2000		Genuine Marine dual USB socket, on-off touch switch, Input:12-24V , Output:QC3.0+QC3.0 Voltmeter:6-36V(LED:Blue/Red/Green) QC3.0:5V/3.6A 9V/2A 12V/1.5A	
48	GM-EP-ST2001		Genuine Marine USB socket, on-off switch, Input:12V-24V,Output:QC3.0+PD3.0, QC3.0:5V/3.6A 9V/2A 12V/1.5A, PD3.0:30W	
49	GM-EP-ST2001S		Genuine Marine dual USB socket, on-off switch, Input:12V-24V,Output:QC3.0+QC3.0 QC3.0:5V/3.6A 9V/2A 12V/1.5A	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
50	GM-EP-ST2002		Genuine Marine USB socket, on-off switch, Input:12V-24V, Output:QC3.0+PD3.0, QC3.0:5V/3.6A 9V/2A 12V/1.5A, PD3.0:45W	
51	GM-EP-ST2002S		Genuine Marine USB socket, Input:12V-24V Output:QC3.0+PD3.0, QC3.0:5V/3.6A 9V/2A 12V/1.5A, PD3.0:45W	
52	GM-EP-ST2003		Genuine Marine three USB port socket, on-off touch switch, Input:12V-24V, Output:QC3.0+2.1A+2.1A QC3.0:5V/3.6A 9V/2A 12V/1.5A	
53	GM-EP-ST2003S		Genuine Marine three USB port socket, Input:12V-24V Output:QC3.0+QC3.0+PD3.0, QC3.0:5V/3.6A 9V/2A 12V/1.5A, PD3.0:45W, on-off touch switch	
54	GM-EP-ST2004		Genuine Marine USB socket, on-off switch, Input:12V-24V, Output:QC3.0+PD3.0, QC3.0:5V/3.6A 9V/2A 12V/1.5A, PD3.0:45W	
55	GM-EP-ST2005		Genuine Marine dual QC3.0 USB socket, voltmeter display, on-off switch, Input:12V-24V Output:QC3.0+QC3.0, QC3.0:5V/3.6A 9V/2A 12V/1.5A	
56	GM-EP-ST2005S		Genuine Marine dual QC3.0 USB socket, voltmeter display, on-off switch, Input:12V-24V Output:QC3.0+QC3.0, QC3.0:5V/3.6A 9V/2A 12V/1.5A	
57	GM-EP-ST2005T		Genuine Marine dual QC3.0 USB socket, voltmeter display, on-off touch switch, Input:12-24V Output:QC3.0+QC3.0, Voltmeter:6-36V (LED:Blue/Red/Green), QC3.0:5V/3.6A 9V/2A 12V/1.5A	
58	GM-EP-ST2006		Genuine Marine USB socket, Input:12V-24V Output:QC3.0+PD, QC3.0:5V/3.6A 9V/2A 12V/1.5A, PD3.0:45W	
59	GM-EP-ST2007		Genuine Marine USB socket, Input:12V-24V Output:QC3.0+PD3.0, QC3.0:5V/3.6A 9V/2A 12V/1.5A, PD3.0:45W	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
60	GM-EP-ST2008		Genuine Marine three USB socket, on-off switch, Input:12V-24V , Output:QC3.0+2.1A+2.1A QC3.0:5V/3.6A 9V/2A 12V/1.5A, PD3.0:45W	
61	GM-EP-ST2009		Genuine Marine three USB socket, on-off switch, Input:12V-24V, Output:QC3.0+QC3.0+PD3.0 QC3.0:5V/3.6A 9V/2A 12V/1.5A ,PD3.0:45W	
62	GM-EP-ST0400		Genuine Marine Waterproof Socket, 3pins, Suitable for British&American&Chinese standard	
63	GM-EP-ST0310		Genuine Marine 5pins socket with USB charger, AC 95-265V, 86*86mm, golden color, EMC approved, 3years warranty	
64	GM-EP-ST0310W		Genuine Marine 5pins socket with USB charger, AC 95-265V, 86*86mm, white color, EMC approved, 3years warranty	
65	GM-EP-SP0400		Genuine Marine waterproof shore power socket, 250V/16A, 81*81mm, ceram base, ABS cover, brass accessories	
66	GM-EP-ST0403		Genuine Marine AC shore power socket, 240V/16A, IP44, cutout 91mm, 123*128*101mm	
67	GM-EP-SP0256		Genuine Marine AC shore power socket, 240V/16A, IP44, cutout 94*105mm, 114*99*140mm	
68	GM-EP-SP0264		Genuine Marine shore power and socket, 115*136*15mm, 16A, IP44, cutout diameter 96mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
69	GM-EP-FU0051		FURRION shore power socket, stainless steel material, 230V/16A	USA brand
70	GM-EP-FU0053		FURRION shore power socket, stainless steel material, 230V/32A	USA brand
71	GM-EP-FU0058		FURRION shore power socket, stainless steel material, 230V/50A	USA brand
72	GM-EP-FU0050		FURRION shore power socket, white plastic material, 230V/16A	USA brand
73	GM-EP-FU0052		FURRION shore power socket, white plastic material, 230V/32A	USA brand
74	GM-EP-FU0055		FURRION shore power socket, white plastic material, 230V/50A	USA brand
75	GM-EP-FU0054		FURRION shore power socket, white plastic material, 230V/50A	USA brand
76	GM-EP-FU0100		FURRION shore power plug, yellow color, 250V/16A	USA brand
77	GM-EP-FU0101		FURRION shore power plug, black color, 250V/32A	USA brand
78	GM-EP-FU0102		FURRION shore power plug, black color, 250V/50A	USA brand
79	GM-EP-FU0150		FURRION shore power plug cover, yellow color, 16A	USA brand
80	GM-EP-FU0151		FURRION shore power plug cover, yellow color, 32A	USA brand
81	GM-EP-FU0153		FURRION shore power plug cover, yellow color, 50A	USA brand
82	GM-EP-SP0050		Genuine Marine Shore Power Plug, 16A, 220-250V, 2P+E, IP67	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
83	GM-EP-SP0052		Genuine Marine Shore Power Socket, 16A,220-250V,2P+E,IP67	
84	GM-EP-SP0150		Genuine Marine Shore Power Plug, 32A,220-250V,2P+E,IP67	
85	GM-EP-SP0152		Genuine Marine Shore Power Socket, 32A,220-250V,2P+E,IP67	
86	GM-EP-SP0200		Genuine Marine Shore Power Plug, 63A,220-250V,2P+E, IP67	
87	GM-EP-SP0202		Genuine Marine Shore Power Socket, 63A,220-250V,2P+E, IP67	
88	GM-EP-SP0250		Genuine Marine Shore Power Plug, 125A,220-250V,2P+E,IP67	
89	GM-EP-SP0252		Genuine Marine Shore Power Socket, 125A,220-250V,2P+E,IP67	
90	GM-EP-SP0256		Genuine Marine Shore Power Socket, 16A, IP55	





Genuine Marine Tank Sensor & Gauge

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-S3E150		S3 Fuel Water Tank Level Sensor, 150mm, 0-190Ω	option: 240~33Ω
2	GM-EP-S3E175		S3 Fuel Water Tank Level Sensor, 175mm, 0-190Ω	option: 240~33Ω
3	GM-EP-S3E200		S3 Fuel Water Tank Level Sensor, 200mm, 0-190Ω	option: 240~33Ω
4	GM-EP-S3E225		S3 Fuel Water Tank Level Sensor, 225mm, 0-190Ω	option: 240~33Ω
5	GM-EP-S3E250		S3 Fuel Water Tank Level Sensor, 250mm, 0-190Ω	option: 240~33Ω
6	GM-EP-S3E275		S3 Fuel Water Tank Level Sensor, 275mm, 0-190Ω	option: 240~33Ω
7	GM-EP-S3E300		S3 Fuel Water Tank Level Sensor, 300mm, 0-190Ω	option: 240~33Ω
8	GM-EP-S3E350		S3 Fuel Water Tank Level Sensor, 350mm, 0-190Ω	option: 240~33Ω
9	GM-EP-S3E400		S3 Fuel Water Tank Level Sensor, 400mm, 0-190Ω	option: 240~33Ω
10	GM-EP-S3E450		S3 Fuel Water Tank Level Sensor, 450mm, 0-190Ω	option: 240~33Ω
11	GM-EP-S3E500		S3 Fuel Water Tank Level Sensor, 500mm, 0-190Ω	option: 240~33Ω
12	GM-EP-S3E550		S3 Fuel Water Tank Level Sensor, 550mm, 0-190Ω	option: 240~33Ω
13	GM-EP-S3E600		S3 Fuel Water Tank Level Sensor, 600mm, 0-190Ω	option: 240~33Ω
14	GM-EP-S3E650		S3 Fuel Water Tank Level Sensor, 650mm, 0-190Ω	option: 240~33Ω
15	GM-EP-S3E700		S3 Fuel Water Tank Level Sensor, 700mm, 0-190Ω	option: 240~33Ω
16	GM-EP-S3E750		S3 Fuel Water Tank Level Sensor, 750mm, 0-190Ω	option: 240~33Ω
17	GM-EP-S3E800		S3 Fuel Water Tank Level Sensor, 800mm, 0-190Ω	option: 240~33Ω
18	GM-EP-S3E850		S3 Fuel Water Tank Level Sensor, 850mm, 0-190Ω	option: 240~33Ω

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
19	GM-EP-S3E900		S3 Fuel Water Tank Level Sensor, 900mm, 0-190Ω	option: 240~33Ω
20	GM-EP-S3E950		S3 Fuel Water Tank Level Sensor, 950mm, 0-190Ω	option: 240~33Ω
21	GM-EP-S3E1000		S3 Fuel Water Tank Level Sensor, 1000mm, 0-190Ω	option: 240~33Ω
22	GM-EP-S3E1100		S3 Fuel Water Tank Level Sensor, 1100mm, 0-190Ω	option: 240~33Ω
23	GM-EP-S3E1200		S3 Fuel Water Tank Level Sensor, 1200mm, 0-190Ω	option: 240~33Ω
24	GM-EP-S3E1300		S3 Fuel Water Tank Level Sensor, 1300mm, 0-190Ω	option: 240~33Ω
25	GM-EP-S3E1400		S3 Fuel Water Tank Level Sensor, 1400mm, 0-190Ω	option: 240~33Ω
26	GM-EP-S3E1600		S3 Fuel Water Tank Level Sensor, 1600mm, 0-190Ω	option: 240~33Ω
27	GM-EP-S5E150		S5 Fuel Water Tank Level Sensor, 150mm, 0-190Ω	option: 240~33Ω
28	GM-EP-S5E175		S5 Fuel Water Tank Level Sensor, 175mm, 0-190Ω	option: 240~33Ω
29	GM-EP-S5E200		S5 Fuel Water Tank Level Sensor, 200mm, 0-190Ω	option: 240~33Ω
30	GM-EP-S5E225		S5 Fuel Water Tank Level Sensor, 225mm, 0-190Ω	option: 240~33Ω
31	GM-EP-S5E250		S5 Fuel Water Tank Level Sensor, 250mm, 0-190Ω	option: 240~33Ω
32	GM-EP-S5E275		S5 Fuel Water Tank Level Sensor, 275mm, 0-190Ω	option: 240~33Ω
33	GM-EP-S5E300		S5 Fuel Water Tank Level Sensor, 300mm, 0-190Ω	option: 240~33Ω
34	GM-EP-S5E350		S5 Fuel Water Tank Level Sensor, 350mm, 0-190Ω	option: 240~33Ω
35	GM-EP-S5E400		S5 Fuel Water Tank Level Sensor, 400mm, 0-190Ω	option: 240~33Ω
36	GM-EP-S5E450		S5 Fuel Water Tank Level Sensor, 450mm, 0-190Ω	option: 240~33Ω
37	GM-EP-S5E500		S5 Fuel Water Tank Level Sensor, 500mm, 0-190Ω	option: 240~33Ω
38	GM-EP-S5E550		S5 Fuel Water Tank Level Sensor, 550mm, 0-190Ω	option: 240~33Ω
39	GM-EP-S5E600		S5 Fuel Water Tank Level Sensor, 600mm, 0-190Ω	option: 240~33Ω

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
40	GM-EP-S5E650		S5 Fuel Water Tank Level Sensor, 650mm, 0-190Ω	option: 240~33Ω
41	GM-EP-S5E700		S5 Fuel Water Tank Level Sensor, 700mm, 0-190Ω	option: 240~33Ω
42	GM-EP-S5E750		S5 Fuel Water Tank Level Sensor, 750mm, 0-190Ω	option: 240~33Ω
43	GM-EP-S5E800		S5 Fuel Water Tank Level Sensor, 800mm, 0-190Ω	option: 240~33Ω
44	GM-EP-S5E850		S5 Fuel Water Tank Level Sensor, 850mm, 0-190Ω	option: 240~33Ω
45	GM-EP-S5E900		S5 Fuel Water Tank Level Sensor, 900mm, 0-190Ω	option: 240~33Ω
46	GM-EP-S5E950		S5 Fuel Water Tank Level Sensor, 950mm, 0-190Ω	option: 240~33Ω
47	GM-EP-S5E1000		S5 Fuel Water Tank Level Sensor, 1000mm, 0-190Ω	option: 240~33Ω
48	GM-EP-S5E1100		S5 Fuel Water Tank Level Sensor, 1100mm, 0-190Ω	option: 240~33Ω
49	GM-EP-S5E1200		S5 Fuel Water Tank Level Sensor, 1200mm, 0-190Ω	option: 240~33Ω
50	GM-EP-S5E1300		S5 Fuel Water Tank Level Sensor, 1300mm, 0-190Ω	option: 240~33Ω
51	GM-EP-S5E1400		S5 Fuel Water Tank Level Sensor, 1400mm, 0-190Ω	option: 240~33Ω
52	GM-EP-S5E1600		S5 Fuel Water Tank Level Sensor, 1600mm, 0-190Ω	option: 240~33Ω
53	GM-EP-S3HT350		Holding Tank Sensor, 350mm, 0-190Ω	option: 240~33Ω
54	GM-EP-S3HT400		Holding Tank Sensor, 400mm, 0-190Ω	option: 240~33Ω
55	GM-EP-S3HT600		Holding Tank Sensor, 600mm, 0-190Ω	option: 240~33Ω
56	GM-EP-S3HT650		Holding Tank Sensor, 650mm, 0-190Ω	option: 240~33Ω
57	GM-EP-S3HT700		Holding Tank Sensor, 700mm, 0-190Ω	option: 240~33Ω
58	GM-EP-S3HT900		Holding Tank Sensor, 900mm, 0-190Ω	option: 240~33Ω

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
59	GM-EP-E0001A		Genuine Marine High Water Level Alarm Sensor	
60	GM-EP-E0002A		Genuine Marine Bilge Pump Alarm Sensor	
61	GM-EP-E0050		Water Gauge, silver stainless steel frame, black color, 0-190Ω	
62	GM-EP-E0052		Water Gauge, silver stainless steel frame, white color, 0-190Ω	
63	GM-EP-E0056		Genuine Marine Water Gauge, black color, Plastic frame, 0-190Ω	
64	GM-EP-E0051		Water Gauge, silver stainless steel frame, black color, 240-33Ω	
65	GM-EP-E0053		Water Gauge, silver stainless steel frame, white color, 240-33Ω	
66	GM-EP-E0408K		Genuine Marine Water Gauge, black color, Plastic frame, 240-33Ω	
67	GM-EP-E0001		Fuel Gauge, silver stainless steel frame, black color, 0-190Ω	
68	GM-EP-E0003		Fuel Gauge, silver stainless steel frame, white color, 0-190Ω	
69	GM-EP-E0007		Fuel Gauge, Plastic steel frame, black color, 0-190Ω	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
70	GM-EP-E0002		Fuel Gauge, silver stainless steel frame, black color, 240-33Ω	
71	GM-EP-E0004		Fuel Gauge, silver stainless steel frame, white color, 240-33Ω	
72	GM-EP-E0008K		Fuel Gauge, Plastic steel frame, black color, 240-33Ω	
73	GM-EP-E0400		Holding Tank Gauge, silver stainless steel frame, black color, 0-190Ω	
74	GM-EP-E0401		Holding Tank Gauge, silver stainless steel frame, white color, 0-190Ω	
75	GM-EP-E0405		Holding Tank Gauge, silver stainless steel frame, black color, 240-33Ω	
76	GM-EP-E0406K		Holding Tank Gauge, silver stainless steel frame, white color, 240-33Ω	
77	GM-EP-E0100		Voltmeter Gauge, stainless steel frame, black color, 8-16V	
78	GM-EP-E0105		Voltmeter Gauge, stainless steel frame, black color, 18-32V	
79	GM-EP-E0101		Voltmeter Gauge, stainless steel frame, white color, 8-16V	
80	GM-EP-E0150		Water temperature gauge, 40~120°C	









NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
81	GM-EP-E0200		Oil temperature gauge, 50~120℃	
82	GM-EP-E0250		Balance gauge, low to high, 0~190Ω	
83	GM-EP-E0300		Balance gauge, high to low, 0~190Ω	
84	GM-EP-E0350		Oil Pressure gauge, 10~184Ω, 0~5Bar	
85	GM-EP-E0355		Oil Pressure gauge, 10~184Ω, 0~10Bar	
86	GM-EP-E0450		Rudder angle gauge, 87~900Ω	option: 0~190Ω
87	GM-EP-E0500		Clock gauge, 12hour	
88	GM-EP-E0550		Amperage gauge, +-50A	option: +-80A option: +-150A
89	GM-EP-E1300		Speed gauge, 0~35MPH	option: 0~55MPH option: 0~65MPH
90	GM-EP-E1250		Tachometer, speed ratio 1.0~10.0, 0~3000rpm	option: 0~4000rpm option: 0~6000rpm option: 0~8000rpm
91	GM-EP-E1400		GPS speed gauge, 0~15Knots	option: 0~30Knots option: 0~60Knots

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
92	Gauge panel		Gauge panel, customized	
93	GM-EP-M0105		Genuine Marine AC digital meter 220V, display voltage 0-600V, amperage 0-10A	
94	GM-EP-M0106		Genuine Marine DC digital meter 30V, display voltage 0-600V, amperage 0-10A	

Genuine Marine Terminal Busbar

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-B0001		Genuine Marine Busbar, Single Stud, 6 mm, Red	
2	GM-EP-B0002		Genuine Marine Busbar, Single Stud, 8 mm, Red	
3	GM-EP-B0003		Genuine Marine Busbar, Single Stud, 10 mm, Red	
4	GM-EP-B0001B		Genuine Marine Busbar, Single Stud, 6 mm, Black	
5	GM-EP-B0002B		Genuine Marine Busbar, Single Stud, 8 mm, Black	
6	GM-EP-B0003B		Genuine Marine Busbar, Single Studm, 10 mm, Black	
7	GM-EP-B0050		Genuine Marine Busbar, Dual Studs, 2×6 mm, Black	
8	GM-EP-B0051		Genuine Marine Busbar, Dual Studs, 2×10 mm, Black with barrier	
9	GM-EP-B0052		Genuine Marine Busbar, Dual Studs, 2×10 mm, Black	
10	GM-EP-B0053		Genuine Marine Dual Studs, 8mm&10 mm, Black with barrier	
11	GM-EP-B0100		Genuine Marine Busbar,100 AMPS, 6 Positions, 6×4mm(5/32")Output Screws, 2×6mm(1/4") Input Studs	
12	GM-EP-B0101		Genuine Marine Busbar,100 AMPS, 12Positions,12×4mm(5/32")Output Screws, 2×6mm(1/4") Input Studs	
13	GM-EP-B0102		Genuine Marine Busbar,100 AMPS, 24Positions,24×4mm(5/32")Output Screws, 2×6mm(1/4") Input Studs	
14	GM-EP-B0103		Genuine Marine Busbar,100 A, 12 Positions,2×6×4mm(5/32")Output Screws, 4×6mm(1/4") Input Studs	
15	GM-EP-B0104		Genuine Marine Busbar,100 A, 24 Positions,2×12×4mm(5/32")Output Screws, 4×6mm(1/4") Input Studs	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
16	GM-EP-B0105		Genuine Marine Busbar,100 A, 5 Positions, 5×#8-32 Output Screws, 2×#10-32 Input Studs	
17	GM-EP-B0106		Genuine Marine Busbar,100 A/DC/AC, 4 Positions, 4×#10-32 Input Studs	
18	GM-EP-B0107		Genuine Marine Busbar,150A/DC,130A/AC, 10 Positions, 10×#8-32 Output Screws, 2×#1/4"-20 Input Studs	
19	GM-EP-B0108		Genuine Marine Busbar,150A/DC, 130A/AC, 12 Positions, 20×#8-32 Output Screws, 2×#1/4"-20 Input Studs	
20	GM-EP-B0109		Genuine Marine Busbar,150A/DC, 130A/AC, 4 Positions, 4×#1/4"-20 Input Studs	
21	GM-EP-B0110		Genuine Marine Busbar,250 A/DC/AC,12 Positions,12×#10-32 Output Screws,2×#5/16"-18 Input Studs	
22	GM-EP-B0111		Genuine Marine Busbar,250 A/DC/AC, 4 Positions, 4×#5/16"-18 Input Studs	
23	GM-EP-B0112		Genuine Marine Busbar,600 A/DC, 545A/AC, 4 Positions, 4×#8-32 Output Screws, 4×#3/8"-16 Input Studs	
24	GM-EP-B0113		Genuine Marine Busbar,600 A/DC, 545A/AC, 8 Positions, 4×#8-32 Output Screws, 8×#3/8"-16 Input Studs	
25	GM-EP-B0150		Genuine Marine Protect Cover,use for GM-EP-B0105&B0106	
26	GM-EP-B0151		Genuine Marine Protect Cover,use for GM-EP-B0107&B0109	
27	GM-EP-B0152		Genuine Marine Protect Cover,use for GM-EP-B0108	
28	GM-EP-B0153		Genuine Marine Protect Cover,use for GM-EP-B0110&B0111	
29	GM-EP-B0154		Genuine Marine Protect Cover,use for GM-EP-B0112	
30	GM-EP-B0155		Genuine Marine Protect Cover,use for GM-EP-B0113	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
31	GM-EP-B0122		Genuine Marine Terminal Busbar, 6gang, PA66 base, 2xM6,6xM4, 130A AC/150A DC, 300V AC/48V DC, with protect cover	
32	GM-EP-B0124		Genuine Marine Terminal Busbar, 12gang, PA66 base, 2xM6,12xM4, 130A AC/150A DC, 300V AC/48V DC, with protect cover	
33	GM-EP-B0127		Genuine Marine Terminal Busbar, 2x6gang, PA66 base, 4xM6,12xM4, 130A AC/150A DC, 300V AC/48V DC, with protect cover	
34	GM-EP-B0128		Genuine Marine Terminal Busbar, 2x12gang, PA66 base, 4xM6,24xM4, 130A AC/150A DC, 300V AC/48V DC, with protect cover	
35	GM-EP-B0120		Genuine Marine Terminal Busbar, 2 input stud, 200A DC, 300V AC/48V DC, with protect cover	
36	GM-EP-B0123		Genuine Marine Terminal Busbar, 4 input stud, 200A DC, 300V AC/48V DC, with protect cover	
37	GM-EP-B0121		Genuine Marine Terminal Busbar, 4 input stud, 200A DC, 300V AC/48V DC, with protect cover	
38	GM-EP-B0125		Genuine Marine Terminal Busbar, 8 input stud, 200A DC, 300V AC/48V DC, with protect cover	

Genuine Marine Pump

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-BP0001		Auto Bilge Pumps 12v, 600gph	with inserted float switch
2	GM-EP-BP0002		Auto Bilge Pumps 24v, 600gph	with inserted float switch
3	GM-EP-BP0003		Auto Bilge Pumps 12v, 750gph	with inserted float switch
4	GM-EP-BP0004		Auto Bilge Pumps 24v, 750gph	with inserted float switch
5	SFBP1-G1100-06		Auto Bilge Pumps 12v, 1100gph	with inserted float switch
6	SFBP2-G1100-06		Auto Bilge Pumps 24v, 1100gph	with inserted float switch
7	SFBP1-G600-11		Auto Bilge Pumps 12v, 600gph	with inserted float switch
8	SFBP2-G600-11		Auto Bilge Pumps 24v, 600gph	with inserted float switch
9	GM-EP-BP0013		Auto Bilge Pumps 12v, 750gph	with inserted float switch
10	GM-EP-BP0014		Auto Bilge Pumps 24v, 750gph	with inserted float switch
11	GM-EP-BP0015		Auto Bilge Pumps 12v, 1100gph	with inserted float switch
12	GM-EP-BP0016		Auto Bilge Pumps 24v, 1100gph	with inserted float switch
13	GM-EP-BP0050		Non-Automatic Bilge Pumps 01 Series 12v, 350gph	without inserted float switch
14	GM-EP-BP0051		Non-Automatic Bilge Pumps 01 Series 12v, 500gph	without inserted float switch
15	GM-EP-BP0052		Non-Automatic Bilge Pumps 01 Series 24v, 500gph	without inserted float switch
16	GM-EP-BP0053		Non-Automatic Bilge Pumps 01 Series 12v, 750gph	without inserted float switch
17	GM-EP-BP0054		Non-Automatic Bilge Pumps 01 Series 24v, 750gph	without inserted float switch
18	GM-EP-BP0055		Non-Automatic Bilge Pumps 01 Series 12v, 1100gph	without inserted float switch
19	GM-EP-BP0056		Non-Automatic Bilge Pumps 01 Series 24V, 1100gph	without inserted float switch
20	GM-EP-BP0100		Non-Automatic Bilge Pumps 01 Series 12v, 1500gph	without inserted float switch
21	GM-EP-BP0102		Non-Automatic Bilge Pumps 01 Series 24v, 1500gph	without inserted float switch
22	GM-EP-BP0103		Non-Automatic Bilge Pumps 01 Series 12v, 2000gph	without inserted float switch
23	GM-EP-BP0104		Non-Automatic Bilge Pumps 01 Series 24v, 2000gph	without inserted float switch
24	GM-EP-BP0105		Non-Automatic Bilge Pumps 01 Series 12v, 3000gph	without inserted float switch
25	GM-EP-BP0106		Non-Automatic Bilge Pumps 01 Series 24v, 3000gph	without inserted float switch
26	GM-EP-BP0107		Non-Automatic Bilge Pumps 01 Series 12v, 3500gph	without inserted float switch
27	GM-EP-BP0108		Non-Automatic Bilge Pumps 01 Series 24v, 3500gph	without inserted float switch
28	SFBP1-G3700-01		Non-Automatic Bilge Pumps 01 Series 12v, 3700gph	without inserted float switch

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
29	SFBP2-G3700-01		Non-Automatic Bilge Pumps 01 Series 24v, 3700gph	without inserted float switch
30	SFBP1-G4700-01		Non-Automatic Bilge Pumps 01 Series 12v, 4700gph	without inserted float switch
31	SFBP2-G4700-01		Non-Automatic Bilge Pumps 01 Series 24v, 4700gph	without inserted float switch
32	GM-EP-AL0150		Genuine Marine Floating Switch	
33	GM-EP-AL0151		Genuine Marine Auto Floating Switch, 24A, 1meter 14AWG cable	
34	GM-EP-AL0151B		Genuine Marine Auto Floating Switch, 24A, 1meter 14AWG cable, with protect cover	
35	GM-EP-S0813		Genuine Marine Bilge Pump Switch Panel, 12v 24v, 60x100mm	
36	GM-EP-S0813B		Genuine Marine Bilge Pump Switch Panel, Auto-off-man, 12v/24v, 15A, 75x62x63mm	
37	GM-EP-BP1000		Fresh Water Pump 12v, 3.8lpm-1.0gpm, 40psi-2.8bar	
38	GM-EP-BP1001		Fresh Water Pump 24v, 3.8lpm-1.0gpm, 40psi-2.8bar	
39	GM-EP-BP1002		Fresh Water Pump 12v, 4.0lpm-1.1gpm, 70psi-4.8bar	
40	GM-EP-BP1003		Fresh Water Pump 12v, 4.3lpm-1.2gpm, 35psi-2.4bar	
41	GM-EP-BP1004		Fresh Water Pump 24v, 4.3lpm-1.2gpm, 35psi-2.4bar	
42	GM-EP-BP1010		Fresh Water Pump, Max Flow: 5LPM, 12V/5A	
43	GM-EP-BP1011		Fresh Water Pump, Max Flow: 5LPM, 24V/2.5A	
44	GM-EP-BP1012		Fresh Water Pump, Max Flow: 5LPM, 12V/6A	
45	GM-EP-BP1013		Fresh Water Pump, Max Flow: 5LPM, 24V/3A	
46	GM-EP-BP1014		Fresh Water Pump, Max Flow: 5.1LPM, 12V/5.5A	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
47	GM-EP-BP1020		Fresh Water Pump, Max Flow: 5.5LPM,12V/8A	
48	GM-EP-BP1021		Fresh Water Pump,Max Flow: 5.5LPM,24V/4.5A	
49	GM-EP-BP1022		Fresh Water Pump, Max Flow: 7LPM,12V/9A	
50	GM-EP-BP1023		Fresh Water Pump, Max Flow: 7LPM,24V/4.5A	
51	GM-EP-BP1040		Fresh Water Pump, Max Flow: 8.3LPM,12V/7.5A	
52	GM-EP-BP1041		Fresh Water Pump, Max Flow: 8.3LPM,24V/4A	
53	GM-EP-BP1042		Fresh Water Pump, Max Flow:6LPM,12V/6A	
54	GM-EP-BP1043		Fresh Water Pump, Max Flow: 6LPM,24V/4A	
55	GM-EP-BP1030		Fresh Water Pump, Max Flow: 11.6LPM,12V/8A	
56	GM-EP-BP1031		Fresh Water Pump, Max Flow: 11.6LPM,24V/4A	
57	GM-EP-BP1032		Fresh Water Pump, Max Flow: 10.6LPM,12V/6A	
58	GM-EP-BP1033		Fresh Water Pump, Max Flow: 10.6LPM,24V/3.5A	
59	GM-EP-BP1050		Fresh Water Pump, Max Flow:10LPM,12V/4.5A	
60	GM-EP-BP1051		Fresh Water Pump, Max Flow:10LPM,24V/2.0A	
61	GM-EP-BP1052		Fresh Water Pump, Max Flow:12.5LPM,12V/8.0A	
62	GM-EP-BP1053		Fresh Water Pump, Max Flow:12.5LPM,24V/4.0A	
63	GM-EP-BP1060		Fresh Water Pump, Max Flow:17LPM,12V/15.0A	
64	GM-EP-BP1061		Fresh Water Pump, Max Flow:17LPM,24V/6.0A	
65	GM-EP-BP1070		Fresh Water Pump 12v, 11.6lpm-3.0gpm, 55psi-3.8bar	
66	GM-EP-BP1071		Fresh Water Pump 24v, 11.6lpm-3.0gpm, 55psi-3.8bar	
67	SFDP1-020-055-42		Fresh Water Pump 12v, 7.6lpm-2.0gpm, 55psi-3.9bar	
68	SFDP2-020-055-42		Fresh Water Pump 24v, 7.6lpm-2.0gpm, 55psi-3.8bar	
69	SFDP1-040-055-42		Fresh Water Pump 12v, 15.0lpm-4.0gpm, 55psi-3.9bar	
70	SFDP2-040-055-42		Fresh Water Pump 24v, 15.0lpm-4.0gpm, 55psi-3.8bar	
71	SFDP1-050-055-42		Fresh Water Pump 12v, 18.9lpm-5.0gpm, 55psi-3.9bar	
72	SFDP2-050-055-42		Fresh Water Pump 24v, 18.9lpm-5.0gpm, 55psi-3.8bar	
73	GM-EP-BP1080		Fresh Water Pump 12v, 11.6lpm-3.0gpm, 55psi-3.8bar	
74	GM-EP-BP1081		Fresh Water Pump 24v, 11.6lpm-3.0gpm, 55psi-3.8bar	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
75	GM-EP-BP1090		Fresh Water Pump 12v, 11.6lpm-3.0gpm, 60psi-4.1bar	
76	GM-EP-BP1091		Fresh Water Pump 24v, 11.6lpm-3.0gpm, 60psi-4.1bar	
77	GM-EP-BP1092		Fresh Water Pump 12v, 15.1lpm-4.0gpm, 60psi-4.1bar	
78	GM-EP-BP1093		Fresh Water Pump 24v, 15.1lpm-4.0gpm, 60psi-4.1bar	
79	GM-EP-BP1094		Fresh Water Pump 12v, 18.9lpm-5.0gpm, 60psi-4.1bar	
80	GM-EP-BP1095		Fresh Water Pump 24v, 18.9lpm-5.0gpm, 60psi-4.1bar	
81	SFDP1-030-060-52		Fresh Water Pump 12v, 11.6lpm-3.0gpm, 60psi-4.1bar	
82	SFDP2-030-060-52		Fresh Water Pump 24v, 11.6lpm-3.0gpm, 60psi-4.1bar	
83	SFDP1-040-060-52		Fresh Water Pump 12v, 15.1lpm-4.0gpm, 60psi-4.1bar	
84	SFDP2-040-060-52		Fresh Water Pump 24v, 15.1lpm-4.0gpm, 60psi-4.1bar	
85	SFDP1-050-060-52		Fresh Water Pump 12v, 18.9lpm-5.0gpm, 60psi-4.1bar	
86	SFDP2-050-060-52		Fresh Water Pump 24v, 18.9lpm-5.0gpm, 60psi-4.1bar	
87	SFDP1-050-070-52		Fresh Water Pump 12v, 18.9lpm-5.0gpm, 70psi-4.8bar	
88	SFDP2-050-070-52		Fresh Water Pump 24v, 18.9lpm-5.0gpm, 70psi-4.8bar	
89	GM-EP-BP1100		Fresh Water Pump 12v, 26.5lpm-7.0gpm, 60psi-4.1bar	
90	SFDP2-070-060-53		Fresh Water Pump 24v, 26.5lpm-7.0gpm, 60psi-4.1bar	
91	GM-EP-BP1130		Macerator Pumps 12v, 45.0lpm-12.0gpm	
92	GM-EP-BP1131		Macerator Pumps 24v, 45.0lpm-12.0gpm	
93	GM-EP-BP1141		Macerator Pumps 12v, 45.0lpm-12.0gpm	
94	GM-EP-BP1142		Macerator Pumps 24v, 45.0lpm-12.0gpm	
95	GM-EP-BP0200		Bait pump, Non-Automatic Bilge Pumps 08 Series 12v, 350gph	
96	GM-EP-BP0201		Bait pump, Non-Automatic Bilge Pumps 08 Series 12v, 600gph	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
97	GM-EP-BP0206		Bait pump, Non-Automatic Bilge Pumps 03 Series 12v, 350gph	
98	GM-EP-BP0207		Bait pump, Non-Automatic Bilge Pumps 03 Series 12v, 600gph	
99	GM-EP-BP0208		Bait pump, Non-Automatic Bilge Pumps 03 Series 12v, 800gph	
100	GM-EP-BP0250		Livewell/Baitwell Pumps 12v, 350gph	
101	GM-EP-BP0251		Livewell/Baitwell Pumps 12v, 600gph	
102	GM-EP-BP0252		Livewell/Baitwell Pumps 12v, 800gph	
103	GM-EP-BP0256		Livewell/Baitwell Pumps 12v, 350gph	
104	GM-EP-BP0257		Livewell/Baitwell Pumps 12v, 600gph	
105	GM-EP-BP0258		Livewell/Baitwell Pumps 12v, 800gph	
106	GM-EP-BP0260		low voltage submersible pump 12v, 12lpm	
107	GM-EP-BP0261		low voltage submersible pump 12v, 16lpm	
108	GM-EP-BP0150		Shower Sump Pumps 12v, 600gph	
109	GM-EP-BP0151		Shower Sump Pumps 24v, 600gph	
110	GM-EP-BP0152		Shower Sump Pumps 12v, 750gph	
111	GM-EP-BP0153		Shower Sump Pumps 24v, 750gph	
112	GM-EP-BP1114		Water supply system, 3.0GPM/11.3LPM, 0.75L, 12V	Option: 5.5gpm/20.8lpm
113	GM-EP-BP1116		Water supply system, 5.5GPM/20.8LPM, 1.0L, 12V	Option: 3.0gpm/11.3lpm

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
114	GM-EP-BP1170		Washdown Pump Kit 12v, 18.9lpm-5.0gpm, 70psi-4.8bar	
115	GM-EP-BP1171		Washdown Pump Kit 24v, 18.9lpm-5.0gpm, 70psi-4.8bar	
116	GM-EP-BP1172		Washdown Pump Kit 12v, 11.6lpm-3.0gpm, 70psi-4.8bar	
117	GM-EP-BP1173		Washdown Pump Kit 24v, 11.6lpm-3.0gpm, 70psi-4.8bar	
118	GM-EP-BP1150		Gear Pumps 12v, 12.0lpm-3.2gpm	
119	GM-EP-BP1151		Gear Pumps 24v, 12.0lpm-3.2gpm	
120	GM-EP-BP1160		Gear Pumps 12v, 30.0lpm-8.0gpm	
121	GM-EP-BP1161		Gear Pumps 24v, 30.0lpm-8.0gpm	
122	GM-EP-BP1200		Genuine Marine Hand Pump, suitable use for pipe diameter 34.5mm, 0.45kg	
123	GM-EP-BP1201		Genuine Marine Hand Pump, use for pipe diameter 34.5mm, 0.57kg	
124	GM-EP-BP1220		Genuine Marine Hand Pump, use for pipe diameter 38mm	
125	GM-EP-BP1221		Genuine Marine Hand Pump, use for pipe diameter 25mm&38mm	

Genuine Marine Blower

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-BP0350		Genuine Marine Blower, 12V/2.5A, 130CFM, Fuse 5A, Opening size 3"	
2	GM-EP-BP0351		Genuine Marine Blower, 24V/1.3A, 130CFM, Fuse 3A, Opening size 3"	
3	GM-EP-BP0360		Genuine Marine Blower, 12V/6A, 270CFM, Fuse 10A, Opening size 4"	
4	GM-EP-BP0361		Genuine Marine Blower, 24V/3A, 270CFM, Fuse 5A, Opening size 4"	
5	GM-EP-BP0300		Genuine Marine Blower, 12V, 130CFM, Vents diam: 80mm	
6	GM-EP-BP0301		Genuine Marine Blower, 24V, 130CFM, Vents diam: 80mm	
7	GM-EP-BP0310		Genuine Marine Blower, 12V, 320CFM, Vents diam: 102mm	
8	GM-EP-BP0311		Genuine Marine Blower, 24V, 320CFM, Vents diam: 102mm	
9	GM-EP-BP0314		Genuine Marine Blower, 12V, 320CFM, Vents diam: 102mm	
10	GM-EP-BP0315		Genuine Marine Blower, 24V, 320CFM, Vents diam: 102mm	
11	GM-EP-BP0355		Genuine Marine Blower, 12V/3A, 3.8CFM, Fuse 5A, Vents diam: 3"	
12	GM-EP-BP0356		Genuine Marine Blower, 24V/1.5A, 3.8CFM, Fuse 3A, Vents diam: 3"	
13	GM-EP-BP0365		Genuine Marine Blower, 12V/4A, 6.7CFM, Fuse 5A, Vents diam: 4"	
14	GM-EP-BP0366		Genuine Marine Blower, 24V/2.5A, 6.7CFM, Fuse 5A, Vents diam: 4"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
15	GM-EP-BP0375		Genuine Marine Blower, 12V/3A, 247 m3/h,3", 16.5m/s	
16	GM-EP-BP0377		Genuine Marine Blower, 12V/4A, 400 m3/h,4", 13.4m/s	
17	GM-EP-BP0300		Genuine Marine Blower, 12V, 220m3/h,4", 960r/min, copper motor, 80mm dia outlet	

Genuine Marine Speaker & Player

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-AP2200		Genuine Marine 6.5" Waterproof Speaker 100W, ABS, 4Ω, 60-20000Hz, 90dB WHITE color, 1 set = 2pcs	
2	GM-EP-AP2200B		Genuine Marine 6.5" Waterproof Speaker 100W, ABS, 4Ω, 60-20000Hz, 90dB BLACK color, 1 set = 2pcs	
3	GM-EP-AP2217		Genuine Marine 6.5" Waterproof Speaker 60W, ABS, 4Ω, 60-18000Hz, 90dB WHITE color, 1 set = 2pcs, thickness 40mm	
4	GM-EP-AP2218B		Genuine Marine 5.25" Waterproof Speaker 40W, ABS, 4Ω, 80-18000Hz, 90dB BLACK color, 1 set = 2pcs, thickness 40mm	
5	GM-EP-AP2230W		Genuine Marine RGB speaker, 150W, 10 Oz, 60 Hz-20 KHz, 4 Ohms, 91 db, 195*195*98 mm	
6	GM-EP-HN0002		Genuine Marine Electric Horn Speaker 12V 2.0A 110+-5dB, stainless steel body, ABS white cover or S.S. 304 cover, installation : 44mm(H) x 83MM(W)	
7	GM-EP-HN0005		Genuine Marine Electric Horn Speaker 12V 1.5A 115+-5dB, diameter 101mm, Length 410mm	
8	GM-EP-HN0005S		Genuine Marine Electric Horn Speaker 24V 1.5A 115+-5dB, diameter 101mm, Length 410mm	



NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
9	GM-EP-HN0004		Genuine Marine Dual Electric Horn Speaker 12V 6A 115+-5dB, diameter 101mm, Length 410mm & 465mm	
10	GM-EP-HN0004S		Genuine Marine Dual Electric Horn Speaker 24V 6A 115+-5dB, diameter 101mm, Length 410mm & 465mm	
11	GM-EP-AP2150B		Genuine Marine Player with bluetooth, USB/MP3, AM/FM, 4X15W	
12	GM-EP-AP0220B		Genuine Marine Waterproof Player, 4x40W,FM/AM/USB,12V,IP65,55dB	
13	GM-EP-AP0110		Genuine Marine Waterproof Player: <ul style="list-style-type: none"> · CD-R/CD-RW/DVD/MP3/WMA Compatible · 8 FM/ 12 AM Presets/50W ×4 Built-in Amplifier · Flip-down control panel · High visibility 2-line display · Rotary Volume Control · RCA Auxiliary Input with Level Control/6ch/2V RCA Output 	
14	GM-EP-AP2161		DC 12V Negative Ground ,4 Ohms/channel ,40W x 4 (CH) MP3/WMA/OGG/FLAC/APE/AAC/AC3 FM Tuner: Tuning range: 87.9MHz-107.9MHz (USA) 87.5MHz-108MHZ (EUR) DAB+: Tuning rage: BAND III 174-240 MHz	Without DAB function
15	GM-EP-AP2160		AM/FM, music,movie, 10.8-15.6V, bluetooth, cutout 77mm, depth96mm, dimension W115*H106*D106mm	




Genuine Marine Communication Equipment

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-HX2010		VHF Radio capable of transmitting and receiving DSC and radiotelephony(class B DSC), CCS certificate,12V	
2	GM-EP-VEP8		GPS tracker, for EPIRB emergency search and rescue	
3	IC-M330		Marine walkie-talkie,maritime radio, 25W,CCS certificate	
4	Aquamap1022xs		Aquamap1022xs, Multi-function navigator,10" screen	
5	GM-EP-GMR18HD		GMR18 xHD Radome,11-35V,3.5A	
6	IC-M220		Marine walkie-talkie,maritime radio, ,CCS certificate	
7	GM-EP-YQ50		Compass,12v and 24v,112*92.8*122.8mm, indicator light,suitable for small boats	
8	GM-EP-LC550		Compass,64*86*72mm,indicator light,suitable for small boats	
9	GM-EP-LC760		Compass,12v,102*94*137mm,suitable for small boats	

Genuine Marine Wiring & Clamps

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-W0001		UL primary wire, 20AWG/0.5mm ² , custom colors	610m/roll
2	GM-EP-W0002		UL primary wire, 18AWG/0.81mm ² , custom colors	610m/roll
3	GM-EP-W0003		UL primary wire, 16AWG/1.30mm ² , custom colors	610m/roll
4	GM-EP-W0004		UL primary wire, 14AWG/2.08mm ² , custom colors	305m/roll
5	GM-EP-W0005		UL primary wire, 12AWG/3.30mm ² , custom colors	305m/roll
6	GM-EP-W0006		UL primary wire, 10AWG/5.26mm ² , custom colors	305m/roll
7	GM-EP-W0007		UL primary wire, 8AWG/8.30mm ² , custom colors	200m/roll
8	GM-EP-W0008		UL primary wire, 6AWG/13.30mm ² , custom colors	100m/roll
9	GM-EP-W0009		UL primary wire, 4AWG/21.20mm ² , custom colors	100m/roll
10	GM-EP-W0010		UL primary wire, 2AWG/34mm ² , custom colors	100m/roll
11	GM-EP-W0011		UL primary wire, 1AWG/42mm ² , custom colors	50m/roll
12	GM-EP-W0012		UL primary wire, 1/0AWG/53mm ² , custom colors	50m/roll
13	GM-EP-W0013		UL primary wire, 2/0AWG/67.40mm ² , custom colors	50m/roll
14	GM-EP-W0014		UL primary wire, 3/0AWG/85.00mm ² , custom colors	50m/roll
15	GM-EP-W0015		UL primary wire, 4/0AWG/107.20mm ² , custom colors	50m/roll
16	GM-EP-W0050		Twin-core UL cable, red & yellow, 2X6AWG/2X13.30mm ²	200m/roll
17	GM-EP-W0057		Twin-core UL cable, red & black, 2X6AWG/2X13.30mm ²	200m/roll
18	GM-EP-W0051		Twin-core UL cable, red & yellow, 2X8AWG/2X8.30mm ²	200m/roll
19	GM-EP-W0058		Twin-core UL cable, red & black, 2X8AWG/2X8.30mm ²	200m/roll
20	GM-EP-W0052		Twin-core UL cable, red & yellow, 2X10AWG/2X5.26mm ²	200m/roll

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
21	GM-EP-W0059		Twin-core UL cable, red & black, 2X10AWG/2X5.26mm ²	200m/roll
22	GM-EP-W0064		Twin-core UL cable, white & black, 2X10AWG/2X5.26mm ²	200m/roll
23	GM-EP-W0053		Twin-core UL cable, red & yellow, 2X12AWG/2X3.30mm ²	200m/roll
24	GM-EP-W0060		Twin-core UL cable, red & black, 2X12AWG/2X3.30mm ²	200m/roll
25	GM-EP-W0065		Twin-core UL cable, white & black, 2X12AWG/2X3.30mm ²	200m/roll
26	GM-EP-W0054		Twin-core UL cable, red & yellow, 2X14AWG/2X2.08mm ²	200m/roll
27	GM-EP-W0061		Twin-core UL cable, red & black, 2X14AWG/2X2.08mm ²	200m/roll
28	GM-EP-W0066		Twin-core UL cable, white & black, 2X14AWG/2X2.08mm ²	200m/roll
29	GM-EP-W0055		Twin-core UL cable, red & yellow, 2X16AWG/2X1.30mm ²	200m/roll
30	GM-EP-W0062		Twin-core UL cable, red & black, 2X16AWG/2X1.30mm ²	200m/roll
31	GM-EP-W0067		Twin-core UL cable, white & black, 2X16AWG/2X1.30mm ²	200m/roll
32	GM-EP-W0056		Twin-core UL cable, red & yellow, 2X18AWG/2X0.813mm ²	200m/roll
33	GM-EP-W0063		Twin-core UL cable, red & black, 2X18AWG/2X0.813mm ²	200m/roll
34	GM-EP-W0100		Three-core cable, white & black & green, 3X6AWG/3X13.30mm ²	100m/roll
35	GM-EP-W0109		Three-core cable, brown & blue & green, 3X8AWG/3X8.30mm ²	100m/roll
36	GM-EP-W0101		Three-core cable, white & black & green, 3X8AWG/3X8.30mm ²	100m/roll
37	GM-EP-W0110		Three-core cable, brown & blue & green, 3X8AWG/3X8.30mm ²	100m/roll
38	GM-EP-W0102		Three-core cable, white & black & green, 3X10AWG/3X5.26mm ²	100m/roll
39	GM-EP-W0106		Three-core cable, red & black & green, 3X10AWG/3X5.26mm ²	100m/roll
40	GM-EP-W0120		Three-core cable, brown & blue & green, 3X10AWG/3X5.26mm ²	100m/roll
41	GM-EP-W0103		Three-core cable, white & black & green, 3X12AWG/3X3.30mm ²	100m/roll

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
42	GM-EP-W0107		Three-core cable, red & black & green, 3X12AWG/3X3.30mm ²	100m/roll
43	GM-EP-W0121		Three-core cable, brown & blue & green, 3X12AWG/3X3.30mm ²	100m/roll
44	GM-EP-W0104		Three-core cable, white & black & green, 3X14AWG/3X2.08mm ²	100m/roll
45	GM-EP-W0108		Three-core cable, red & black & green, 3X14AWG/3X2.08mm ²	100m/roll
46	GM-EP-W0122		Three-core cable, brown & blue & green, 3X14AWG/3X2.08mm ²	100m/roll
47	GM-EP-W0200		Shore power cable, black & white & green, 3X12AWG/3X3.30mm ² , rated current:16A	100m/roll
48	GM-EP-W0200E		Shore power cable, brown & blue & green, 3X12AWG/3X3.30mm ² , rated current:16A	100m/roll
49	GM-EP-W0202		Shore power cable, black & white & green, 3X10AWG/3X5.26mm ² , rated current:30A	100m/roll
50	GM-EP-W0202E		Shore power cable, brown & blue & green, 3X10AWG/3X5.26mm ² , rated current:30A	100m/roll
51	GM-EP-W0204		Shore power cable, black & white & green, 3X6AWG/3X13mm ² , rated current:50A	100m/roll
52	GM-EP-W0204E		Shore power cable, brown & blue & green, 3X6AWG/3X13mm ² , rated current:50A	100m/roll
53	GM-HP-HC0001		Genuine Marine Worm Drive Hose Clamps (SS316), Range 11-20mm	
54	GM-HP-HC0002		Genuine Marine Worm Drive Hose Clamps (SS316), Range 13-23mm	
55	GM-HP-HC0003		Genuine Marine Worm Drive Hose Clamps (SS316), Range 14-27mm	
56	GM-HP-HC0004		Genuine Marine Worm Drive Hose Clamps (SS316), Range 18-32mm	
57	GM-HP-HC0005		Genuine Marine Worm Drive Hose Clamps (SS316), Range 21-38mm	
58	GM-HP-HC0006		Genuine Marine Worm Drive Hose Clamps (SS316), Range 21-44mm	
59	GM-HP-HC0007		Genuine Marine Worm Drive Hose Clamps (SS316), Range 27-51mm	
60	GM-HP-HC0008		Genuine Marine Worm Drive Hose Clamps (SS316), Range 33-57mm	
61	GM-HP-HC0009		Genuine Marine Worm Drive Hose Clamps (SS316), Range 40-64mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
62	GM-HP-HC0010		Genuine Marine Worm Drive Hose Clamps (SS316), Range 46-70mm	
63	GM-HP-HC0011		Genuine Marine Worm Drive Hose Clamps (SS316), Range 52-76mm	
64	GM-HP-HC0012		Genuine Marine Worm Drive Hose Clamps (SS316), Range 59-83mm	
65	GM-HP-HC0013		Genuine Marine Worm Drive Hose Clamps (SS316), Range 65-89mm	
66	GM-HP-HC0014		Genuine Marine Worm Drive Hose Clamps (SS316), Range 71-95mm	
67	GM-HP-HC0015		Genuine Marine Worm Drive Hose Clamps (SS316), Range 78-102mm	
68	GM-HP-HC0016		Genuine Marine Worm Drive Hose Clamps (SS316), Range 84-108mm	
69	GM-HP-HC0017		Genuine Marine Worm Drive Hose Clamps (SS316), Range 90-114mm	
70	GM-HP-HC0018		Genuine Marine Worm Drive Hose Clamps (SS316), Range 103-127mm	
71	GM-HP-HC0019		Genuine Marine Worm Drive Hose Clamps (SS316), Range 117-140mm	
72	GM-HP-HC0020		Genuine Marine Worm Drive Hose Clamps (SS316), Range 130-152mm	
73	GM-HP-HC0021		Genuine Marine Worm Drive Hose Clamps (SS316), Range 141-165mm	
74	GM-HP-HC0022		Genuine Marine Worm Drive Hose Clamps (SS316), Range 157-178mm	
75	GM-HP-HC0050		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 26-45mm, Free torque 1.5, break torque 15	
76	GM-HP-HC0051		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 32-54mm, Free torque 1.5, break torque 15	
77	GM-HP-HC0052		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 45-67mm, Free torque 1.5, break torque 15	
78	GM-HP-HC0053		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 57-79mm, Free torque 1.5, break torque 15	
79	GM-HP-HC0054		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 70-92mm, Free torque 1.5, break torque 15	



NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
80	GM-HP-HC0055		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 83-105mm, Free torque 1.5, break torque 15	
81	GM-HP-HC0056		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 96-118mm, Free torque 1.5, break torque 15	
82	GM-HP-HC0057		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 108-130mm, Free torque 1.5, break torque 15	
83	GM-HP-HC0058		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 121-143mm, Free torque 1.5, break torque 15	
84	GM-HP-HC0059		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 134-156mm, Free torque 1.5, break torque 15	
85	GM-HP-HC0060		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 146-168mm, Free torque 1.5, break torque 15	
86	GM-HP-HC0061		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 159-181mm, Free torque 1.5, break torque 15	
87	GM-HP-HC0062		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 172-194mm, Free torque 1.5, break torque 15	
88	GM-HP-HC0063		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 184-206mm, Free torque 1.5, break torque 15	
89	GM-HP-HC0064		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 197-219mm, Free torque 1.5, break torque 15	
90	GM-HP-HC0065		Genuine Marine, Constant Tension Clamps (SAE, SS316), Range 210-232mm, Free torque 1.5, break torque 15	
91	GM-HP-HC0100		Genuine Marine T-Bolt Super Clamp (SS316), Range 37-40mm, Bandwidth 19mm, break torque 12Nm	
92	GM-HP-HC0101		Genuine Marine T-Bolt Super Clamp (SS316), Range 43-46mm, Bandwidth 19mm, break torque 12Nm	
93	GM-HP-HC0102		Genuine Marine T-Bolt Super Clamp (SS316), Range 43-49mm, Bandwidth 19mm, break torque 12Nm	
94	GM-HP-HC0103		Genuine Marine T-Bolt Super Clamp (SS316), Range 46-52mm, Bandwidth 19mm, break torque 12Nm	
95	GM-HP-HC0104		Genuine Marine T-Bolt Super Clamp (SS316), Range 51-57mm, Bandwidth 19mm, break torque 12Nm	




NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
96	GM-HP-HC0105		Genuine Marine T-Bolt Super Clamp (SS316),Range 58-65mm, Bandwidth 19mm, break torque 12Nm	
97	GM-HP-HC0106		Genuine Marine T-Bolt Super Clamp (SS316),Range 64-72mm, Bandwidth 19mm, break torque 12Nm	
98	GM-HP-HC0107		Genuine Marine T-Bolt Super Clamp (SS316),Range 70-78mm, Bandwidth 19mm, break torque 12Nm	
99	GM-HP-HC0108		Genuine Marine T-Bolt Super Clamp (SS316),Range 76-84mm, Bandwidth 19mm, break torque 12Nm	
100	GM-HP-HC0109		Genuine Marine T-Bolt Super Clamp (SS316),Range 83-91mm, Bandwidth 19mm, break torque 12Nm	
101	GM-HP-HC0110		Genuine Marine T-Bolt Super Clamp (SS316),Range 89-97mm, Bandwidth 19mm, break torque 12Nm	
102	GM-HP-HC0111		Genuine Marine T-Bolt Super Clamp (SS316),Range 95-103mm, Bandwidth 19mm, break torque 12Nm	
103	GM-HP-HC0112		Genuine Marine T-Bolt Super Clamp (SS316),Range 102-110mm, Bandwidth 19mm, break torque 12Nm	
104	GM-HP-HC0113		Genuine Marine T-Bolt Super Clamp (SS316),Range 108-116mm, Bandwidth 19mm, break torque 12Nm	
105	GM-HP-HC0114		Genuine Marine T-Bolt Super Clamp (SS316),Range 114-122mm, Bandwidth 19mm, break torque 12Nm	
106	GM-HP-HC0115		Genuine Marine T-Bolt Super Clamp (SS316),Range 121-129mm, Bandwidth 19mm, break torque 12Nm	
107	GM-HP-HC0116		Genuine Marine T-Bolt Super Clamp (SS316),Range 127-135mm, Bandwidth 19mm, break torque 12Nm	
108	GM-HP-HC0117		Genuine Marine T-Bolt Super Clamp (SS316),Range 133-141mm, Bandwidth 19mm, break torque 12Nm	
109	GM-HP-HC0118		Genuine Marine T-Bolt Super Clamp (SS316),Range 140-148mm, Bandwidth 19mm, break torque 12Nm	
110	GM-HP-HC0119		Genuine Marine T-Bolt Super Clamp (SS316),Range 146-154mm, Bandwidth 19mm, break torque 12Nm	
111	GM-HP-HC0120		Genuine Marine T-Bolt Super Clamp (SS316),Range 152-160mm, Bandwidth 19mm, break torque 12Nm	
112	GM-HP-HC0121		Genuine Marine T-Bolt Super Clamp (SS316),Range 159-167mm, Bandwidth 19mm, break torque 12Nm	
113	GM-HP-HC0122		Genuine Marine T-Bolt Super Clamp (SS316),Range 165-173mm, Bandwidth 19mm, break torque 12Nm	
114	GM-HP-HC0123		Genuine Marine T-Bolt Super Clamp (SS316),Range 171-179mm, Bandwidth 19mm, break torque 12Nm	



NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
115	GM-HP-HC0124		Genuine Marine T-Bolt Super Clamp (SS316),Range 178-186mm, Bandwidth 19mm, break torque 12Nm	
116	GM-HP-HC0125		Genuine Marine T-Bolt Super Clamp (SS316),Range 184-192mm, Bandwidth 19mm, break torque 12Nm	
117	GM-HP-HC0150		Genuine Marine Unitary Clamp (SS316), Rang 17-19mm, Bandwidth 0.6x18mm,break torque 6Nm	
118	GM-HP-HC0151		Genuine Marine Unitary Clamp (SS316), Rang 20-22mm, Bandwidth 0.6x18mm,break torque 6Nm	
119	GM-HP-HC0152		Genuine Marine Unitary Clamp (SS316), Rang 23-25mm, Bandwidth 0.6x18mm,break torque 6Nm	
120	GM-HP-HC0153		Genuine Marine Unitary Clamp (SS316), Rang 26-28mm, Bandwidth 0.6x18mm,break torque 6Nm	
121	GM-HP-HC0154		Genuine Marine Unitary Clamp (SS316), Rang 29-31mm, Bandwidth 0.8x20mm,break torque 12Nm	
122	GM-HP-HC0155		Genuine Marine Unitary Clamp (SS316), Rang 32-35mm, Bandwidth 0.8x20mm,break torque 12Nm	
123	GM-HP-HC0156		Genuine Marine Unitary Clamp (SS316), Rang 36-39mm, Bandwidth 0.8x20mm,break torque 12Nm	
124	GM-HP-HC0157		Genuine Marine Unitary Clamp (SS316), Rang 40-43mm, Bandwidth 0.8x20mm,break torque 12Nm	
125	GM-HP-HC0158		Genuine Marine Unitary Clamp (SS316), Rang 44-47mm, Bandwidth 1.2x22mm,break torque 12Nm	
126	GM-HP-HC0159		Genuine Marine Unitary Clamp (SS316), Rang 48-51mm, Bandwidth 1.2x22mm,break torque 12Nm	
127	GM-HP-HC0160		Genuine Marine Unitary Clamp (SS316), Rang 52-55mm, Bandwidth 1.2x22mm,break torque 12Nm	
128	GM-HP-HC0161		Genuine Marine Unitary Clamp (SS316), Rang 56-59mm, Bandwidth 1.2x22mm,break torque 12Nm	
129	GM-HP-HC0162		Genuine Marine Unitary Clamp (SS316), Rang 60-63mm, Bandwidth 1.2x22mm,break torque 12Nm	
130	GM-HP-HC0163		Genuine Marine Unitary Clamp (SS316), Rang 64-67mm, Bandwidth 1.5x22mm,break torque 24Nm	
131	GM-HP-HC0164		Genuine Marine Unitary Clamp (SS316), Rang 68-73mm, Bandwidth 1.5x23mm,break torque 24Nm	
132	GM-HP-HC0165		Genuine Marine Unitary Clamp (SS316), Rang 74-79mm, Bandwidth 1.5x23mm,break torque 24Nm	



NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
133	GM-HP-HC0166		Genuine Marine Unitary Clamp (SS316), Rang 80-85mm, Bandwidth 1.5x23mm,break torque 24Nm	
134	GM-HP-HC0167		Genuine Marine Unitary Clamp (SS316), Rang 86-91mm, Bandwidth 1.5x24mm,break torque 24Nm	
135	GM-HP-HC0168		Genuine Marine Unitary Clamp (SS316), Rang 92-97mm, Bandwidth 1.5x24mm,break torque 24Nm	
136	GM-HP-HC0169		Genuine Marine Unitary Clamp (SS316), Rang 98-103mm, Bandwidth 1.5x24mm,break torque 24Nm	
137	GM-HP-HC0170		Genuine Marine Unitary Clamp (SS316), Rang 104-112mm, Bandwidth 1.5x24mm,break torque 24Nm	
138	GM-HP-HC0171		Genuine Marine Unitary Clamp (SS316), Rang 113-121mm, Bandwidth 1.5x24mm,break torque 24Nm	
139	GM-HP-HC0172		Genuine Marine Unitary Clamp (SS316), Rang 122-130mm, Bandwidth 1.5x24mm,break torque 24Nm	
140	GM-HP-HC0173		Genuine Marine Unitary Clamp (SS316), Rang 131-139mm, Bandwidth 1.7x26mm,break torque 39Nm	
141	GM-HP-HC0174		Genuine Marine Unitary Clamp (SS316), Rang 140-148mm, Bandwidth 1.7x26mm,break torque 39Nm	
142	GM-HP-HC0175		Genuine Marine Unitary Clamp (SS316), Rang 149-161mm, Bandwidth 1.7x26mm,break torque 39Nm	
143	GM-HP-HC0176		Genuine Marine Unitary Clamp (SS316), Rang 162-174mm, Bandwidth 1.7x26mm,break torque 39Nm	
144	GM-HP-HC0177		Genuine Marine Unitary Clamp (SS316), Rang 175-187mm, Bandwidth 1.7x26mm,break torque 39Nm	
145	GM-HP-HC0178		Genuine Marine Unitary Clamp (SS316), Rang 188-200mm, Bandwidth 1.7x26mm,break torque 39Nm	
146	GM-HP-HC0179		Genuine Marine Unitary Clamp (SS316), Rang 201-213mm, Bandwidth 1.7x26mm,break torque 39Nm	
147	GM-HP-HC0180		Genuine Marine Unitary Clamp (SS316), Rang 214-226mm, Bandwidth 1.7x26mm,break torque 39Nm	
148	GM-HP-HC0181		Genuine Marine Unitary Clamp (SS316), Rang 227-239mm, Bandwidth 1.7x26mm,break torque 39Nm	
149	GM-HP-HC0182		Genuine Marine Unitary Clamp (SS316), Rang 240-252mm, Bandwidth 1.7x26mm,break torque 39Nm	

Genuine Marine Anchor & Chain & Accessories

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-AC1801		Genuine Marine Anchor , stainless steel 316, 1.5kgs	
2	GM-HW-AC1802		Genuine Marine Anchor , stainless steel 316, 2kgs	
3	GM-HW-AC1805		Genuine Marine Anchor , stainless steel 316, 5kgs	
4	GM-HW-AC1808		Genuine Marine Anchor , stainless steel 316, 8kgs	
5	GM-HW-AC1810		Genuine Marine Anchor , stainless steel 316, 10kgs	
6	GM-HW-AC1815		Genuine Marine Anchor , stainless steel 316, 15kgs	
7	GM-HW-AC1820		Genuine Marine Anchor , stainless steel 316, 20kgs	
8	GM-HW-AC1830		Genuine Marine Anchor , stainless steel 316, 30kgs	
9	GM-HW-AC1840		Genuine Marine Anchor , stainless steel 316, 40kgs	
10	GM-HW-AC1850		Genuine Marine Anchor , stainless steel 316, 50kgs	
11	GM-HW-AC0001		Genuine Marine Bruce Anchor , stainless steel 316, 1kgs	
12	GM-HW-AC0002		Genuine Marine Bruce Anchor , stainless steel 316, 2kgs	
13	GM-HW-AC0003		Genuine Marine Bruce Anchor , stainless steel 316, 2.5kgs	
14	GM-HW-AC0004		Genuine Marine Bruce Anchor , stainless steel 316, 3kgs	
15	GM-HW-AC0005		Genuine Marine Bruce Anchor , stainless steel 316, 5kgs	
16	GM-HW-AC0006		Genuine Marine Bruce Anchor , stainless steel 316, 7.5kgs	
17	GM-HW-AC0007		Genuine Marine Bruce Anchor , stainless steel 316, 10kgs	
18	GM-HW-AC0008		Genuine Marine Bruce Anchor , stainless steel 316, 15kgs	
19	GM-HW-AC0009		Genuine Marine Bruce Anchor , stainless steel 316, 20kgs	
20	GM-HW-AC0010		Genuine Marine Bruce Anchor , stainless steel 316, 25kgs	
21	GM-HW-AC0011		Genuine Marine Bruce Anchor , stainless steel 316, 30kgs	
22	GM-HW-AC0012		Genuine Marine Bruce Anchor , stainless steel 316, 50kgs	
23	GM-HW-AC0001C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized, 1kgs	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
24	GM-HW-AC0002C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,2kgs	
25	GM-HW-AC0003C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,2.5kgs	
26	GM-HW-AC0004C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,3kgs	
27	GM-HW-AC0005C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,5kgs	
28	GM-HW-AC0006C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,7.5kgs	
29	GM-HW-AC0007C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,10kgs	
30	GM-HW-AC0008C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,15kgs	
31	GM-HW-AC0009C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,20kgs	
32	GM-HW-AC0010C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,25kgs	
33	GM-HW-AC0011C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,30kgs	
34	GM-HW-AC0012C		Genuine Marine Bruce Anchor , carbon steel-hot galvanized,50kgs	
35	GM-HW-AC0050		Genuine Marine Fluke Anchor , stainless steel 316, 2.7kgs	
36	GM-HW-AC0051		Genuine Marine Fluke Anchor , stainless steel 316, 3.6kgs	
37	GM-HW-AC0052		Genuine Marine Fluke Anchor , stainless steel 316, 5.5kgs	
38	GM-HW-AC0053		Genuine Marine Fluke Anchor , stainless steel 316, 9kgs	
39	GM-HW-AC0054		Genuine Marine Fluke Anchor , stainless steel 316, 16kgs	
40	GM-HW-AC0055		Genuine Marine Fluke Anchor , stainless steel 316, 27kgs	
41	GM-HW-AC0050C		Genuine Marine Fluke Anchor , carbon steel-hot galvanized, 2.7kgs	
42	GM-HW-AC0051C		Genuine Marine Fluke Anchor , carbon steel-hot galvanized, 3.6kgs	
43	GM-HW-AC0052C		Genuine Marine Fluke Anchor , carbon steel-hot galvanized, 5.5kgs	
44	GM-HW-AC0053C		Genuine Marine Fluke Anchor , carbon steel-hot galvanized, 9kgs	
45	GM-HW-AC0054C		Genuine Marine Fluke Anchor , carbon steel-hot galvanized, 16kgs	
46	GM-HW-AC0055C		Genuine Marine Fluke Anchor , carbon steel-hot galvanized, 27kgs	
47	GM-HW-AC0100		Genuine Marine Plow Anchor , stainless steel 316, 2kgs	
48	GM-HW-AC0101		Genuine Marine Plow Anchor , stainless steel 316, 5kgs	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
49	GM-HW-AC0102		Genuine Marine Plow Anchor , stainless steel 316, 7kgs	
50	GM-HW-AC0103		Genuine Marine Plow Anchor , stainless steel 316, 9kgs	
51	GM-HW-AC0104		Genuine Marine Plow Anchor , stainless steel 316, 12kgs	
52	GM-HW-AC0105		Genuine Marine Plow Anchor , stainless steel 316, 16kgs	
53	GM-HW-AC0106		Genuine Marine Plow Anchor , stainless steel 316, 20kgs	
54	GM-HW-AC0107		Genuine Marine Plow Anchor , stainless steel 316, 22kgs	
55	GM-HW-AC0108		Genuine Marine Plow Anchor , stainless steel 316, 27kgs	
56	GM-HW-AC0109		Genuine Marine Plow Anchor , stainless steel 316, 34kgs	
57	GM-HW-AC0100C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 2kgs	
58	GM-HW-AC0101C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 5kgs	
59	GM-HW-AC0102C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 7kgs	
60	GM-HW-AC0103C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 9kgs	
61	GM-HW-AC0104C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 12kgs	
62	GM-HW-AC0105C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 16kgs	
63	GM-HW-AC0106C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 20kgs	
64	GM-HW-AC0107C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 22kgs	
65	GM-HW-AC0108C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 27kgs	
66	GM-HW-AC0109C		Genuine Marine Plow Anchor , carbon steel-hot galvanized, 34kgs	
67	GM-HW-AC0150		Genuine Marine Floding Anchor , stainless steel 316, 0.7kgs	
68	GM-HW-AC0151		Genuine Marine Floding Anchor , stainless steel 316, 1.5kgs	
69	GM-HW-AC0152		Genuine Marine Floding Anchor , stainless steel 316, 2.5kgs	
70	GM-HW-AC0153		Genuine Marine Floding Anchor , stainless steel 316, 3.2kgs	
71	GM-HW-AC0154		Genuine Marine Floding Anchor , stainless steel 316, 4kgs	
72	GM-HW-AC0155		Genuine Marine Floding Anchor , stainless steel 316, 6kgs	
73	GM-HW-AC0156		Genuine Marine Floding Anchor , stainless steel 316, 8kgs	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
74	GM-HW-AC0157		Genuine Marine Floding Anchor , stainless steel 316, 10kgs	
75	GM-HW-AC0158		Genuine Marine Floding Anchor , stainless steel 316, 12kgs	
76	GM-HW-AC0159		Genuine Marine Floding Anchor , stainless steel 316, 15kgs	
77	GM-HW-AC0150C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 0.7kgs	
78	GM-HW-AC0151C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 1.5kgs	
79	GM-HW-AC0152C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 2.5kgs	
80	GM-HW-AC0153C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 3.2kgs	
81	GM-HW-AC0154C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 4kgs	
82	GM-HW-AC0155C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 6kgs	
83	GM-HW-AC0156C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 8kgs	
84	GM-HW-AC0157C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 10kgs	
85	GM-HW-AC0158C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 12kgs	
86	GM-HW-AC0159C		Genuine Marine Floding Anchor , carbon steel-hot galvanized, 15kgs	
87	GM-HW-AC0200		DELTA Anchor , stainless steel 316, 5kgs	
88	GM-HW-AC0201		DELTA Anchor , stainless steel 316, 7.5kgs	
89	GM-HW-AC0202		DELTA Anchor , stainless steel 316, 10kgs	
90	GM-HW-AC0203		DELTA Anchor , stainless steel 316, 15kgs	
91	GM-HW-AC0204		DELTA Anchor , stainless steel 316, 20kgs	
92	GM-HW-AC0205		DELTA Anchor , stainless steel 316, 30kgs	
93	GM-HW-AC0206		DELTA Anchor , stainless steel 316, 50kgs	
94	GM-HW-AC0200C		DELTA Anchor , carbon steel-hot galvanized, 5kgs	
95	GM-HW-AC0201C		DELTA Anchor , carbon steel-hot galvanized, 7.5kgs	
96	GM-HW-AC0202C		DELTA Anchor , carbon steel-hot galvanized, 10kgs	
97	GM-HW-AC0203C		DELTA Anchor , carbon steel-hot galvanized, 15kgs	
98	GM-HW-AC0204C		DELTA Anchor , carbon steel-hot galvanized, 20kgs	
99	GM-HW-AC0206C		DELTA Anchor , carbon steel-hot galvanized, 50kgs	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
100	GM-HW-AC0550		Genuine Marine DIN766 Anchor Chain (G30), wire diameter 6mm, full drum 315m	sell by drum
101	GM-HW-AC0551		Genuine Marine DIN766 Anchor Chain (G30), wire diameter 7mm, full drum 225m	sell by drum
102	GM-HW-AC0552		Genuine Marine DIN766 Anchor Chain (G30), wire diameter 8mm, full drum 175m	sell by drum
103	GM-HW-AC0553		Genuine Marine DIN766 Anchor Chain (G30), wire diameter 10mm, full drum 110m	sell by drum
104	GM-HW-AC0554		Genuine Marine DIN766 Anchor Chain (G30), wire diameter 11mm, full drum 88m	sell by drum
105	GM-HW-AC0555		Genuine Marine DIN766 Anchor Chain (G30), wire diameter 13mm, full drum 62m	sell by drum
106	GM-HW-AC0556		Genuine Marine DIN766 Anchor Chain (G30), wire diameter 14mm, full drum 57m	sell by drum
107	GM-HW-AC0557		Genuine Marine DIN766 Anchor Chain (G30), wire diameter 16mm, full drum 44m	sell by drum
108	GM-HW-DH0854		Genuine Marine D-shackle,dia8mm, A=16mm,B=28mm,SWLkgs=625,BL kgs=2500	
109	GM-HW-DH0856		Genuine Marine D-shackle,dia10mm, A=20mm,B=35mm,SWLkgs=1025,BL kgs=4100	
110	GM-HW-DH0857		Genuine Marine D-shackle,dia12mm, A=25mm,B=42mm,SWLkgs=1350,BL kgs=5400	
111	GM-HW-DH0858		Genuine Marine D-shackle,dia13mm, A=26mm,B=45.5mm,SWLkgs=1525,BL kgs=6100	
112	GM-HW-DH0860		Genuine Marine D-shackle,dia16mm, A=32mm,B=56mm,SWLkgs=2200,BL kgs=8800	
113	GM-HW-AC0800		Genuine Marine Anchor Roller, LxH: 7-3/4"*3", width: 3-3/4"*2-1/4"	
114	GM-HW-AC0801		Genuine Marine Anchor Roller, LxH: 8-7/8"*3", width: 5"*2-1/4"	
115	GM-HW-AC0802		Genuine Marine Anchor Roller, LxH: 9-7/8"*3", width: 5-13/16"*2-1/4"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
116	GM-HW-AC0850		Genuine Marine Anchor Roller, LxH: 12-7/8" * 4-3/8", width: 3-3/4" * 2-1/4"	
117	GM-HW-AC0851		Genuine Marine Anchor Roller, LxH: 14" * 4-3/8", width: 5" * 2-1/4"	
118	GM-HW-AC0852		Genuine Marine Anchor Roller, LxH: 15" * 4-3/8", width: 5-13/16" * 2-1/4"	
119	GM-HW-AC0900		Genuine Marine Anchor Roller, LxW: 15" * 2", roller size: Φ2-1/2" * 1-3/4"	
120	GM-HW-AC0901		Genuine Marine Anchor Roller, LxW: 23-1/4" * 3-1/2", roller size: Φ4" * 3-3/8"	
121	GM-HW-AC0950		Genuine Marine Anchor Roller, LxW: 6.25" * 1.75", roller size: Φ2-1/2" * 1-3/4", thickness 2mm	
122	GM-HW-AC0951		Genuine Marine Anchor Roller, LxW: 6.25" * 1.75", roller size: Φ2-1/2" * 1-3/4", thickness 4mm	
123	GM-HW-AC1000		Genuine Marine Anchor Roller, LxW: 9" * 1-3/4", roller size: Φ2-1/2" * 1-3/4"	
124	GM-HW-AC1050		Genuine Marine Anchor Roller, LxW: 11" * 2", roller size: Φ2-1/2" * 1-3/4", thickness 3mm	
125	GM-HW-AC1051		Genuine Marine Anchor Roller, LxW: 11" * 2", roller size: Φ2-1/2" * 1-3/4", thickness 4mm	
126	GM-HW-AC1100		Genuine Marine Anchor Roller, LxW: 8-3/4" * 2-5/8", roller size: Φ2" * 2"	
127	GM-HW-AC1101		Genuine Marine Anchor Roller, LxW: 8-3/4" * 2", roller size: Φ2-1/2" * 1-5/8"	
134	GM-HW-AC1350		Genuine Marine Anchor Connector 1, length 95mm, chain Φ mm6/8, 2500kg	
135	GM-HW-AC1351		Genuine Marine Anchor Connector 1, length 120mm, chain Φ mm9/10, 5800kg	
136	GM-HW-AC1400		Genuine Marine Anchor Connector 2, length 95mm, chain Φ mm6/8, 2500kg	
137	GM-HW-AC1402		Genuine Marine Anchor Connector 2, length 120mm, chain Φ mm9/10, 5800kg	
138	GM-HW-AC1403		Genuine Marine Anchor Connector 2, length 140mm, chain Φ mm12/14, 7400kg	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
139	GM-HW-AC1450		Genuine Marine Anchor Connector 3, length 117mm, chain Φmm6/8, 2500kg	
140	GM-HW-AC1451		Genuine Marine Anchor Connector 3, length 115mm, chain Φmm9/10, 5800kg	
141	GM-HW-AC1500		Genuine Marine Chain Stopper ,height 2-3/8", width 2-11/16", depth 3-1/8"	
142	GM-HW-R0001		Genuine Marine Anchor Rope, 3/8½"	
143	GM-HW-R0002		Genuine Marine 3 strands Nylon Anchor Rope, ½/2"	
144	GM-HW-R0003		Genuine Marine 3 strands Nylon Anchor Rope, 5/8"	
145	GM-HW-R0004		Genuine Marine 3 strands Nylon Anchor Rope, 3/4"	
146	GM-HW-R0005		Genuine Marine 3 strands Nylon Anchor Rope, 1"	
147	GM-HW-R0006		Genuine Marine Double Braided, 3/8"	
148	GM-HW-R0007		Genuine Marine Double Braided, 1/2"	
149	GM-HW-R0008		Genuine Marine Double Braided, 5/8"	
150	GM-HW-R0009		Genuine Marine Double Braided, 3/4"	
151	GM-HW-R0010		Genuine Marine Double Braided, 1"	

Genuine Marine Deck Parts

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-F0001		Genuine Marine Deck Filler, S.S.316, GAS,2"	
2	GM-HW-F0002		Genuine Marine Deck Filler, S.S.316, FUEL,2"	
3	GM-HW-F0003		Genuine Marine Deck Filler, S.S.316, GAS,1-1/2"	
4	GM-HW-F0004		Genuine Marine Deck Filler, S.S.316, FUEL,1-1/2"	
5	GM-HW-F0005		Genuine Marine Deck Filler, S.S.316, Fresh Water,1-1/2"	
6	GM-HW-F0006		Genuine Marine Deck Filler, S.S.316, Waste Water,1-1/2"	
7	GM-HW-F0050		Genuine Marine Deck Filler, S.S.316, GAS,2"	
8	GM-HW-F0051		Genuine Marine Deck Filler, S.S.316, FUEL,2"	
9	GM-HW-F0052		Genuine Marine Deck Filler, S.S.316, GAS,1-1/2"	
10	GM-HW-F0053		Genuine Marine Deck Filler, S.S.316, FUEL,1-1/2"	
11	GM-HW-F0054		Genuine Marine Deck Filler, S.S.316, FRESH WATER,1-1/2"	
12	GM-HW-F0055		Genuine Marine Deck Filler, S.S.316, WASTE WATER,1-1/2"	
13	GM-HW-F0100		Genuine Marine Deck Filler, S.S.316, GAS,2"	
14	GM-HW-F0102		Genuine Marine Deck Filler, S.S.316, FUEL,2"	
15	GM-HW-F0103		Genuine Marine Deck Filler, S.S.316, FRESH WATER,2"	
16	GM-HW-F0104		Genuine Marine Deck Filler, S.S.316, WASTE WATER,2"	
17	GM-HW-F0105		Genuine Marine Deck Filler, S.S.316, GAS,1-1/2"	
18	GM-HW-F0106		Genuine Marine Deck Filler, S.S.316, FUEL,1-1/2"	
19	GM-HW-F0107		Genuine Marine Deck Filler, S.S.316, FRESH WATER,1-1/2"	
20	GM-HW-F0108		Genuine Marine Deck Filler, S.S.316, WASTE WATER,1-1/2"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
21	GM-HW-F0200		Genuine Marine plastic WATER deck filler, diameter 85mm,height70mm, cutout 50mm,	
22	GM-HW-F0200B		Genuine Marine plastic WATER deck filler, diameter 85mm,height70mm, cutout 50mm,	
23	GM-HW-F0200R		Genuine Marine plastic FUEL deck filler, diameter 85mm,height70mm, cutout 50mm,	
24	GM-HW-F0210B		Genuine Marine plastic WATER deck filler, diameter 85mm,height70mm, cutout 50mm, black color	
25	GM-HW-F0210		Genuine Marine plastic WATER deck filler, diameter 85mm,height70mm, cutout 50mm, white color	
26	GM-HW-F0211		Genuine Marine plastic WATER deck filler, diameter 117mm, cutout 89mm, white color	
27	GM-HW-SM0315		Genuine Marine water/fuel/gas/diesel deck filler, 1.5"	
28	GM-HW-SM0310		Genuine Marine water/fuel/gas/diesel deck filler, 2"	
29	GM-HW-SM0320		Genuine Marine water/fuel/gas/diesel/waste deck filler, 1.5"	
30	GM-HW-SP0265		Genuine Marine Water deck filler with key, 118*97*132mm, cutout 96mm, inner diameter 1-1/2"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
31	GM-HW-T0450		Genuine Marine Plastic Thru Hull, 5/8"	
32	GM-HW-T0451		Genuine Marine Plastic Thru Hull, 3/4"	
33	GM-HW-T0452		Genuine Marine Plastic Thru Hull, 1"	
34	GM-HW-T0453		Genuine Marine Plastic Thru Hull, 1-1/8"	
35	GM-HW-T0454		Genuine Marine Plastic Thru Hull, 1-1/4"	
36	GM-HW-T0455		Genuine Marine Plastic Thru Hull, 1-1/2"	
37	GM-HW-SM0003		Genuine Marine Plastic Thru Hull, 1"	Other size for option
38	GM-HW-SM0104		Genuine Marine 90degree Plastic Thru Hull, 1"	Other size for option
39	GM-HW-T0050		Genuine Marine Thru Hull, stainless steel, 3/8"	
40	GM-HW-T0051		Genuine Marine Thru Hull, stainless steel, 1/2"	
41	GM-HW-T0052		Genuine Marine Thru Hull, stainless steel, 3/4"	
42	GM-HW-T0053		Genuine Marine Thru Hull, stainless steel, 1"	
43	GM-HW-T0054		Genuine Marine Thru Hull, stainless steel, 1-1/4"	
44	GM-HW-T0055		Genuine Marine Thru Hull, stainless steel, 1-1/2"	
45	GM-HW-T0056		Genuine Marine Thru Hull, stainless steel, 2"	
46	GM-HW-T0057		Genuine Marine Thru Hull, stainless steel, 2-1/2"	
47	GM-HW-T0058		Genuine Marine Thru Hull, stainless steel, 3"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
48	GM-HW-T0100		Genuine Marine Barb Thru Hull, stainless steel,3/8"	
49	GM-HW-T0102		Genuine Marine Barb Thru Hull, stainless steel, 1/2"	
50	GM-HW-T0103		Genuine Marine Barb Thru Hull, stainless steel, 3/4"	
51	GM-HW-T0104		Genuine Marine Barb Thru Hull, stainless steel, 1"	
52	GM-HW-T0105		Genuine Marine Barb Thru Hull, stainless steel,1-1/4"	
53	GM-HW-T0106		Genuine Marine Barb Thru Hull, stainless steel,1-1/2"	
54	GM-HW-T0107		Genuine Marine Barb Thru Hull, stainless steel,2"	
55	GM-HW-T0150		Genuine Marine Thru Hull, brass, 3/4"	
56	GM-HW-T0151		Genuine Marine Thru Hull, brass, 1"	
57	GM-HW-T0152		Genuine Marine Thru Hull, brass,1-1/4"	
58	GM-HW-T0153		Genuine Marine Thru Hull, brass,1-1/2"	
59	GM-HW-T0154		Genuine Marine Thru Hull, brass,2"	
60	GM-HW-T0155		Genuine Marine Thru Hull, brass,2-1/2"	
61	GM-HW-T0156		Genuine Marine Thru Hull, brass,3"	
62	GM-HW-T0157		Genuine Marine Thru Hull, brass,4"	
63	GM-HW-T0158		Genuine Marine Thru Hull, brass,5"	
64	GM-HW-S0605		Genuine Marine Tank Vent, 90°,Hose Dia:16(5/8")	
65	GM-HW-S0606		Genuine Marine Tank Vent, 90°,Hose Dia:19(3/4")	
66	GM-HW-S0607		Genuine Marine Tank Vent, 90°,Hose Dia:25(1")	
67	GM-HW-S0610		Genuine Marine Tank Vent, 90°,Hose Dia:16(5/8")	
68	GM-HW-S0611		Genuine Marine Tank Vent, 90°,Hose Dia:19(3/4")	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
69	GM-HW-S0600		Genuine Marine Tank Vent, Straight, 9/16"	
70	GM-HW-S0601		Genuine Marine Tank Vent, Straight, 5/8"	
71	GM-HW-S0613		Genuine Marine Tank Vent, Straight, 5/8"	
72	GM-HW-FR0001		Genuine Marine S.S. Rod Holder, length 9", flange 15°	
73	GM-HW-FR0002		Genuine Marine S.S. Rod Holder, length 9", flange 30°	
74	GM-HW-FR0003		Genuine Marine S.S. Rod Holder, length 9", flange 90°	
75	GM-HW-FR0050		Genuine Marine S.S. Rod Holder, length 8-3/8", flange size 3-1/2" * 4-9/16", flange 90°	
76	GM-HW-FR0140		Genuine Marine Rod Holder, Clamp S.S.316, length 125mm, hardrail diameter 19-25mm	
77	GM-HW-FR0141		Genuine Marine Rod Holder, Clamp S.S.316, length 130mm, hardrail diameter 25-32mm	
78	GM-HW-FR0142		Genuine Marine Rod Holder, Clamp S.S.316, length 140mm, hardrail diameter 32-51mm	
79	GM-HW-H0450		Genuine Marine Cleat, 4"	
80	GM-HW-H0451		Genuine Marine Cleat, 5"	
81	GM-HW-H0452		Genuine Marine Cleat, 6"	
82	GM-HW-H0454		Genuine Marine Cleat, 8"	
83	GM-HW-H0456		Genuine Marine Cleat, 10"	
84	GM-HW-H0457		Genuine Marine Cleat, 12"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
85	GM-HW-H0500		Genuine Marine Pop Up Cleat, LxWxH: 125x32x70mm, adjustable height 29mm	
86	GM-HW-H0501		Genuine Marine Pop Up Cleat, LxWxH: 160x40x70mm, adjustable height 26mm	
87	GM-HW-H0620		Genuine Marine Folding Cleat, stainless steel, LxW: 115 x 115mm	
88	GM-HW-H0250		Genuine Marine Cleat, 6-3/8", base 160x58mm	
89	GM-HW-H0251		Genuine Marine Cleat, 8", base 200x68mm	
90	GM-HW-H0252		Genuine Marine Cleat, 9-5/8", base 240x70mm	
91	GM-HW-H0253		Genuine Marine Cleat, 12", base 300x80mm	
92	GM-HW-H0254		Genuine Marine Cleat, 14", base 350x88mm	
93	GM-HW-H0550		Genuine Marine Cross Cleat, dia 50mm height 95mm, width 130mm, base 92*92mm	
94	GM-HW-E0100		Genuine Marine Bow Eye, stock dia. 3/16", thread length 1-3/8", overall length 2-3/4"	
95	GM-HW-E0101		Genuine Marine Bow Eye, stock dia. 1/4", thread length 1-1/4", overall length 2-1/2"	
96	GM-HW-E0102		Genuine Marine Bow Eye, stock dia. 1/4", thread length 1-7/8", overall length 3-1/4"	
97	GM-HW-E0103		Genuine Marine Bow Eye, stock dia. 5/16", thread length 1-3/8", overall length 2-3/4"	
98	GM-HW-E0104		Genuine Marine Bow Eye, stock dia. 5/16", thread length 2", overall length 3-3/8"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
99	GM-HW-E0150		Genuine Marine Bow Eye, stock dia. 3/8", thread length 3-1/8", overall length 5"	
100	GM-HW-E0151		Genuine Marine Bow Eye, stock dia. 3/8", thread length 2-1/8", overall length 4"	
101	GM-HW-E0152		Genuine Marine Bow Eye, stock dia. 3/8", thread length 2-5/8", overall length 4-1/2"	
102	GM-HW-E0153		Genuine Marine Bow Eye, stock dia. 1/2", thread length 2-1/8", overall length 4-5/16"	
103	GM-HW-E0154		Genuine Marine Bow Eye, stock dia. 1/2", thread length 2-7/8", overall length 4-3/4"	
104	GM-HW-E0155		Genuine Marine Bow Eye, stock dia. 1/2", thread length 3-3/8", overall length 5-1/4"	
105	GM-HW-E0156		Genuine Marine Bow Eye, stock dia. 1/2", thread length 4-1/8", overall length 6-5/16"	
106	GM-HW-E0157		Genuine Marine Bow Eye, stock dia. 5/8", thread length 5-1/2", overall length 8"	
107	GM-HW-E0158		Genuine Marine Bow Eye, stock dia. 5/8", thread length 3-1/2", overall length 6-1/8"	
108	GM-HW-S0750		Genuine Marine louvered vent, Colour:white, Pipe: 3.94", Size: 5"x5"x2	
109	GM-HW-S0751		Genuine Marine louvered vent, Colour:black, Pipe: 3.94", Size: 5"x5"x2	
110	GM-HW-S0755		Genuine Marine louvered vent, Colour:black, Size: 3.3"x3.3"x2.82"	
111	GM-HW-S0756		Genuine Marine louvered vent, Colour:white, Size: 3.3"x3.3"x2.82"	
112	GM-HW-S0760		Genuine Marine vent, Black, 85x85mm	
113	GM-HW-S0761		Genuine Marine vent, Black, 85x85mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
114	GM-HW-S0300		Genuine Marine thru vent, 4"x4"	
115	GM-HW-S0301		Genuine Marine thru vent, 5"x5"	
116	GM-HW-S0450		Genuine Marine hose vent, 5"x5", tube: 4"	
117	GM-HW-S0451		Genuine Marine hose vent, 4"x4", tube: 3"	
118	GM-HW-S0001		Genuine Marine Vent, Plate O.D:3",Height:10",Mouth Dia:7-1/4"	
119	GM-HW-S0002		Genuine Marine Vent, Plate O.D:3",Height:10",Mouth Dia:7-1/4"	
120	GM-HW-S0003		Genuine Marine Vent, Plate O.D:4",Height:12",Mouth Dia:8-5/8"	
121	GM-HW-S0004		Genuine Marine Vent, Plate O.D:4",Height:12",Mouth Dia:8-5/8"	
122	GM-HW-S0500		Genuine Marine exhaust outlet, tube: 3"	
123	GM-HW-S0501		Genuine Marine exhaust outlet, tube: 3-1/2"	
124	GM-HW-S0502		Genuine Marine exhaust outlet, tube: 3"	
125	GM-HW-S0503		Genuine Marine exhaust outlet, tube: 3-1/2"	
126	GM-HW-LH0001		Genuine Marine S.S. Spring loaded flush lift handle,TxLxW:7/16"x2-9/16"x2-3/16",w/Spring	
127	GM-HW-LH0002		Genuine Marine S.S. Spring loaded flush lift handle,TxLxW:7/16"x1-3/4"x1-1/2",w/Spring	
128	GM-HW-LH0003		Genuine Marine S.S. Spring loaded flush lift handle,TxLxW:3/8"x2-9/16"x2-3/16",w/o Spring	
129	GM-HW-LH0050		Genuine Marine S.S. lift handle, Heigh:8.4(5/16"),Width:57(2-3/16"),Length:76(3")	
130	GM-HW-LH0100		Genuine Marine S.S. Spring loaded flush lift handle,TxLxW:8.4(5/16")x76(3")x57(2-3/16"),w/Spring	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
131	GM-HW-LH0101		Genuine Marine S.S. Spring loaded flush lift handle,TxLxW:2.6x38x48	
132	GM-HW-LH0102		Genuine Marine S.S. Spring loaded flush lift handle,TxLxW:5x62x44	
133	GM-HW-LH0110		Genuine Marine S.S. Spring loaded flush lift handle,TxLxW:3x76x57.5	
134	GM-HW-LH0200		Genuine Marine handle, Size:78.2mm x 65.3mmx110mm	
135	GM-HW-LH0201		Genuine Marine handle, Size:78mm x 66mmx107mm	
136	GM-HW-LH0202		Genuine Marine handle, Size:84.5mm x 69.5mmx75mm	
137	GM-HW-LH0203		Genuine Marine handle, Size:96mm x 76mmx125mm	
138	GM-HW-LH0210		Genuine Marine handle, Size:76mm x 89mmx84mm	
139	GM-HW-LH0211		Genuine Marine handle, Size:62mm x 58.3mm	
140	GM-HW-DS0050		Genuine Marine Door Holder, Base size:2",Height:2-1/2"	
141	GM-HW-DS0100		Genuine Marine Door Holder, Base size:25x45mm,Height:35mm	
142	GM-HW-DS0150		Genuine Marine Door Holder, Base size:50mm,Height:90mm	
143	GM-HW-HL30-1044A		Genuine Marine Hinge, 76*38mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
144	GM-HW-H0604C		Genuine Marine Hinge, 76*38mm	
145	GM-HW-H0606B		Genuine Marine Hinge, 58*38mm	
146	GM-HW-H1870A		Genuine Marine Hinge, 42*42mm	
147	GM-HW-H0601A		Genuine Marine Hinge, 38*38mm	
148	GM-HW-H0602A		Genuine Marine Hinge, 50*50mm	
149	GM-HW-H0066		Genuine Marine Hinge, 100*100mm	
150	GM-HW-H0066A		Genuine Marine Hinge, 100*75mm	
151	GM-HW-H0606A		Genuine Marine Hinge, 56*38mm	
152	GM-HW-H0607A		Genuine Marine Hinge, 76*38mm	
153	GM-HW-H0604A		Genuine Marine Hinge, 76*38mm	
154	GM-HW-H0605A		Genuine Marine Hinge, 102*38mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
155	GM-HW-HL30-1044		Genuine Marine Hinge, 74*38mm	
156	GM-HW-HG0300		Genuine Marine Concealed Hinge, 35.7mmx36.5mm	
157	GM-HW-HG0301		Genuine Marine Concealed Hinge, 60mmx12mmx12.5	
158	GM-HW-HG0302		Genuine Marine Concealed Hinge, 76.2mmx36.5mm	
159	GM-HW-HG0303		Genuine Marine Concealed Hinge, 74mmx40.7mm	
160	GM-HW-HG0305		Genuine Marine Concealed Hinge, 76.2mmx37mm	
161	GM-HW-HG0100		Genuine Marine Hinge, Length:65mm, Width:60mm	
162	GM-HW-HG0101		Genuine Marine Hinge, Length:85, Width:40	
163	GM-HW-HG0102		Genuine Marine Hinge, Length:150.73, Width:60	
164	GM-HW-967		Genuine Marine Full cover auto return hinge, S.S.304, damping	
165	GM-HW-968		Genuine Marine Half cover auto return hinge, S.S.304, damping	
166	GM-HW-969		Genuine Marine Built - in auto - recovery hinge, S.S.304, damping	
167	GM-HW-967L		Genuine Marine Hinge with LED light	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
168	GM-HW-T0600		Genuine Marine Sea Strainer, brass, 3/4"	
169	GM-HW-T0601		Genuine Marine Sea Strainer, brass, 1"	
170	GM-HW-T0602		Genuine Marine Sea Strainer, brass, 1-1/4"	
171	GM-HW-T0603		Genuine Marine Sea Strainer, brass, 1-1/2"	
172	GM-HW-T0604		Genuine Marine Sea Strainer, brass, 2"	
173	GM-HW-T0605		Genuine Marine Sea Strainer, brass, 2-1/2"	
174	GM-HW-T0606		Genuine Marine Sea Strainer, brass, 3"	
175	GM-HW-T0607		Genuine Marine Sea Strainer, brass, 4"	
176	GM-HW-T0608		Genuine Marine Sea Strainer, brass, 5"	
177	GM-HW-T0700		Genuine Marine Sea Strainer, S.S.316,1"	
178	GM-HW-T0701		Genuine Marine Sea Strainer, S.S.316,1.5"	
179	GM-HW-T0702		Genuine Marine Sea Strainer, S.S.316,2"	
180	GM-HW-T0703		Genuine Marine Sea Strainer, S.S.316,2.5"	
181	GM-HW-T0704		Genuine Marine Sea Strainer, S.S.316,3"	
182	GM-HW-T0705		Genuine Marine Sea Strainer, S.S.316,4"	
183	GM-HW-T0250		Genuine Marine Sea Strainer, brass, 3/4"	
184	GM-HW-T0251		Genuine Marine Sea Strainer, brass, 1"	
185	GM-HW-T0252		Genuine Marine Sea Strainer, brass, 1-1/4"	
186	GM-HW-T0253		Genuine Marine Sea Strainer, brass, 1-1/2"	
187	GM-HW-T0254		Genuine Marine Sea Strainer, brass, 2"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
188	GM-HW-T0650		Genuine Marine Sea Cock,brass, 3/4"	
189	GM-HW-T0651		Genuine Marine Sea Cock,brass, 1"	
190	GM-HW-T0652		Genuine Marine Sea Cock,brass, 1-1/4"	
191	GM-HW-T0653		Genuine Marine Sea Cock,brass, 1-1/2"	
192	GM-HW-T0654		Genuine Marine Sea Cock,brass, 2"	
193	GM-HW-T0655		Genuine Marine Sea Cock,brass, 2-1/2"	
194	GM-HW-T0656		Genuine Marine Sea Cock,brass, 3"	
195	GM-HW-T0657		Genuine Marine Sea Cock,brass, 4"	
196	GM-HW-T0658		Genuine Marine Sea Cock,brass, 5"	
197	GM-HW-T0500		Genuine Marine Male Barbed Connector, Straight, 3/4"	
198	GM-HW-T0501		Genuine Marine Male Barbed Connector, Straight, 1"	
199	GM-HW-T0502		Genuine Marine Male Barbed Connector, Straight,1-1/4"	
200	GM-HW-T0503		Genuine Marine Male Barbed Connector, Straight, 1-1/2"	
201	GM-HW-T0504		Genuine Marine Male Barbed Connector, Straight, 2"	
202	GM-HW-T0505		Genuine Marine Male Barbed Connector, Straight, 3"	
203	GM-HW-T0506		Genuine Marine Male Barbed Connector, Straight, 4"	
204	GM-HW-T0550		Genuine Marine Male Barbed Connector, 90°, 3/4"	
205	GM-HW-T0551		Genuine Marine Male Barbed Connector, 90°, 1"	
206	GM-HW-T0552		Genuine Marine Male Barbed Connector, 90°,1-1/4"	
207	GM-HW-T0553		Genuine Marine Male Barbed Connector, 90°, 1-1/2"	
208	GM-HW-T0554		Genuine Marine Male Barbed Connector, 90°, 2"	
209	GM-HW-T0555		Genuine Marine Male Barbed Connector, 90°, 3"	
210	GM-HW-T0556		Genuine Marine Male Barbed Connector, 90°, 4"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
211	GM-HW-T0300		Genuine Marine Drain Scupper, 1-1/2", 90°	
212	GM-HW-T0301		Genuine Marine Drain Scupper, 1-1/2", straight	
213	GM-HW-T0400		Genuine Marine Drain Scupper, 1-1/2", 45°	
214	GM-HW-T0401		Genuine Marine Drain Scupper, 1-1/2", 95°	
215	GM-HW-T0350		Genuine Marine Drain Scupper, 1-1/2"	
216	GM-HW-T0351		Genuine Marine Drain Scupper, 2"	
217	GM-HW-T0355		Genuine Marine Drain Scupper, 1-1/2"	
218	GM-HW-T0364		Genuine Marine Drain Scupper, hole dia 32mm, length 72mm, width 75mm	
219	GM-HW-T0700		Genuine Marine S.S. Plug, length 54mm, tube 24mm	
220	GM-HW-T0750		Genuine Marine S.S. Plug, length 54mm, tube 24mm	
221	GM-HW-T0800		Genuine Marine Nylon Plug, 1"	
222	GM-HW-T0850		Genuine Marine Nylon Plug, 3/4"	
223	GM-HW-T0851		Genuine Marine Nylon Plug, 1"	
224	GM-HW-T0852		Genuine Marine Nylon Plug, 1.5"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
225	GM-HW-SC0410		Genuine Marine Round Base, external diameter 67mm, tube diameter 22mm, height 45mm	
226	GM-HW-SC0411		Genuine Marine Round Base, external diameter 70mm, tube diameter 25mm, height 42mm	
227	GM-HW-SC0460		Genuine Marine Square Base, base size 77*44, tube size 22mm, height 46mm, 90°	
228	GM-HW-SC0461		Genuine Marine Square Base, base size 82*47, tube size 25mm, height 44mm, 90°	
229	GM-HW-AT0001		Genuine Marine Antenna Base, fastener ctr. to ctr. 2-13/16"*1-13/16", base size 3-5/8"*2-9/16, fastener 1/4"FH, material ZAMAK	
230	GM-HW-AT0002		Genuine Marine Antenna Base, fastener ctr. to ctr. 2-13/16"*1-13/16", base size 3-5/8"*2-9/16, fastener 1/4"FH, material S.S. 316	
231	GM-HW-AT0003		Genuine Marine Antenna Base, fastener ctr. to ctr. 2-13/16"*1-13/16", base size 3-1/2"*2-9/16", fastener 1/4"FH, material NYLON	
232	GM-HW-AT0050		Genuine Marine Antenna Base, length 39.9mm, base dia Φ77mm, tube.O D Φ25.4(1")	
233	GM-HW-AT0051		Genuine Marine Antenna Base, length 104.9mm, base dia Φ77mm, tube.O D Φ25.4(1")	
234	GM-HW-AT0052		Genuine Marine Antenna Base, length 101.6mm(4"), base dia Φ72.0mm (2.83"), tube.O D Φ26.9mm(1-1/16")	
235	GM-HW-AT0053		Genuine Marine Antenna Base, length 305.0mm(12"), base dia Φ72.0mm (2.83"), tube.O D Φ26.9mm(1-1/16")	
236	GM-HW-DK0001		Genuine Marine Latch, S.S. swivel hasp(stamped), Closed L:2-3/4",Width:1"	
237	GM-HW-DK0002		Genuine Marine Latch, S.S. swivel hasp(stamped), Closed L:3-3/4",Width:1"	
238	GM-HW-DK0150		Genuine Marine Barrel Bolt, L:4-1/4",W:1-1/2",Bolt L:4"	
239	GM-HW-DK0151		Genuine Marine Barrel Bolt, L:5-1/4",W:1-1/2",Bolt L:5"	
240	GM-HW-DK0152		Genuine Marine Barrel Bolt, L:3-1/2",W:1-1/2",Bolt L:3"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
241	GM-HW-DK0180		Genuine Marine Locking Hasp,L:105, H:50	
242	GM-HW-DK0190		Genuine Marine Locking Hasp,L:70, H:28	
243	GM-HW-WS0001B		Genuine Marine Thread Hole Cover, external diameter 120mm, height 105mm	
244	GM-HW-WS0002B		Genuine Marine Thread Hole Cover, external diameter 100mm, height 70mm	
245	GM-HW-WS0003B		Genuine Marine Thread Hole Cover, external diameter 90mm, height 100mm	
246	GM-HW-WS0004B		Genuine Marine Thread Hole Cover, external diameter 75mm, height 110mm	
247	GM-HW-H0401A		Genuine Marine Top Cap 22mm	
248	GM-HW-H0402A		Genuine Marine Top Cap 25mm	
249	GM-HW-H0405A		Genuine Marine Jaw Slide 22mm	
250	GM-HW-H0406A		Genuine Marine Jaw Slide 25mm	
251	GM-HW-H0409A		Genuine Marine Deck Hinge 52*17mm	
252	GM-HW-H0409B		Genuine Marine Deck Hinge 52*17mm	
253	GM-HW-SF0001/SF0020		Genuine Marine Buckle and Base, stainless steel	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
254	GM-HW-SF0002		Genuine Marine Buckle	
255	GM-HW-SF0003		Genuine Marine Buckle	
256	GM-HW-R0050		Genuine Marine Mooring Rope, double braided, 3/8"	
257	GM-HW-R0051		Genuine Marine Mooring Rope, double braided, 1/2"	
258	GM-HW-R0052		Genuine Marine Mooring Rope, double braided, 5/8"	
259	GM-HW-R0053		Genuine Marine Mooring Rope, double braided, 3/4"	
260	GM-HW-R0054		Genuine Marine Mooring Rope, double braided, 1"	
261	GM-HW-64000		Genuine Marine T-TOP Bimini, blue color, aluminum, total one set	
262	Bimini top cover		different size for options	
263	Boat cover		different size for options	

Genuine Marine Hatch

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-IH0001		Genuine Marine Hatch, Plastic, Inner dia.:102,Outer dia.:142, Non-slip surface	
2	GM-HW-IH0002		Genuine Marine Hatch, Plastic, Inner dia.:130,Outer dia.:170, smooth surface	
3	GM-HW-IH0003		Genuine Marine Hatch, Plastic, Inner dia.:152,Outer dia.:200, smooth surface	
4	GM-HW-IH0004		Genuine Marine Hatch, Plastic, Inner dia.:152,Outer dia.:200, Non-slip grain surface	
5	GM-HW-IH0010		Genuine Marine Hatch, Inner dia.:95mm, Outer dia.:154mm, White, plastic	
6	GM-HW-IH0011		Genuine Marine Hatch, Inner dia.:122mm, Outer dia.:181mm, White, plastic	
7	GM-HW-IH0012		Genuine Marine Hatch, Inner dia.:145mm, Outer dia.:210mm, White, plastic	
8	GM-HW-IH0020		Genuine Marine Hatch, Inner dia.:201mm, Outer dia.:280mm, White, plastic	
9	GM-HW-IH0021		Genuine Marine Hatch, Inner dia.:201mm, Outer dia.:280mm, Grey, plastic	
10	GM-HW-IH0022		Genuine Marine Hatch, Inner dia.:240mm, Outer dia.:334mm, White, plastic	
11	GM-HW-IH0023		Genuine Marine Hatch, Inner dia.:240mm, Outer dia.:334mm, White, plastic	
12	GM-HW-IH0030		Genuine Marine Hatch, Inner dia.:101mm, Outer dia.:143mm, White, plastic	
13	GM-HW-IH0031		Genuine Marine Hatch, Inner dia.:151mm, Outer dia.:198mm, White, plastic	
14	GM-HW-IH0032		Genuine Marine Hatch, Inner dia.:180mm, Outer dia.:250mm, White, plastic	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
15	GM-HW-IH0040		Genuine Marine Hatch, Inner dia.:152.4mm, Outer dia.:210mm, White, plastic	
16	GM-HW-IH0040B		Genuine Marine Hatch, Inner dia.:152.4mm, Outer dia.:210mm, Black, plastic	
17	GM-HW-IH0041		Genuine Marine Hatch, Inner dia.:203.2mm, Outer dia.:282mm, White, plastic	
18	GM-HW-IH0041B		Genuine Marine Hatch, Inner dia.:203.2mm, Outer dia.:282mm, Black, plastic	
19	GM-HW-IH0050		Genuine Marine Hatch, Overall size: 420x314mm, Cutout size:324X217mm, White, plastic	
20	GM-HW-IH0050B		Genuine Marine Hatch, Overall size:420x314 mm, Cutout size:324X217mm, Black, plastic	
21	GM-HW-IH0051		Genuine Marine Hatch, Overall size: 608X343mm, Cutout size:515X212mm, White, plastic	
22	GM-HW-IH0051B		Genuine Marine Hatch, Overall size: 608X34mm, Cutout size:3515X212mm, Black, plastic	
23	GM-HW-IH1010		Genuine Marine Hatch, Overall size: 276x376mm, Cutout size:193x293mm, White, plastic	
24	GM-HW-IH1011		Genuine Marine Hatch, Overall size: 276x376mm, Cutout size:193x293mm, Grey, plastic	
25	GM-HW-IH1012		Genuine Marine Hatch, Overall size: 250x606mm, Cutout size:167x524mm, White, plastic	
26	GM-HW-IH1013		Genuine Marine Hatch, Overall size: 250x606mm, Cutout size:167x524mm, Grey, plastic	
27	GM-HW-IH1014		Genuine Marine Hatch, Overall size: 358x606mm, Cutout size:275x525mm, White, plastic	
28	GM-HW-IH1015		Genuine Marine Hatch, Overall size: 358x606mm, Cutout size:275x525mm, Grey, plastic	
29	GM-HW-IH1016		Genuine Marine Hatch, Overall size: 460x511mm, Cutout size:380x436mm, White, plastic	
30	GM-HW-IH1017		Genuine Marine Hatch, Overall size: 460x511mm, Cutout size:380x436mm, Grey, plastic	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
31	GM-HW-IH1020		Genuine Marine Hatch,Overall size: 243X607mm, Cutout size:168X525mm, plastic	
32	GM-HW-IH1021		Genuine Marine Hatch,Overall size: 315X440mm, Cutout size:240X358mm, plastic	
33	GM-HW-IH1022		Genuine Marine Hatch,Overall size: 353X606mm, Cutout size:278X524mm, plastic	
34	GM-HW-IH1023		Genuine Marine Hatch,Overall size: 370X375mm, Cutout size:295X295mm, plastic	
35	GM-HW-IH1024		Genuine Marine Hatch,Overall size: 460X510mm, Cutout size:383X436mm, plastic	
36	GM-HW-IH1025		Genuine Marine Hatch,Overall size: 270X370mm, Cutout size:192X291mm, plastic	
37	GM-HW-IH1000		Genuine Marine Hatch,Overall size: 316X366mm, Cutout size:226X276mm, White, plastic	
38	GM-HW-IH1001		Genuine Marine Hatch,Overall size: 316X366mm, Cutout size:226X276mm, Grey, plastic	
39	GM-HW-6513		Genuine Marine Hatch,Overall size: 270x375mm, Cutout size:183x289mm, plastic	
40	GM-HW-6514		Genuine Marine Hatch,Overall size: 315x440mm, Cutout size:237x357mm, plastic	
41	GM-HW-6515		Genuine Marine Hatch,Overall size: 353x606mm, Cutout size:266x520mm, plastic	
42	GM-HW-6516		Genuine Marine Hatch,Overall size: 243x607mm, Cutout size:162x521mm, plastic	
43	GM-HW-6517		Genuine Marine Hatch,Overall size: 370x375mm, Cutout size:283x289mm, plastic	
44	GM-HW-6518		Genuine Marine Hatch,Overall size: 460x510mm, Cutout size:373x433mm, plastic	
45	GM-HW-6519		Genuine Marine Hatch,Overall size: 325x505mm, Cutout size:255x435mm, plastic	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
46	GM-HW-6600		Genuine Marine Hatch,3", stainless steel	
47	GM-HW-6601		Genuine Marine Hatch,4", stainless steel	
48	GM-HW-6602		Genuine Marine Hatch,5", stainless steel	
49	GM-HW-6603		Genuine Marine Hatch,6", stainless steel	
50	GM-HW-6610		Genuine Marine Hatch,3", stainless steel	
51	GM-HW-6611		Genuine Marine Hatch,4", stainless steel	
52	GM-HW-6612		Genuine Marine Hatch,5", stainless steel	
53	GM-HW-6613		Genuine Marine Hatch,6", stainless steel	
54	GM-HW-H0001		Genuine Marine Aluminum Hatches, Square,Overall Size:262mmX382mm,acrylic glass and aluminum frame	
55	GM-HW-H0002		Genuine Marine Aluminum Hatches, Square,Overall Size:299mmX299mm,acrylic glass and aluminum frame	
56	GM-HW-H0003		Genuine Marine Aluminum Hatches, Square,Overall Size:344mmX344mm,acrylic glass and aluminum frame	
57	GM-HW-H0004		Genuine Marine Aluminum Hatches, Square,Overall Size:394mmX394mm,acrylic glass and aluminum frame	
58	GM-HW-H0005		Genuine Marine Aluminum Hatches, Square,Overall Size:464mmX564mm,acrylic glass and aluminum frame	
59	GM-HW-H0006		Genuine Marine Aluminum Hatches, Square,Overall Size:514mmX514mm,acrylic glass and aluminum frame	
60	GM-HW-H0007		Genuine Marine Aluminum Hatches, Square,Overall Size:514mmX664mm,acrylic glass and aluminum frame	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
61	GM-HW-H0008		Genuine Marine Aluminum Hatches, Square,Overall Size:564mmX564mm,acrylic glass and aluminum frame	
62	GM-HW-H0009		Genuine Marine Aluminum Hatches, Square,Overall Size:664mmX664mm,acrylic glass and aluminum frame	
63	GM-HW-H0300		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:325x325mm, cutout size 260x260mmxr45mm	
64	GM-HW-H0301		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:375x375mm, cutout size 310x310mmxr45mm	
65	GM-HW-H0302		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:425x425mm, cutout size 360x360mmxr45mm	
66	GM-HW-H0303		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:475x475mm, cutout size 410x410mmxr45mm	
67	GM-HW-H0304		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:525x525mm, cutout size 460x460mmxr45mm	
68	GM-HW-H0305		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:575x575mm, cutout size 510x510mmxr45mm	
69	GM-HW-H0306		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:625x625mm, cutout size 560x560mmxr45mm	
70	GM-HW-H0307		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:675x675mm, cutout size 610x610mmxr45mm	
71	GM-HW-H0310		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:425X525mm, cutout size 360x460mmxr45mm	
72	GM-HW-H0311		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:425X575mm, cutout size 360x510mmxr45mm	
73	GM-HW-H0312		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:425X625mm, cutout size 360x560mmxr45mm	
74	GM-HW-H0313		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:425X675mm, cutout size 360x610mmxr45mm	
75	GM-HW-H0314		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:475X575mm, cutout size 410x510mmxr45mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
76	GM-HW-H0315		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:475X625mm, cutout size 410x560mmxr45mm	
77	GM-HW-H0316		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:475X675mm, cutout size 410x610mmxr45mm	
78	GM-HW-H0317		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:525X625mm, cutout size 460x560mmxr45mm	
79	GM-HW-H0318		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:525X675mm, cutout size 460x610mmxr45mm	
80	GM-HW-H0319		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:575X675mm, cutout size 510x610mmxr45mm	
81	GM-HW-H0320		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:350x350mm, cutout size 300x300mmxR75mm	
82	GM-HW-H0321		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:400X400mm, cutout size 350x350mmxR75mm	
83	GM-HW-H0322		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:450x450mm, cutout size 400x400mmxR75mm	
84	GM-HW-H0323		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:500x500mm, cutout size 450x450mmxR75mm	
85	GM-HW-H0324		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:550x550mm, cutout size 500x500mmxR75mm	
86	GM-HW-H0330		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:D425mm, cutout size D360mm	
87	GM-HW-H0331		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:D475mm, cutout size D410mm	
88	GM-HW-H0332		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:D525mm, cutout size D460mm	
89	GM-HW-H0333		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:D575mm, cutout size D510mm	
90	GM-HW-H0334		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:D625mm, cutout size D560mm	
91	GM-HW-H0335		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:D675mm, cutout size D610mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
92	GM-HW-H0340		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:540x650mm, cutout size 470x580mmxr45mm	
93	GM-HW-H0341		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:640x578mm, cutout size 575x513mmxr45mm	
94	GM-HW-H0342		Genuine Marine Aluminum Hatches, tempered glass and aluminum frame,overall Size:695x577mm, cutout size 625x508mmxr45mm	
95	GM-HW-H0050		Genuine Marine Aluminum Hatches,Round,Overall Diamter:370mm,acrylic glass and aluminum frame	
96	GM-HW-H0051		Genuine Marine Aluminum Hatches,Round,Overall Diamter:486mm,acrylic glass and aluminum frame	
97	GM-HW-H0052		Genuine Marine Aluminum Hatches,Round,Overall Diamter:582mm,acrylic glass and aluminum frame	
98	GM-HW-P0001		Genuine Marine SS316 Portlight, Elliptical,Standard Model, 6"X16",Height:30mm,acrylic glass and stainless steel frame	
99	GM-HW-P0050		Genuine Marine SS316 Portlight, Elliptical,Medium Model, 6"X16",Height:46mm,acrylic glass and stainless steel frame	
100	GM-HW-P0100		Genuine Marine SS316 Portlight, Elliptical,Deluxe Model, 6"X16",Height:56mm,acrylic glass and stainless steel frame	
101	GM-HW-P0100		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size 150X345mm, cutout size 105x300mm	
102	GM-HW-P0101		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size 200x460mm, cutout size 148x408mm	
103	GM-HW-P0102		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size 250x575mm, cutout size 203x526mm	
104	GM-HW-P0120		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size 150x345mm, cutout size 101x297mm	
105	GM-HW-P0121		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size 200x400mm, cutout size 150x350mm	
106	GM-HW-P0122		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size 250x560mm, cutout size 202x511mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
107	GM-HW-P0130		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size \varnothing 200mm, cutout size \varnothing 161mm	
108	GM-HW-P0131		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size \varnothing 250mm, cutout size \varnothing 205mm	
109	GM-HW-P0132		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size \varnothing 300mm, cutout size \varnothing 260mm	
110	GM-HW-P0141		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size 150X345mm, cutout size 102x296mm	
111	GM-HW-P0142		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size 200x460mm, cutout size 152x411mm	
112	GM-HW-P0143		Genuine Marine Portlight, stainless steel frame and tempered glass, allover size 250x575mm, cutout size 202x526mm	
113	GM-HW-P0200		Genuine Marine Aluminum Rectangular portlight, Square, Overall Size: 197mm x 397mm, acrylic glass and aluminum frame	
114	GM-HW-P0201		Genuine Marine Aluminum Rectangular portlight, Square, Overall Size: 178mm x 325mm, acrylic glass and aluminum frame	
115	GM-HW-P0202		Genuine Marine Aluminum Rectangular portlight, Square, Overall Size: 193mm x 451mm, acrylic glass and aluminum frame	
116	GM-HW-P0203		Genuine Marine Aluminum Rectangular portlight, Square, Overall Size: 193mm x 369mm, acrylic glass and aluminum frame	
117	GM-HW-P0204		Genuine Marine Aluminum Rectangular, Portlight, Square, Overall Size: 193mm x 649mm, acrylic glass and aluminum frame	
118	GM-HW-P0205		Genuine Marine Aluminum Rectangular Portlight, Square, Overall Size: 261mm x 451mm, acrylic glass and aluminum frame	

Genuine Marine Chair & Leg

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-SA0010		Genuine Marine Triple Stage Table Pedestal Height extended 710mm, height down 340mm Travel 370mm, outer tube size 127mm, mid tube size 108mm, inner tube size 89mm base dia 304.9mm, material S.S.316	
2	GM-HW-SA0181		Genuine Marine Fixed Table Pedestal Height 685mm, tube dia 60mm Base dia 178mm Material aluminum	
3	GM-HW-SA0182		Genuine Marine Adjustable Table Pedestal Adjustable height 500-700mm, Base dia 178mm Inner tube dia 50mm, outer tube dia 60mm Material aluminum	
4	GM-HW-SA0185		Genuine Marine Round Table Pedestal 24" 685mm height, with screws rotation base	
5	GM-HW-SA0187		Genuine Marine Round Table Pedestal 24" 500-700mm height, with screws rotation base	
6	GM-HW-SA0186		Genuine Marine Round Table Pedestal 24" 685mm height, inserted base	
7	GM-HW-SA0188		Genuine Marine Round Table Pedestal 18"x30" 685mm height, with screws rotation base	
8	GM-HW-SA0190		Genuine Marine Round Table Pedestal 18"x30" 500-700m height, with screws rotation base	
9	GM-HW-SA0189		Genuine Marine Round Table Pedestal 18"x30" 685mm height, inserted base	
10	GM-HW-SA0500		Genuine Marine Deck Chair Length 490mm x width 460mm x height 600mm	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
11	GM-HW-SA0501		Genuine Marine Deck Chair Length 490mm x width 570mm x height 620mm	
12	GM-HW-SA0502		Genuine Marine Deck Chair Length 490mm x width 570mm x height 620mm	
13	GM-HW-SA0503		Genuine Marine Deck Chair Length 475mm x width 405mm x height 560mm	
14	GM-HW-SA0504		Genuine Marine Deck Chair Length 475mm x width 405mm x height 600mm	
15	GM-HW-SA0505		Genuine Marine Deck Chair Length 450mm x width 403mm x height 600mm	
16	GM-HW-SA0506		Genuine Marine Deck Chair Length 450mm x width 403mm x height 600mm	
17	GM-HW-SA0507		Genuine Marine Deck Chair Length 450mm x width 410mm x height 600mm	
18	GM-HW-SA0508		Genuine Marine Deck Chair Length 500mm x width 500mm x height 630mm	
19	GM-HW-SA0509		Genuine Marine Deck Chair Length 390mm x width 430mm x height 470mm	
20	GM-HW-SA0510		Genuine Marine Deck Chair Length 450mm x height 500mm	










NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
21	GM-HW-SA0511		Genuine Marine Deck Chair Length 375mm x width 420mm x height 460mm	
22	GM-HW-SA0513		Genuine Marine Deck Chair Length 390mm x width 430mm x height 520mm	
23	GM-HW-SA0514		Genuine Marine Deck Chair Length 350mm x width 400mm x height 450mm	
24	GM-HW-SA0515		Genuine Marine Deck Chair Length 350mm x width 400mm x height 450mm	
25	GM-HW-SA0517		Genuine Marine Deck Chair Length 435mm x width 470mm x height 435mm	
26	GM-HW-SA0518		Genuine Marine Deck Chair Length 650mm x width 460mm x height 520mm	
27	GM-HW-SA0519		Genuine Marine Deck Chair Length 680mm x width 630mm x height 690mm	
28	GM-HW-SA0520		Genuine Marine Deck Chair Length 740mm x width 580mm x height 850mm	
29	GM-HW-SA0521		Genuine Marine Deck Chair Length 740mm x width 500mm x height 640mm	
30	GM-HW-SA0522		Genuine Marine Deck Chair Length 750mm x width 730mm x height 680mm	








NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
31	GM-HW-SA0525		Genuine Marine Deck Chair Length 600mm x width 665mm x height 495mm	
32	GM-HW-SA0526		Genuine Marine Deck Chair Length 600mm x width 570mm x height 560mm	
33	GM-HW-SA0530		Genuine Marine Deck Chair	
34	GM-HW-SA0531		Genuine Marine Deck Chair Length 600mm x width 500mm x height 1100mm	
35	GM-HW-SA0532		Genuine Marine Deck Chair	
36	GM-HW-SA0100		Genuine Marine Pneumatic Deck Chair Base Adjustable height 300-400mm	
37	GM-HW-SA0101		Genuine Marine Pneumatic Deck Chair Base Adjustable height 350-470mm	
38	GM-HW-SA0102		Genuine Marine Pneumatic Deck Chair Base Adjustable height 430-610mm	
39	GM-HW-SA0103		Genuine Marine Pneumatic Deck Chair Base Adjustable height 530-710mm	
40	GM-HW-SA0106		Genuine Marine Pneumatic Deck Chair Base Adjustable height 300-400mm	
41	GM-HW-SA0107		Genuine Marine Pneumatic Deck Chair Base Adjustable height 350-470mm	
42	GM-HW-SA0108		Genuine Marine Pneumatic Deck Chair Base Adjustable height 430-610mm	
43	GM-HW-SA0109		Genuine Marine Pneumatic Deck Chair Base Adjustable height 530-710mm	








NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
44	GM-HW-SA0121		Genuine Marine Manual Deck Chair Base Adjustable height 300-400mm	
45	GM-HW-SA0122		Genuine Marine Manual Deck Chair Base Adjustable height 350-470mm	
46	GM-HW-SA0116		Genuine Marine Manual Deck Chair Base Adjustable height 300-400mm	
47	GM-HW-SA0117		Genuine Marine Manual Deck Chair Base Adjustable height 350-470mm	
48	GM-HW-SA0126		Genuine Marine Manual Deck Chair Base Adjustable height 300-400mm, WITH sliding cover plate	
49	GM-HW-SA0127		Genuine Marine Manual Deck Chair Base Adjustable height 300-400mm, WITHOUT sliding cover plate	
50	GM-HW-SA0146		Genuine Marine Fixed Deck Chair Base Height 330mm	
51	GM-HW-SA0147		Genuine Marine Fixed Deck Chair Base Height 457mm	
52	GM-HW-SA0151		Genuine Marine Fixed Deck Chair Base Height 330mm	
53	GM-HW-SA0152		Genuine Marine Fixed Deck Chair Base Height 457mm	
54	GM-HW-SA0161		Genuine Marine Fixed Deck Chair Base Height 330mm	
55	GM-HW-SA0162		Genuine Marine Fixed Deck Chair Base Height 457mm	
56	GM-HW-SA0156		Genuine Marine Fixed Deck Chair Base Height 135mm, WITH sliding cover plate	
57	GM-HW-SA0157		Genuine Marine Fixed Deck Chair Base Height 135mm, WITHOUT sliding cover plate	
58	GM-HW-SA1000		Genuine Marine Deck Chair Base Adjustable height 350-450mm, WITH sliding cover plate and could go forth and back	
59	GM-HW-SA1001		Genuine Marine Deck Chair Base Adjustable height 350-450mm, WITHOUT sliding cover plate and couldn't go forth and back	
60	GM-HW-SA1020		Genuine Marine Deck Chair Base Height 250mm	



NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
61	GM-HW-SA1040		Genuine Marine Deck Chair Base Adjustable Height 300-400mm	

Genuine Marine Steering Wheel






NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-W3001		Genuine Marine Wheel, chromed inserts soft touch grip, Dia.: 350mm, bright silver, plastic material	
2	GM-HW-W3002		Genuine Marine Wheel, brushed chromed inserts soft touch grip, Dia.: 350mm, matte silver, plastic material	
3	GM-HW-W3017		Genuine Marine Steering Wheel	
4	GM-HW-W3038		Genuine Marine Wheel, brushed chromed inserts soft touch grip, Dia.: 350mm, plastic material	
5	GM-HW-W3021		Genuine Marine Steering Wheel, stainless steel 316 and PU material	
6	GM-HW-W3024		Genuine Marine Steering Wheel, stainless steel 316 and PU material	
7	GM-HW-W3027		Genuine Marine Steering Wheel, stainless steel 316 and leather material	
8	GM-HW-W3028W		Genuine Marine Steering Wheel, stainless steel 316 and leather material, white color	
9	GM-HW-W3028B		Genuine Marine Steering Wheel, stainless steel 316 and leather material, black color	






NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
10	GM-HW-W3032		Genuine Marine Steering Wheel, stainless steel 316 and leather material, black color	
11	GM-HW-W3034GB		Genuine Marine Steering Wheel, stainless steel 316 and leather material, BLACK color	
12	GM-HW-W3034GW		Genuine Marine Steering Wheel, stainless steel 316 and leather material, WHITE color	
13	GM-HW-T6R		Genuine Marine Steering Wheel, Ø cm: 45, teak wood	
14	GM-HW-T9G		Genuine Marine Steering Wheel, gray color, Ø cm: 35	
15	GM-HW-T14L		Genuine Marine Steering Wheel, stainless steel, teak material, Ø cm: 35	
16	GM-HW-T17CF		Genuine Marine Steering Wheel, stainless steel, carbonio material, Ø cm: 35	
17	GM-HW-T21B		Genuine Marine Steering Wheel, stainless steel, Carbon look material, Ø cm: 35, black color	
18	GM-HW-T21CF		Genuine Marine Steering Wheel, stainless steel, Carbon look material, Ø cm: 35, gray color	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
19	GM-HW-T21CR		Genuine Marine Steering Wheel, stainless steel, Carbon look material, Ø cm: 35, brown color	
20	GM-HW-T21W		Genuine Marine Steering Wheel, stainless steel, Carbon look material, Ø cm: 35, white color	
21	GM-HW-T26B		Genuine Marine Steering Wheel, stainless steel, Carbon look material, Ø cm: 35, black color	
22	GM-HW-T26CF		Genuine Marine Steering Wheel, stainless steel, Carbon look material, Ø cm: 35	
23	GM-HW-T26LMO		Genuine Marine Steering Wheel, stainless steel, Mahogany wood material, Ø cm: 35, brown color	
24	GM-HW-T26S		Genuine Marine Steering Wheel, stainless steel, Ø cm: 35, white color	
25	GM-HW-T26W		Genuine Marine Steering Wheel, stainless steel, Carbon look material, Ø cm: 35, white color	
26	GM-HW-W0010		Genuine Marine steering wheel, stainless steel, 15-1/2", black color	
27	GM-HW-W0011		Genuine Marine steering wheel, stainless steel, 15-1/2", gray color	
28	GM-HW-W0012		Genuine Marine steering wheel, stainless steel, 13-1/2", black color	
29	GM-HW-W0013		Genuine Marine steering wheel, stainless steel, 13-1/2", gray color	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
30	GM-HW-W0050		Genuine Marine steering wheel, stainless steel, 15-1/2", black color	
31	GM-HW-W0051		Genuine Marine steering wheel, stainless steel, 13-1/2", black color	
32	GM-HW-W0052		Genuine Marine steering wheel, stainless steel, 15-1/2", gray color	
33	GM-HW-W0053		Genuine Marine steering wheel, stainless steel, 13-1/2", gray color	
34	GM-HW-W0101		Genuine Marine steering wheel, stainless steel, 13-1/2", 25degree	
35	GM-HW-W0102		Genuine Marine steering wheel, stainless steel, 15-1/2", 25degree	
36	GM-HW-W0103		Genuine Marine steering wheel, stainless steel, 15-1/2", 10degree	
37	GM-HW-W0104		Genuine Marine steering wheel, stainless steel, 18", 10degree	
38	GM-HW-W0105		Genuine Marine steering wheel, stainless steel, 20", 10degree	

Genuine Marine Swimming Ladder& LifeSaving Parts





NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-L0001		Genuine Marine Telescoping drop ladder,2-steps,Length Deployed:23.5"	
2	GM-HW-L0002		Genuine Marine Telescoping drop ladder,3-steps,Length Deployed:35"	
3	GM-HW-L0003		Genuine Marine Telescoping drop ladder,4-steps,Length Deployed:45.5"	
4	GM-HW-L0150		Genuine Marine Telescoping drop ladder,2-steps,Length Deployed:23.5"	
5	GM-HW-L0151		Genuine Marine Telescoping drop ladder,3-steps,Length Deployed:34-3/16"	
6	GM-HW-L0152		Genuine Marine Telescoping drop ladder,4-steps,Length Deployed:45-5/8"	
7	GM-HW-L0200		Genuine Marine Telescoping drop ladder,2-steps,Length Deployed:23.5"	
8	GM-HW-L0201		Genuine Marine Telescoping drop ladder,3-steps,Length Deployed:35"	
9	GM-HW-L0202		Genuine Marine Telescoping drop ladder,4-steps,Length Deployed:45.5"	
10	GM-HW-L0320		Genuine Marine Telescoping drop ladder,3-steps,Length Deployed:900mm, width 350mm	
11	GM-HW-L0321		Genuine Marine Telescoping drop ladder,3-steps,Length Deployed:900mm, width 41mm	
12	GM-HW-L0310		Genuine Marine Telescoping drop ladder,2-steps,Length Deployed:35"	
13	GM-HW-L0311		Genuine Marine Telescoping drop ladder,3-steps,Length Deployed:45.5"	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
14	GM-HW-L0330		Genuine Marine Telescoping drop ladder,2-steps,Length Deployed:23"	
15	GM-HW-L0331		Genuine Marine Telescoping drop ladder,3-steps,Length Deployed:33-5/8"	
16	GM-HW-L0332		Genuine Marine Telescoping drop ladder,4-steps,Length Deployed:44-1/8"	
17	GM-HW-L0401		Genuine Marine Under platform ladder,3-steps,Length Deployed:35"	
18	GM-HW-L0402		Genuine Marine Under platform ladder,4-steps,Length Deployed:46"	
19	GM-HW-L0403		Genuine Marine swimming ladder	
20	GM-HW-SP0010		Genuine Marine Life Jacket, Automatic inflation	
21	GM-HW-SP0050		Genuine Marine Life Jacket,for adult, Blue,420D fabric	
22	GM-HW-SP0050B		Genuine Marine Life Jacket,for Children,Blue,420D fabric	
23	GM-HW-SP0100		Genuine Marine life buoys, 2.5KG, 720*440*108MM	
24	GM-HW-SP0102		Genuine Marine life buoys, 2.5KG, 710*445*98MM	

Genuine Marine Kitchen&Toilet Parts

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-BW1034		Genuine Marine Faucet, brass, 180° rotate up and down / left and right, cold water	
2	GM-HW-BW1035		Genuine Marine Faucet, brass, 180° rotate up and down / left and right, cold and hot water	
3	GM-HW-BW1036		Genuine Marine Faucet, brass, 180° rotate up and down / left and right, cold water	
4	GM-HW-BW0001		Genuine Marine Deck Faucet, stainless steel	
5	GM-HW-BW1018		Genuine Marine Shower, white plastic, cold and hot water, include hose and key	
6	GM-HW-BW1050		Genuine Marine Shower, ABS material, with 2.5m hose	
7	GM-HW-BW1090		Genuine Marine Shower, stainless steel 316 cover, white shower head, 8ft nylon hose	
8	GM-HW-BW2001		Genuine Marine shower head, brass, electroplate, 137mm length	
9	GM-HW-BW2002		Genuine Marine shower head, brass, electroplate, 125mm length	
10	GM-HW-BW2003		Genuine Marine shower head, ABS electroplate, 140mm length	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
11	GM-HW-BW2004		Genuine Marine shower head, ABS electroplate, 125mm length	
12	GM-EP-A0700		Genuine Marine Sink with cover, stainless steel, Φ420 x D145mm	
13	GM-EP-A0701		Genuine Marine Sink with cover, stainless steel, W420 x D370 x H145mm	
14	GM-EP-A0550		Genuine Marine Round Sink, stainless steel, external diameter 11-1/2", internal diameter 9-7/8"	
15	GM-HW-SFMTM-01		Marine Manual Toilet-compact, 450*415*331.5mm, Ceramic bedpan, lacquered enameled wooden seat,	
16	GM-HW-SFMTM-01-R		Marine Manual Toilet-standard, 482.0 * 463.0 * 334.8mm, Ceramic bowl, soft close seat	
17	GM-HW-SFMTE1-01		Marine Electric Toilet-compact, 12V, 468*330*350mm, Ceramic bedpan, lacquered enameled wooden seat	
18	GM-HW-SFMTE2-01		Marine Electric Toilet-compact, 24V, 468*330*350mm, Ceramic bedpan, lacquered enameled wooden seat	
19	GM-HW-SFMTE1-01-R		Marine Electric Toilet-standard, 12V, 492.8*355.8*360.7mm, Ceramic bowl, soft close seat	
20	GM-HW-SFMTE2-01-R		Marine Electric Toilet-standard, 24V, 492.8*355.8*360.7mm, Ceramic bowl, soft close seat	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
21	GM-HW-SFMTE1-02		Marine Electric Toilet-compact,12V, 450*415*323mm,Ceramic bedpan, lacquered enameled wooden seat	
22	GM-HW-SFMTE2-02		Marine Electric Toilet-compact,24V, 450*415*323mm,Ceramic bedpan, lacquered enameled wooden seat	
23	GM-HW-SFMTE1-02-R		Marine Electric Toilet-standard,12V, 482.3*463.3*334.8mm,Ceramic bowl, soft close seat	
24	GM-HW-SFMTE2-02-R		Marine Electric Toilet-standard,24V, 482.3*463.3*334.8mm,Ceramic bowl, soft close seat	
25	GM-HW-SFPT-20-01		Marine Portable Toilet, 404*354*391mm, Flush Tank Capacity 13L, Waste Storage Tank Capacity 20L	
26	GM-HW-SFPT-10-01		Marine Portable Toilet, 404*354*313mm, Flush Tank Capacity 13L, Waste Storage Tank Capacity 10L	

Genuine Marine Locks

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-L001BN		Genuine Marine Push Lock, cutout 20mm, brown color, door thickness 15-27mm, plastic cam	
2	GM-HW-L001PN		Genuine Marine Push Lock, cutout 20mm, pearl nickel color, door thickness 15-27mm, plastic cam	
3	GM-HW-L001CH		Genuine Marine Push Lock, cutout 20mm, chrome color, door thickness 15-27mm, plastic cam	
4	GM-HW-L001PN		Genuine Marine Push Lock, cutout 26mm, pearl nickel color, door thickness 15-18mm, plastic cam	
5	GM-HW-L002CH		Genuine Marine Push Lock, cutout 26mm, chrome color, door thickness 15-18mm, plastic cam	
6	GM-HW-L006SN		Genuine Marine Push Lock, cutout 26mm, door thickness 10-20mm, zinc alloy handle and push rod, plastic base and bolt	
7	GM-HW-L100CH		Genuine Marine Push Lock, cutout 20mm, door thickness 15-18mm, Zinc alloy cam	
8	GM-HW-L100PN		Genuine Marine Push Lock, cutout 20mm, door thickness 15-18mm, Zinc alloy cam	
9	GM-HW-L200CH		Genuine Marine Push Lock, cutout 22mm, door thickness 15-18mm, Zinc alloy cam	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
10	GM-HW-L200PN		Genuine Marine Push Lock, cutout 22mm, door thickness 15-18mm, Zinc alloy cam	
11	GM-HW-L300CH		Genuine Marine Push Lock, cutout 26mm, door thickness 15-18mm, Zinc alloy cam	
12	GM-HW-L300PN		Genuine Marine Push Lock, cutout 26mm, door thickness 15-18mm, Zinc alloy cam	
13	GM-HW-S6209		Genuine Marine Push Lock, zinc alloy button, plastic bolt and base, 60*44.6*39mm, cut out 30mm, door thickness 14-16mm	
14	2990-0		Genuine Marine door lock, zinc alloy, chrome color, diameter 44mm, cutout 38mm	
15	GM-HW-L011SR		Genuine Marine toilet lock, SS304 panel, ABS bolt and base, diameter 50mm, door thickness 8-20mm, cutout diameter 43mm	
16	GM-HW-LS0003T		Genuine Marine toilet lock, zinc alloy and plastic material, cutout 19mm, door thickness 15-20mm, single point type	
17	GM-HW-L008CH		Genuine Marine Cabinet Lock, length 160mm	
18	GM-HW-L007CH		Genuine Marine Cabinet Lock, length 194mm	
19	GM-HW-S6217H		Genuine Marine cabinet lock, zinc alloy handle and ABS base, 177.6*57.34*29.7mm, cutout 13mm, door thickness 14-16mm	



NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
20	GM-HW-L003CH		Genuine Marine cabinet push lock, zinc alloy handle and button, plastic base, cutout 25mm, door thickness 18-24mm, chrome color	
21	GM-HW-L003PN		Genuine Marine cabinet push lock, zinc alloy handle and button, plastic base, cutout 25mm, door thickness 18-24mm, pearl nickel color	
22	GM-HW-L009SN		Genuine Marine cabinet lock, zinc alloy handle, and ABS base, nickel color	
23	GM-HW-L010SN		Genuine Marine cabinet lock, zinc alloy handle, and ABS base, nickel color	
24	GM-HW-S6224		Genuine Marine cabinet lock, zinc alloy handle, and nylon base, handle size 164.5x25mm, cutout 20mm, 14-16mm door thickness	
25	GM-HW-S6208		Genuine Marine cabinet lock, zinc alloy handle, and nylon base, handle size 164.5x25mm, cutout 18*17.5mm, 14-16mm door thickness	

Genuine Marine Cup Holder

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-C0110		Genuine Marine Plastic Cup Holder, LxWxH: 95x95x90mm, white color	
2	GM-HW-C0110B		Genuine Marine Plastic Cup Holder, LxWxH: 95x95x90mm, Black color	
3	GM-HW-C0152		Genuine Marine S.S. Cup Holder, LxWxH: 4"x13/16"x 3-7/8"mm	
4	GM-HW-C0200		Genuine Marine S.S. Cup Holder, height 3-1/4", flange diameter 4-1/4", pipe diameter 3/8", NO LIGHT	
5	GM-HW-C0200B		Genuine Marine S.S. Cup Holder, height 3-1/4", flange diameter 4-1/4", pipe diameter 3/8", BLUE light color	
6	GM-HW-C0300		Genuine Marine Plastic Cup Holder, height 1-3/4", flange diameter 3.45"	
7	GM-HW-C0400		Genuine Marine Plastic Cup Holder, height 60mm, flange diameter 113mm	
8	GM-HW-C0500		Genuine Marine Plastic Cup Holder, height 85mm, flange diameter 110mm	
9	GM-HW-C0200RGB		Genuine Marine RGB Cup Holder, S.S. material, Main LED light: Red, Green and Blue Overall diameter 110mm, height 83.9mm 12V, single LED light power 0.8W, three LED light power 2.5W, WITH remote controller	
10	GM-HW-C0200RGBA		Genuine Marine RGB Cup Holder, S.S. material, Main LED light: Red, Green and Blue Overall diameter 110mm, height 83.9mm 12V, single LED light power 0.8W, three LED light power 2.5W, WITH APP BLUETOOTH controller	

Genuine Marine Handrail

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-EP-HR0530		Genuine Marine Illuminated Handrail, length 330mm, height 68mm, 12V DC, 4X0.5W, warm white color LED	
2	GM-EP-HR0531		Genuine Marine illuminated handrail, 9-30V, the middle part is acrylic material, body is aluminum , stainless steel switch, chrome surfacetreatment, silver color, 457*65*70mm	
3	GM-EP-HR0531B		Genuine Marine illuminated handrail, 9-30V, the middle part is acrylic material, body is aluminum , stainless steel switch, chrome surfacetreatment, black color, 457*65*70mm	
4	GM-HW-HR0105		Genuine Marine illuminated handrail, 30", 12V, stainless steel 316, 3 LEDs	
5	GM-HW-HR0532		Genuine Marine illuminated handrail, 338.5mm, 12V/24V, stainless steel 304, blue light	
6	GM-HW-HR0050		Genuine Marine S.S. Handrail, stud to stud distance 304.8(12"), stud 5/16"*2", oval tube 25.4*18.8	
7	GM-HW-HR0051		Genuine Marine S.S. Handrail, stud to stud distance 406.8(16"), stud 5/16"*2", oval tube 25.4*18.8	
8	GM-HW-HR0052		Genuine Marine S.S. Handrail, stud to stud distance 457.2(18"), stud 5/16"*2", oval tube 25.4*18.8	
9	GM-HW-HR0053		Genuine Marine S.S. Handrail, stud to stud distance 609.6(24"), stud 5/16"*2", oval tube 25.4*18.8	
10	GM-HW-HR0054		Genuine Marine S.S. Handrail, stud to stud distance 219.1(8-5/8"), stud 5/16"*2", oval tube 25.4*18.8	


NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
11	GM-HW-HR0100		Genuine Marine S.S. Handrail, overall length 9", base dia $\Phi 57.0$ (2-1/4"), oval tube 25.4*18.8, fastener 1/4"	
12	GM-HW-HR0101		Genuine Marine S.S. Handrail, overall length 12", base dia $\Phi 57.0$ (2-1/4"), oval tube 25.4*18.8, fastener 1/4"	
13	GM-HW-HR0102		Genuine Marine S.S. Handrail, overall length 16", base dia $\Phi 57.0$ (2-1/4"), oval tube 25.4*18.8, fastener 1/4"	
14	GM-HW-HR0103		Genuine Marine S.S. Handrail, overall length 18", base dia $\Phi 57.0$ (2-1/4"), oval tube 25.4*18.8, fastener 1/4"	
15	GM-HW-HR0104		Genuine Marine S.S. Handrail, overall length 24", base dia $\Phi 57.0$ (2-1/4"), oval tube 25.4*18.8, fastener 1/4"	
16	GM-HW-HR0150		Genuine Marine S.S. Handrail, overall length 12", tube size 13*33m/m, fastener 1/4"	
17	GM-HW-HR0151		Genuine Marine S.S. Handrail, overall length 18", tube size 13*33m/m, fastener 1/4"	
18	GM-HW-HR0152		Genuine Marine S.S. Handrail, overall length 24", tube size 13*33m/m, fastener 1/4"	
19	GM-HW-HR0153		Genuine Marine S.S. Handrail, overall length 18", tube size 20*40m/m, fastener 1/4"	
20	GM-HW-HR0154		Genuine Marine S.S. Handrail, overall length 24", tube size 20*40m/m, fastener 1/4"	
21	GM-HW-HR0155		Genuine Marine S.S. Handrail, overall length 30", tube size 20*40m/m, fastener 1/4"	
22	GM-HW-HR0156		Genuine Marine S.S. Handrail, overall length 36", tube size 20*40m/m, fastener 1/4"	
23	GM-HW-HR0157		Genuine Marine S.S. Handrail, overall length 48", tube size 20*40m/m, fastener 1/4"	
24	GM-HW-HR0158		Genuine Marine S.S. Handrail, overall length 60", tube size 20*40m/m, fastener 1/4"	
25	GM-HW-HR0159		Genuine Marine S.S. Handrail, overall length 72", tube size 20*40m/m, fastener 1/4"	


Genuine Marine Outboard Accessories


NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-LK0650		Genuine Marine S.S. Outboard Motor Bracket, Hp rating to 10hp, mounting size 4-7/16"5-11/16", broad size 8-1/4"*10-3/8", base material plastic	
2	GM-HW-FD0300		Genuine Marine Motor Lock, length 300mm, width 40mm	
3	GM-HW-TB15040		Genuine Marine Spray Strip, length 370mm, width 430mm	
4	GM-HW-FD0601		Genuine Marine Motor Cleaner, length 360mm, height 150mm, square shape	
5	GM-HW-FD0603		Genuine Marine Motor Cleaner, length 270mm, height 160mm, square shape	
6	GM-HW-FD0300		Genuine Marine Engine Stop Switch	
7	GM-HW-FD0500		Genuine Marine Safe Rope	
8	GM-HW-FD1501		Genuine Marine emergency stop switch	
9	GM-EP-BP1230		Genuine Marine Two-stroke Oil Tank, 5L, 0.8kg	
10	GM-EP-BP1231		Genuine Marine Two-stroke Oil Tank, 10L, 1.3kg	
11	GM-EP-BP1232		Genuine Marine Two-stroke Oil Tank, 20L, 1.8kg	






NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
12	GM-EP-BP1240		Genuine Marine Fuel Tank, 5L, 0.8kg	
13	GM-EP-BP1241		Genuine Marine Fuel Tank, 10L, 1.3kg	
14	GM-EP-BP1242		Genuine Marine Fuel Tank, 20L, 1.8kg	
15	GM-EP-BP1250		Genuine Marine Oil Tank, 5L, 0.8kg	
16	GM-EP-BP1251		Genuine Marine Oil Tank, 10L, 1.3kg	
17	GM-EP-BP1252		Genuine Marine Oil Tank, 20L, 1.8kg	
18	GM-EP-BP1260		Genuine Marine Oil Tank, 12L	
19	GM-EP-BP1261		Genuine Marine Oil Tank, 24L	
20	GM-EP-BP1270		Genuine Marine Oil Tube Assembly	
21	GM-HW-15042BK		Genuine Marine Prop Guard, black color, 22.5 x 10.5cm, 5HP-9HP	Not available for USA
22	GM-HW-15042Y		Genuine Marine Prop Guard, yellow color, 26 x 22cm, 9.9HP-20HP	Not available for USA
23	GM-HW-15042C		Genuine Marine Prop Guard, orange color, 29.5 x 22.5cm, 25HP-35HP	Not available for USA
24	GM-HW-15042B		Genuine Marine Prop Guard, blue color, 36 x 25cm, 40HP-65HP	Not available for USA
25	GM-HW-15042R		Genuine Marine Prop Guard, red color, 39.5 x 25cm, 70HP-100HP	Not available for USA




Genuine Marine Gas Spring


NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	GM-HW-G0001		Genuine Marine Gas Spring, Cylinder Dia:6mm,Tube Dia:15mm,Stroke:40mm,Extended Length:155mm,Force:50-300N	
2	GM-HW-G0002		Genuine Marine Gas Spring, Cylinder Dia:6mm,Tube Dia:15mm,Stroke:60mm,Extended Length:195mm,Force:50-300N	
3	GM-HW-G0003		Genuine Marine Gas Spring, Cylinder Dia:6mm,Tube Dia:15mm,Stroke:80mm,Extended Length:240mm,Force:50-300N	
4	GM-HW-G0004		Genuine Marine Gas Spring, Cylinder Dia:6mm,Tube Dia:15mm,Stroke:90mm,Extended Length:255mm,Force:50-300N	
5	GM-HW-G0005		Genuine Marine Gas Spring, Cylinder Dia:6mm,Tube Dia:15mm,Stroke:100mm,Extended Length:280mm,Force:50-300N	
6	GM-HW-G0006		Genuine Marine Gas Spring, Cylinder Dia:6mm,Tube Dia:15mm,Stroke:120mm,Extended Length:315mm,Force:50-300N	
7	GM-HW-G0007		Genuine Marine Gas Spring, Cylinder Dia:6mm,Tube Dia:15mm,Stroke:150mm,Extended Length:375mm,Force:50-300N	
8	GM-HW-G0010		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:60mm,Extended Length:205mm,Force:100-650N	
9	GM-HW-G0011		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:80mm,Extended Length:245mm,Force:100-650N	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
10	GM-HW-G0012		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:100mm,Extended Length:285mm,Force:100-650N	
11	GM-HW-G0013		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:120mm,Extended Length:325mm,Force:100-650N	
12	GM-HW-G0014		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:140mm,Extended Length:365mm,Force:100-650N	
13	GM-HW-G0015		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:160mm,Extended Length:405mm,Force:100-650N	
14	GM-HW-G0016		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:180mm,Extended Length:445mm,Force:100-650N	
15	GM-HW-G0017		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:200mm,Extended Length:485mm,Force:100-650N	
16	GM-HW-G0018		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:220mm,Extended Length:525mm,Force:100-650N	
17	GM-HW-G0019		Genuine Marine Gas Spring, Cylinder Dia:8mm,Tube Dia:18mm,Stroke:250mm,Extended Length:585mm,Force:100-650N	
18	GM-HW-G0020		Genuine Marine Gas Spring, Cylinder Dia:10mm,Tube Dia:22mm,Stroke:100mm,Extended Length:285mm,Force:100-1000N	
19	GM-HW-G0021		Genuine Marine Gas Spring, Cylinder Dia:10mm,Tube Dia:22mm,Stroke:150mm,Extended Length:385mm,Force:100-1000N	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
20	GM-HW-G0022		Genuine Marine Gas Spring, Cylinder Dia:10mm,Tube Dia:22mm,Stroke:200mm,Extended Length:485mm,Force:100-1000N	
21	GM-HW-G0023		Genuine Marine Gas Spring, Cylinder Dia:10mm,Tube Dia:22mm,Stroke:250mm,Extended Length:585mm,Force:100-1000N	
22	GM-HW-G0024		Genuine Marine Gas Spring, Cylinder Dia:10mm,Tube Dia:22mm,Stroke:300mm,Extended Length:685mm,Force:100-1000N	
23	GM-HW-G0025		Genuine Marine Gas Spring, Cylinder Dia:10mm,Tube Dia:22mm,Stroke:350mm,Extended Length:785mm,Force:100-1000N	
24	GM-HW-G0026		Cylinder Dia:10mm,Tube Dia:22mm,Stroke:400mm,Extended Genuine Marine Gas Spring, Length:885mm,Force:100-1000N	
25	GM-HW-G0030		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:22mm,Stroke:100mm,Extended Length:285mm,Force:100-1200N	
26	GM-HW-G0031		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:22mm,Stroke:150mm,Extended Length:385mm,Force:100-1200N	
27	GM-HW-G0032		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:22mm,Stroke:200mm,Extended Length:485mm,Force:100-1200N	
28	GM-HW-G0033		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:22mm,Stroke:250mm,Extended Length:585mm,Force:100-1200N	
29	GM-HW-G0034		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:22mm,Stroke:300mm,Extended Length:585mm,Force:100-1200N	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
30	GM-HW-G0035		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:22mm,Stroke:350mm,Extended Length:785mm,Force:100-1200N	
31	GM-HW-G0036		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:22mm,Stroke:400mm,Extended Length:885mm,Force:100-1200N	
32	GM-HW-G0040		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:27mm,Stroke:200mm,Extended Length:485mm,Force:100-1500N	
33	GM-HW-G0041		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:27mm,Stroke:220mm,Extended Length:530mm,Force:100-1500N	
34	GM-HW-G0042		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:27mm,Stroke:250mm,Extended Length:585mm,Force:100-1500N	
35	GM-HW-G0043		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:27mm,Stroke:300mm,Extended Length:700mm,Force:100-1500N	
36	GM-HW-G0044		Genuine Marine Gas Spring, Cylinder Dia:12.5mm,Tube Dia:27mm,Stroke:400mm,Extended Length:900mm,Force:100-1500N	
37	GM-HW-G1000		Genuine Marine Bracket,BKTS-01	
38	GM-HW-G1001		Genuine Marine Bracket,BKTS-02	
39	GM-HW-G1002		Genuine Marine Bracket,BKTS-03	
40	GM-HW-G1003		Genuine Marine Bracket,BKTS-04-1	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
41	GM-HW-G1004		Genuine Marine Bracket,BKTS-04-0	
42	GM-HW-G1005		Genuine Marine Bracket,BKTS-05	
43	GM-HW-G1006		Genuine Marine Bracket,BKTS-05-3H	
44	GM-HW-G1007		Genuine Marine Bracket,BKTS-06	
45	GM-HW-G1008		Genuine Marine Bracket,BKTS-08	
46	GM-HW-G1009		Genuine Marine Bracket,BKTS-09A	
47	GM-HW-G1010		Genuine Marine Bracket,BKTS-10-1	
48	GM-HW-G1011		Genuine Marine Bracket,BKTS-10-0	
49	GM-HW-LK0610	 	Genuine Marine Aluminum Panel Bracket, P1:60KG, P2:30KG	
50	GM-HW-LK0611		Genuine Marine Aluminum panel Bracket, P1:70KG, P2:35KG	
51	GM-HW-LK0612		Genuine Marine Aluminum panel Bracket, P1:60KG, P2:30KG	
52	GM-HW-LK0613		Genuine Marine Aluminum panel Bracket, P1:95KG, P2:55KG	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
53	GM-HW-LK0614		Genuine Marine Aluminum panel Bracket, P1:60KG, P2:30KG	
54	GM-HW-LK0615		Genuine Marine Aluminum panel Bracket, P1:120KG, P2:60KG	
55	GM-HW-LK0616		Genuine Marine Aluminum panel Bracket, P1:60KG, P2:30KG	
56	GM-HW-LK0617		Genuine Marine Aluminum panel Bracket, P1:140KG, P2:80KG	

Genuine Marine Fender&Accessories

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
1	EVA foam fender		EVA closed cell foam and polyurea elastomer material. foam density from 28kg/m3 to 63kg/m3, PU coating depends on different boat request	as per customers' drawing or mould
2	GM-HW-F3		Genuine Marine Inflatable Fender Dia x Length(cm/inch): 20.83x76.20/8.2"x30", 20'-30'boat	with genuine marine logo
3	GM-HW-F5		Genuine Marine Inflatable Fender Dia x Length(cm/inch): 27.94x76.20/11"x30", 30'-40' boat	with genuine marine logo
4	GM-HW-F6		Genuine Marine Inflatable Fender Dia x Length(cm/inch): 27.94x106.68/11"x42", 40'-50' boat	with genuine marine logo
5	GM-HW-R20W		Genuine Marine Inflatable Fender Diameter x Length: 14.00cmX50.75cm, 10'-20' boat ,White color	with genuine marine logo
6	GM-HW-R30W		Genuine Marine Inflatable Fender Diameter x Length: 14.00cmX50.75cm, 10'-20' boat ,White color	with genuine marine logo
7	GM-HW-R40W		Genuine Marine Inflatable Fender, Diameter x Length: 16.50cmX58.50cm, 20'-30' boat ,White color	with genuine marine logo
8	GM-HW-FD0001		Genuine Marine EVA Flat Tug Fender, 50*20cm*5cm, blue color	with genuine marine logo
9	GM-HW-FD0002		Genuine Marine EVA Flat Tug Fender, 61*30cm*8cm, BLUE color	with genuine marine logo
10	GM-HW-FD0003		Genuine Marine EVA Flat Tug Fender, 91*31cm*8cm, blue color	with genuine marine logo
11	GM-HW-FF3		Genuine Marine EVA Foam Filled Sausage Fender, 22x76cm/9x30", blue and white color	
12	GM-HW-FF4		Genuine Marine EVA Foam Filled Sausage Fender, 22x104cm/9x41", blue and white color	
13	GM-HW-FF5		Genuine Marine EVA Foam Filled Sausage Fender, 30x76cm/12x30", blue and white color	
14	GM-HW-FF6		Genuine Marine EVA Foam Filled Sausage Fender, 30x109cm/12x43", blue and white color	
15	GM-HW-FF7		Genuine Marine EVA Foam Filled Sausage Fender, 38x104cm/15x41", blue and white color	

NO	PART NO.	PART PHOTO	DESCRIPTION	REMARK
16	GM-HW-FF8		Genuine Marine EVA Foam Filled Sausage Fender, 38x147cm/15x58", blue and white color	
17	GM-HW-FF10		Genuine Marine EVA Foam Filled Sausage Fender, 47x127cm/18.5x50", blue and white color, 14.4kg/pc	
18	GM-HW-FF11		Genuine Marine EVA Foam Filled Sausage Fender, 60x145cm/24x57", blue and white color	
19	GM-HW-R0160		Genuine Marine Fender Rope, diameter 6mm * 1.5m, blue and red color	with genuine marine log
20	GM-HW-RGFT01		Genuine Marine Boat Fender Height Adjuster, white, rubber material, 16cm length, suitable rail: diameter less than 5cm	
21	GM-HW-SA0180		Genuine Marine Boat Fender Hook 34cm length, rubber material, black	
22	GM-HW-FMDB01		Genuine Marine EVA Decking, 2.4*1.2m, color could be options	
23	GM-HW-FMDB07S		Genuine Marine EVA Decking, 2.4*0.9m, color could be options	

Genuine Marine FOAM Fender

NEW




LIGHTWEIGHT

CUSTOMIZATION

DURABILITY

VERSATILITY



Genuine Marine EVA Fendering is manufactured from a core of closed cell EVA (Ethylene Vinyl Acetate) which is covered with a Tough Abrasive Resistant Flexible Polyurea Elastomer Skin.

What is E.V.A?

Ethylene vinyl acetate (also known as EVA) is the copolymer of ethylene and vinyl acetate. The weight percent vinyl acetate usually varies from 10 to 40%, with the remainder being ethylene.

It is a polymer that approaches elastomeric materials in softness and flexibility, yet can be processed like other thermoplastics. The material has good clarity and gloss, barrier properties, low-temperature toughness, stress-crack resistance, hot-melt adhesive water proof properties, and resistance to UV radiation. EVA has little or no odor and is competitive with rubber and vinyl products in many electrical applications.

EVA is one of the materials popularly known as expanded rubber or foam rubber. EVA foam is used as padding in equipment for various sports such as ski boots, hockey, boxing, mixed martial arts, wakeboard boots, waterski boots, fishing rods and fishing reel handles. It is typically used as a shock absorber in sports shoes, for example. It is used for the manufacture of floats for commercial fishing gear such as purse seine (seine fishing) and gillnets. In addition, because of its buoyancy, EVA has made its way into non-traditional products such as floating eyewear. It is also used in the photovoltaics industry as an encapsulation material for silicon cells in the manufacture of photovoltaic modules. EVA slippers and sandals are currently very popular because of their properties like light weight, easy to mold, odorless, glossy finish, and cheaper compared to natural rubber. In fishing rods, it is used to construct handles on the rod-but end. EVA can be used as a substitute for cork in many applications.

What is Polyurea Elastomer?

Polyurea is truly a remarkable coatings, linings and joint sealant technology. It is being used successfully for so many different applications today. Polyurea coatings and linings are more commonly applied over concrete and steel for corrosion protection and abrasion resistance. They also have tremendous advantages over conventional materials for joint fill and caulk applications due to their fast set nature, high elongation and durability/abrasion characteristics. Polyurea can be molded and shaped by spraying it into molds. Similarly, polyurea is also used as hard coat protective shell over expanded polystyrene (EPS) for architectural molded fascia applications.

Advantages

- No VOC's and Little to No Odor
- Fast Reactivity and Cure Without Catalyst
- Weather Tolerant: Cures at -25° F to >300° F even in High Humidity
- Flexible: Bridges Cracks
- Waterproof, Seamless and Resilient
- Unlimited Mil Thickness in One Application
- Spray, Hand Mix and Caulk Grade Materials
- Excellent Bond Strengths to Properly Prepared Substrates
- Resistant to Various Solvents, Caustics and Mild Acids
- Low Permeability, Excellent Sustainability

PERFORMANCE CHARACTERISTICS

Tensile Strength: 21 MPa
Tensile Elongation: 520%
Tear Strength: 78 KN/m
Impact Resistance: 1.5Kgm
Adhesion: 2.8 MPa
Durometer Hardness: Shore A-80~90
Water Vapor Transmission: 0.4 Mpa/2h
Specific Gravity: 1.02 g/cm3

Standard Model

Part No.	Model No.	Description
Round Fender		
1	GM-HW-EF0001	Diameter:10"(254mm)
2	GM-HW-EF0002	Diameter:12"(304mm)
3	GM-HW-EF0003	Diameter:14"(355mm)
4	GM-HW-EF0004	Diameter:18"(457mm)
5	GM-HW-EF0005	Diameter:24"(609mm)
6	GM-HW-EF0006	Diameter:26"(660mm)
D - Shape Fender		
1	GM-HW-EF0050	Base Width:6"(152mm),Height:3"(76mm)
2	GM-HW-EF0051	Base Width:8"(203mm),Height:4"(101.5mm)
3	GM-HW-EF0052	Base Width:10"(254mm),Height:5"(127mm)
4	GM-HW-EF0053	Base Width:12"(304mm),Height:6"(152mm)
5	GM-HW-EF0054	Base Width:14"(355mm),Height:7"(175mm)
6	GM-HW-EF0055	Base Width:16"(405mm),Height:8"(204mm)
7	GM-HW-EF0056	Base Width:18"(448mm),Height:9"(224mm)

Genuine Marine EVA Foam Fender Projects



Genuine Marine Cooperation Boat Builder



Genuine Marine Agent Brand



2022



Genuine Marine

Genuine Marine Co.,Ltd

No 8008,Zhuhai Avenue,Pingsha Town,Jinwan District, Zhuhai,Guangdong Province,P.R. China 519055

Toll Free: 400-0516-080

Tel: 86-756-7230929

Email: sales@genuinemarine.com

Web: www.genuinemarine.com

Web Shop: genuinevehicle.en.alibaba.com

Genuine Marine USA

2415 T Avenue,Ste 207Anacortes,WA98221

Toll Free: 844-436-6274

Web: www.genuinemarine.com

Email: sales@genuinemarine.com